2610-FN-BWM0178 Rev.7/2006

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF WASTE MANAGEMENT

|  | Crainto CM&E Eval   | THE RESERVE OF THE PROPERTY AND THE PARTY OF | HOM FOKIN  |  |
|--|---|--|--|--|
| *EPA ID Number   | PAD 00 481022   | 2  | EN   |  |
| Handler Name   | Kelly Run Land  | fil  |  |  |
| Street 245   |   | vonvalues see name on a second see on a second see of the second see   |  |  |
| City 6/12-   | State   | <i>?A</i> Zii  | ) Code   | in the last of the |
| Actual Generator Status<br>Check only if different from No   | oilleg Status LOG ID  | sag () cesag (   | Closed 🖸   | Non-Handler-□  |
| Universe Change Require<br>(Generator Stalus Change Re   | ed?   | If YES, complete the Universe  | Change Section (on rever   | so sido ofilhis (xm);  |
| RCRA Non-Notifier?   | Contractor and Separation .   | complete the Handler Section (o  |  |  |
| Other Facility Information   |   | Y If YES; complete the Han   | dler Section (on reverse a   | ide of this form):   |
| *EVALUATION: [   | 🛂 Add 🐃 🔯 Update 🧼  |  | must provide an Eval<br>In as the Seguence N   | uation identifier (also<br>umber):   |
| *Evaluation<br>Identifier *TVI   |   | *Agency  | Responsible<br>Person<br>PA-JRS  | Subarganizalion  |
| CSE, FUL SNY, and 5NM, t<br>Date: Fox COV, CSE, FUL at   | Day Zero (mm/dd/yyyy):<br>70 for all eyalualon types except GD!<br>otherwise it defaults to Evaluaton Start<br>nd SNY evaluatons, you must select a<br>le Day Zero , SNN evaluation type does |  | Reclassified SV Date:<br>Only applicable for SN)<br>evaluation type as<br>appropriate. |  |
| .[□] Citižen Con   |   | or Field (Checkall that appl)<br>ction 🖸 Sampling  | ).<br>   | <b>۩</b>   |
| BIF ☐ THI. ☐ CAR. ☐  | CCI CFI I INC.  | ion-Spe <i>glic FCI</i><br>□ LDR □ PTB [<br>□ OTHER (specify);<br>Standardizad FCI   | ype FCI)<br>] PTX □<br>= BTI □   |  |
| Does this Evaluation Add   | //Update/Delete a Violation?  |  | (Yes, III in the Violation   | is Section(s) on page 2  |
| Does this Evaluation link  |   |  | l'Illis form<br>L'Yes, please use  | the RCRAInfo, 3007   |
| Does this Evaluation link  |   |  | ntonnation Requests an<br>I Yes, please use  | the RCRAInto 3007  |
| and the state of t | ONS COVERED BY ABOVE EV   | The state of the s | nformation Requests an   | d Commitments Form.<br>Information below:  |
| ?Seq:No: Molatio   |   | *Regulation Citation<br>(Type + Citation)<br>(Ex. FR 262.1)  | <u>a</u> .   | ité Determined<br>mm/dd/iyyy)  |
|  |   |  |  |  |
| THE RESERVE OF THE PARTY OF THE |   |  | /  | 87. 0  |

# 2610-FM-BWM0179 Rev. 7/2006

| RCRAInfo CI  | VI&E EVALUA   |   | ionaform e   |                                      |
|--|---|---|--|--------------------------------------|
|  |   | andler Name   |  |                                      |
| (Additional Violations can be added  | VIOLATIONS  |   | :M&E Additional Viola  | ijons Form)                          |
| VIOLATION Add Update   | Delete  |   | Link to Above Eva  |                                      |
| Seg. No Type Agency Notes:   | Determined Date<br>(mm/dd/yyyy)   |   |  | ual RTC Date<br>im/dd/ygyy);         |
| LINK CITATIONS TO ABOVE VIOLAT   | ON? YES [   | l wo:[]   | If Yes, fill in inform   | ation below                          |
| Citation Citation  |   | Citation<br>Type                                      | Citation   |                                      |
|  |   |   |  |                                      |
|  |   |   |  |                                      |
| VIOLATION Add Dipdate  | Delete  |   | Link to Above Eva  |                                      |
| Seq. No Type Agency: Notes:  | Defermined Date<br>(mm/dd/yyy)  | Return to Comp<br>Quali<br>A STC Quali<br>sentempan A | SENTER TO SEPTEMBER TO SET 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | al RTC Date<br>m/dd/yyyy)            |
| LINK CITATIONS TO ABOVE VIOLATI  Citation  | ON7   | NO:   | if Yes, fill in inform   | ation below                          |
| Type Citation  |   | Туре  | Citation   |                                      |
|  |   |   |  |                                      |
| Language and the second | ER SECTION (FIII o  |   | lifier).   |                                      |
| Handlet Name Street City   | Stat  | Contact e   | Zip.Code   |                                      |
| County UNIVERSE CHAI   | NGE SECTION (FIII)  | out if Universe Cha                                   | nge Required)  | <b>Y</b> ezh e                       |
| I. Indicate the Facility's current Univers   | SUPPLEMENT OF THE PROPERTY OF |   |  |                                      |
| <ol> <li>Indicate the new RCRAInto Generator<br/>Note: All 135 servity changes must be trans-<br/>cannot be made using this form:</li> </ol>   |   | LOG III<br>Non-Hander III                             | 6 1 u 66220 1265 1 3370 - 1  | EG 🖽                                 |
| III. Indicate the new transporter status: (Only: fill: out if the facility requires a transporter status change) *Required Fields.   | If the transporter box is a least one made of frans.  Aff.  | SEALS SHOWN   | Non-Transpo<br>at<br>Check non-transporte<br>currently disted in R<br>transporter AND no to<br>chazardous waste: | r lf,the facility is<br>CRAinfo∠as⊹a |

### 2610-FN-BWM0178 Rev. 7/2008

| RCRAINFO CM&E ADDITIO   | NAL VIOLATIONS FORM   |
|---|---|
| EPA ID Number Handler Name                                    |   |
|   | 2/  |
| VIOLATION Add Dipdate Delete                                  | Link to Above Evaluation  |
| Seq. No. Type Agency (maniod/yyy)  Notes:                     | Return to Compliance (RTC) Actual RTC Date Qualifier (nim/dd/yyyy)  A RTC Qualifier is required if eintening an Actual RTC Date |
| LINK CITATIONS TO ABOVE VIOLATION?                            | NO If Yes, fill in information below  |
| Citation Citation   | Cliation Citation   |
|   |   |
| 1   |   |
| VIOLATION Add Delete  | Link to Above Evaluation  |
| Violation Determined Date Seq. No. Type Agency (mm/ad/vyvy)   | Relum to Compliance (RTC) Actual RTC Date   |
| Notes   | Qualifier (mm/dd/yyyy)  A RTC Qualifier is required if entering an Actual RTC Date.   |
| LINK CITATIONS TO ABOVE VIOLATION? YES C                      | NO: If Yes, fill in information below   |
| Type Citation   | Citation Type Citation  |
|   |   |
|   |   |
| VIOLAπION Add Update Delete                                   | Link to Above Evaluation  |
| Violation Determined Date<br>Seq. No Type Agency (mm/dd/yyyy) | Return to Compilance (RTC) Actual RTC Date Gualifier (inmiddlyylyy)   |
|   | A BTC Qualifies is required if  |
| Notes:  |   |
| LINK CITATIONS TO ABOVE VIOLATION? MESSIE                     | NO If Yes, fill in information below  |
| Citation<br>Type Citation                                     | Citation<br>Type Citation   |
|   |   |
| # 1 - Buffile 医抗性的 计对象 (1982年) - 网络克拉克克克克 电电流流流管              | 職るとから創行行の位配と行うしたというないとします。 差別様  |

3 -

## COMMONWEALTH OF PENNSYLVANIA

### Department of Environmental Protection Southwest Regional Office

September 26, 2006 412-442-4159

OCT 2 2006

DIV OF HAZ. WASTE MGMT

SUBJECT: Kelly Run Landfill

Compliance Monitoring Evaluation (CME) 2006

Forward Township Allegheny County I.D. No. PAD00481022

TO: William Rarick, P.G. Hydrogeologist

Waste Management – Central Office

waste Management – Central Office

Jeffrey R. Smith, P.G Hydrogeologist

Waste Management

## Comments

FROM:

- 1. There are no violations at the present time.
- 2. A site map is included with this submission.
- 3. A groundwater flow map is included with this submission.
- 4. At the present time there are no hazardous waste disposal activities occurring at this site. The former disposal area has been synthetically capped and vegetated.
- 5. Municipal waste landfilling activities continue to occur on the permitted portion of the facility.
- 6. Current groundwater results are included with this submission.

### Enclosure

cc: Regional

Chron

D. Eberle

J. Smith

# APPENDIX A

# COMPREHENSIVE GROUND-WATER MONITORING EVALUATION WORKSHEET

The following worksheets have been designed to assist the enforcement officer/
technical reviewer in evaluating the ground-water monitoring system an owner/operator
uses to collect and analyze samples of ground water. The focus of the worksheets is
technical adequacy as it relates to obtaining and analyzing representative samples of
ground water. The basis of the worksheets is the final RCRA Ground Water Monitoring
Technical Enforcement Guidance Document which describes in detail the aspects of
ground-water monitoring which EPA deems essential to meet the goals of RCRA.
Appendix A is not a regulatory checklist. Specific technical deficiencies in the
monitoring system can, however, be related to the regulations as illustrated in Figure 4.3
taken from the RCRA Ground-Water Monitoring Compliance Order Guide (COG)
(included at the end of the appendix). The enforcement officer, in developing an
enforcement order, should relate the technical assessment from the worksheets to the
regulations using Figure 4.3 from the COG as a guide.

| Comprehensive Ground-Water Monitoring Evaluation  | Y/N                       |
|---|---------------------------|
| . Office Evaluation Technical Evaluation of the Design of the Ground-Water Monitoring System      |                           |
| A. Review of Relevant Documents   |                           |
| 1. What documents were obtained prior to conducting the inspection:                               |                           |
| a. RCRA Part A permit application?  |                           |
| b. RCRA Part B permit application?  | <del></del>               |
| c. Correspondence between the owner/operator and appropriate agencies or citizen's groups?        | <del>-</del> <del>/</del> |
| d. Previously conducted facility inspection reports?  | <del></del>               |
| e. Facility's contractor reports?   | -/10                      |
| f. Regional hydrogeologic, geologic, or soil reports?   | NIU                       |
| g. The facility's Sampling and Analysis Plan?   | <del>-</del>              |
| h. Ground-water Assessment Program Outline (or Plan, if thefacility is in assessment monitoring)? | 7                         |
| i. Other (specify)  | A/                        |
|   | ÷ .                       |

|   | Y/N  |
|---|--|
| B. Evaluation of the Owner/Operator's Hydrogeologic Assessment  |  |
| 1. Did the owner/operator use the following direct techniques in the hydrogeologic assessment:                              |  |
| a. Logs of the soil borings/rock corings (documented by a professional geologist, soil lientist, or geotechnical engineer)? | V  |
| b. Materials tests (e.g., grain size analyses, standard penetration tests, etc.)?   | M  |
| c. Piezometer installation for water level measurments at different depths?d. Slug tests?                                   | V  |
| e. Pump tests?  | 1-5-   |
| i. Geochemical analyses of soil samples?  | 1  |
| g. Other (specify) (e.g., hydrochemical diagrams and wash analysis)   | N.A.   |
| 2. Did the owner/operator use the following indirect technique to supplement direct techniques data:                        | ///  |
| a. Geophysical well logs?   |  |
| b. Tracer studies?  | <b>─</b> //  |
| c. Resistivity and/or electromagnetic conductance?  | N  |
| d. Seismic Survey?  | N.   |
| e. Hydraulic conductivity measurements of cores?  |  |
| f. Aerial photography?  | - A/   |
| g. Ground penetrating radar?  | N,   |
| h. Other (specify)  | N  |
| in other (speeny)   | 1  |
| 3. Did the owner/operator document and present the raw data from the site hydrogeologic assessment?                         | 4/   |
| 4. Did the owner/operator document methods (criteria) used to correlate and analyze the information?                        | N  |
| 5. The owner/operator prepare the following:  |  |
| a. Narrative description of geology?  |  |
| b. Geologic cross sections?   | 7  |
| c. Geologic and soil maps?  | <del>\\</del>                                      |
| d. Boring/coring logs?  |  |
| e. Structure contour maps of the differing water bearing zones and confining layer?   | <del>\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ </del> |
| f. Narrative description and calculation of ground-water flows?   | N  |

| a Water table/passed  | Y/N  |
|---|--|
| g. Water table/potentiometric map?  | V  |
| h. Hydrologic cross sections?   | V  |
| 6. Did the owner/operator obtain a regional map of the area and delineate the facility?                   |  |
| If yes, does this map illustrate:   | 1  |
| a. Surficial geology features?  | 1  |
| b. Streams, rivers, lakes, or wetlands near the facility?   | 1  |
| c. Discharging or recharging wells near the facility?   | 7  |
| 7. Did the owner/operator obtain a regional hydrogeologic map?  | 7  |
| If yes, does this hydrogeologic map indicate:   | <del>- </del>  |
| a. Major areas of recharge/discharge?   | 1/   |
| b. Regional ground-water flow direction?  |  |
| c. Potentiometric contours which are consistent with observed water level                                 | 1//  |
| elevations?   | 1//  |
| If yes, does the site map show:  a. Regulated units of the facility (e.g., landfill areas, impoundments)? | 7  |
| b. Any seeps, springs, streams, ponds, or wetlands?   | + 7  |
| c. Location of monitoring wells, soil borings, or test pits?  | <del>                    _       _     _</del> |
| d. How many regulated units does the facility have?   | -  |
| If more than one regulated unit then,   |  |
| • Does the waste management area encompass all regulated units?   | 1/1  |
| • Is a waste management area delineated for each regulated unit?  | 1//  |
| Characterization of Subsurface Geology of Site  . Soil boring/test pit program:                           |  |
| a. Were the soil borings/test pits performed under the supervision of a qualified professional?           | \/   |
| b. Did the owner/operator provide documentation for selecting the spacing for borings?                    | <i>y</i>   |
| c. Were the borings drilled to the depth of the first confining unit below the                            |  |
| uppermost zone of saturation or ten feet into bedrock?  |  |
| d. Indicate the method(s) of drilling:  |  |
|   |  |

| Auger (hollow or solid arms)  | Y/N   |
|---|---|
| Auger (hollow or solid stem)  Mud rotary  //                                    |   |
| Reverse rotary //   | Ī   |
| Cable tool  |   |
| _/V   |   |
| Jetting  Other (analis)   |   |
| Other (specify)   |   |
| e. Were continuous sample corings taken?  | 1   |
| f. How were the samples obtained (checked method[s])                            | 1/  |
| • Split spoon   | 1/  |
| • Shelby tube, or similar $\frac{N}{N}$   |   |
| • Rock coring   |   |
| • Ditch sampling  |   |
| • Other (explain)   |   |
| g. Were the continuous sample corings logged by a qualified professional in     | <del></del>                                       |
| geology:  | <b>F</b>  |
| h. Does the field boring log include the following information:                 | <del></del>                                       |
| • Hole name/number?   | $\vee$  |
| • Date started and finished?  | -   |
| • Driller's name?   | 17  |
| Hole location (i.e., map and elevation)?  | 1 7   |
| • Drill rig type and bit/auger size?  | 7   |
| Gross petrography (e.g., rock type) of each geologic unit?                      | <del>                                     </del>  |
| Gross mineralogy of each geologic unit?   | 7   |
| • Gross structural interpretation of each geologic unit and structural features | <del>  /                                   </del> |
| (e.g., fractures, gouge material, solution channels, buried streams or valleys  | 1 1   |
| identification of depositional material)?                                       |   |
| Development of soil zones and vertical extent and description of soil type?     | 7   |
| Deput of water bearing unit(s) and vertical extent of each?                     | $\mathcal{N}$                                     |
| Depth and reason for termination of borehole?                                   | 5   |
| Depth and location of any contaminant encountered in borehole?                  |   |
| - Sample location/number?   |   |
| Percent sample recovery?  | 10  |
| Narrative descriptions of:  | 1/  |
| —Geologic observations?   |   |
| —Drilling observations?   | 7   |
| i. Were the following analytical tests performed on the core samples:           | 7   |
| • Mineralogy (e.g., microscopic tests and x-ray diffraction)?                   |   |
| • Petrographic analysis:  | N   |
| —degree of crystallinity and cementation of matrix?                             | 1/  |
| —degree of sorting, size fraction (i.e., sieving), textural variations?         |   |
| —rock type(s)?  | 11  |
|   | 1/  |

| ,  |  |
|--|--|
|  | Y/N  |
| —soil type?  | V  |
| -approximate bulk geochemistry?  | **/  |
| existence of microstructures that may effect or indicate fluid flow?   | N  |
| • Falling head tests?  | 1//  |
| • Static head tests?   | 1/   |
| • Settling measurements?   | 1/   |
| • Centrifuge tests?  | <del>  ///</del>                                 |
| Column drawings?   | <del>                                     </del> |
| D. Verification of Subsurface Geological Data  |  |
| 1. Has the owner/operator used indirect geophysical methods to supplement geological conditions between borehole locations?  | 1  |
| 2. Do the number of borings and analytical data indicate that the confining layer displays a low enough permeability to impede the migration of contaminants to any stratigraphically low water-bearing units? | <i>N</i> -                                       |
| 3. Is the confining layer laterally continuous across the entire site?   | N  |
| 4. Did the owner/operator consider the chemical compatibility of the site-specific waste types and the geologic materials of the confining layer?  | 1  |
| 5. Did the geologic assessment address or provide means for resolution of any information gaps of geologic data?   |  |
| 6. Do the laboratory data corroborate the field data for petrography?  | NA   |
| 7. Do the laboratory data corroborate the field data for mineralogy and subsurface geochemistry?   | NA   |
| . Presentation of Geologic Data  | -//-   |
| 1. Did the owner/operator present geologic cross sections of the site?   |  |
| 2. Do cross sections:  |  |
|  | 1  |
| a. identify the types and characteristics of the geologic materials present?   |  |
| b. define the contact zones between different geologic materials?  |  |
| c. note the zones of high permeability or fracture?  | 7  |
| d. give detailed borehole information including:   |  |
|  | 1  |

|   | 995  |
|---|------|
| • location of borehole?   | Y/N  |
| • depth of termination?   | V    |
|   | 1    |
| · location of screen (if applicable)?   | 11/  |
| • depth of zone(s) of saturation?   | 1    |
| • backfill procedure?   | 17/  |
| 3. Did the owner/operator provide a topographic map which was constructed by a  | . 10 |
| licensed surveyor?  | 1    |
|   | N    |
| 4. Does the topographic map provide:  |      |
| 1 6 speed map provides.   | 1    |
| a. contours at a maximum interval of two-feet?  | 1/1  |
| b. locations and illustrations of man-made features (e.g., parking lots, factory  | M    |
| buildings, drainage ditches, storm drain, pipelines, etc.)?   |      |
| c. descriptions of nearby water bodies?   | NA   |
| d. descriptions of off-site wells?  | NA   |
| e. site boundaries?   | NA   |
| f. individual RCRA units?   | NA   |
| g. delineation of the waste management area(s)?   | NA   |
| h. well and boring locations?   | NA   |
| <ul> <li>5. Did the owner/operator provide an aerial photograph depicting the site and adjacent off-site features?</li> <li>6. Does the photograph clearly show surface water bodies, adjacent municipalities, and residences and are these closely by the second state.</li> </ul> | N    |
| residences and are these clearly labelled?  | V    |
| Identification of Ground-Water Flowpaths  |      |
| 1. Ground-water flow direction  |      |
| . Cround-water now direction  | 1    |
| a Was the well period being being   |      |
| a. Was the well casing height measured by a licensed surveyor to the nearest 0.01 feet?   | 4    |
|   |      |
| b. Were the well water level measurements taken within a 24 hour period?  | 11   |
| c. Were the well water level measurements taken to the nearest 0.01 feet?   | N    |
| d. Were the well water levels allowed to stabilize after construction and   | IN   |
| development for a minimum of 24 hours prior to measurements?  |      |
| e. Was the water level information obtained from (check appropriate one):   |      |
| * INUIDDIC Diczometers placed in single bout 1 a  | I    |
| • multiple piezometers placed in single borehole?   |      |
| • vertically nested piezometers in closely spaced sensitate   |      |
| • vertically nested piezometers in closely spaced separate • boreholes? • monitoring wells?   |      |

|  | Y/N  |
|--|--|
| f. Did the owner/operator provide construction details for the piezometers?  | (())   |
| g. How were the static water levels measured (check method[s]).  | <del>                                     </del> |
| • Electric water sounder   | 1 .  |
| • Wetted tape  |  |
| • Air line   | 1.   |
| Other (explain)  |  |
| h. Was the well water level measured in wells with equivalent screened intervals at  |  |
| an equivalent depth below the saturated zone?  |  |
| i. Has the owner/operator provided a site water table (potentiometric) contour map?  | + 7,   |
| If yes,  | +  |
| <ul> <li>Do the potentiometric contours appear logical and accurate based on</li> </ul>  | 1  |
| topography and presented data? (Consult water level data)  | NA   |
| Are ground-water flow-lines indicated?   | +  |
| Are static water levels shown?   | <del>                                     </del> |
| Can hydraulic gradients be estimated?  |  |
| j. Did the owner/operator develop hydrologic cross sections of the vertical flow   | † · · · ·  |
| component across the site using measurements from all wells?   | 1/1  |
| k. Do the owner/operator's flow nets include:  | <del>                                     </del> |
| • piezometer locations?  | 7  |
| • depth of screening?  | +  |
| • width of screening?  | 1  |
| <ul> <li>measurements of water levels from all wells and piezometers?</li> </ul>   |  |
| 2. Seasonal and temporal fluctuations in ground-water  |  |
| a. Do fluctuations in static water levels occur? If yes, are the fluctuations caused by  |  |
| any of the following:  |  |
| —Off-site well pumping   | <u> </u>   |
| —Tidal processes or other intermittent natural   | N  |
| variations (e.g., river stage, etc.)   |  |
| —On-site well pumping  | N  |
| —Off-site, on-site construction or changing land use patterns  | N  |
| —Deep well injection   | N  |
| —Seasonal variations   | N  |
| —Other (specify)   |  |
| b. Has the owner/operator documented sources and patterns that contribute to or  | MA   |
| affect the ground-water patterns below the waste management?   |  |
| c. Do water level fluctuations alter the general ground-water gradients and flow   | N  |
| directions?  |  |
|  | <b>Y</b>   |
| d. Based on water level data, do any head differentials occur that may indicate a vertical flow component in the saturated zone? |  |
|  |  |

| Did the annual   | Y/N      |
|--|----------|
| e. Did the owner/operator implement means for gauging long term effects on water   |          |
| movement that may result from on-site or off-site construction or changes in   |          |
| land-use patterns?   | 1 1      |
| 3. Hydraulic conductivity  | /        |
|  |          |
| a. How were hydraulic conductivities of the subsurface materials determined?   | 11       |
| Single-well tests (slug tests)?  | <u> </u> |
| Multiple-well tests (pump tests)   | <b>-</b> |
| • Other (specify)  |          |
| b. If single-well tests were conducted, was it done by:  | -        |
| <ul> <li>Adding or removing a known volume of water?</li> </ul>  | , ,      |
| Pressurizing well casing?  | 1//0     |
| c. If single well tests were conducted in a highly permeable formation, were   | 1//      |
| pressure transducers and high-speed recording equipment used to record the   | 1.       |
| rapidly changing water levels?   |          |
| d. Since single well tests only measure hydraulic conductivity in a limited area,  |          |
| were enough tests run to ensure a representative measure of conductivity in each   |          |
| hydrogeologic unit?  |          |
|  |          |
| e. Is the owner/operator's slug test data (if applicable) consistent with existing geologic information (e.g., boring logs)? |          |
| f. Were other hydraulic conductivity properties determined?  |          |
| g. If yes provide any of the fallowing determined?   | 11       |
| g. If yes, provide any of the following data, if available:  • Transmissivity  |          |
| · · · · · · · · · · · · · · · · · · ·  | ľ        |
| • Storage coefficient  | 1        |
| • Leakage  |          |
| • Permeability   | 1        |
| • Porosity   |          |
| • Specific capacity  |          |
| • Other (specify)  |          |
| 1 Identification of the  |          |
| d. Identification of the uppermost aquifer   |          |
| a. Has the extent of the uppermost sequented zone (a wife )  |          |
| a. Has the extent of the uppermost saturated zone (aquifer) in the facility area been defined? If yes,                       | -        |
|  |          |
| • Are soil boring/test pit logs included?  | 1        |
| • Are geologic cross-sections included?  | 7        |
| b. Is there evidence of confining (competent, unfractured, continuous, and low   |          |
| permeability) layers beneath the site? If yes,   | N        |
| how was continuity demonstrated?   | -        |
| c. What is hydraulic conductivity of the confining unit (if present)? CM/Sec How   |          |
| was it determined?   |          |

| d Does notantial for other had a !!  | I        | Y/N          |
|--|----------|--------------|
| d. Does potential for other hydraulic communication exist (e.g., lateral incontinuity between geologic units, facies changes, fracture zones, cross cutting structures, or chemical corrosion/alteration of geologic units by leachage? If yes or no, what | -        |              |
| is the rationale?<br>Surfaced Mining in ava  |          | ٠.           |
|  | 1        |              |
|  |          | 1            |
| G. Office Evaluation of the Facility's Ground-Water Monitoring System— Monitoring Well Design and Construction:  |          |              |
| These questions should be answered for each different well design present at the   |          |              |
| facility.  |          |              |
|  | 1        |              |
| 1. Drilling Methods  |          |              |
| a. What drilling method was used for the well?   |          |              |
| • Hollow-stem auger  | Í        | •            |
| • Solid-stem auger   | ĺ        |              |
| • Mud rotary   | l        |              |
| • Air rotary   | ŀ        |              |
| • Reverse rotary   | i        |              |
| • Cable tool   |          |              |
| • Jetting  |          |              |
| • Air drill w/ casing hammer   |          | •            |
| Other (specify)  |          |              |
| b. Were any cutting fluids (including water) or additives used during drilling? If   | <u>·</u> | ·            |
| yes, specify:  | ,        |              |
| • Type of drilling fluid   | •        |              |
| • Source of water used   | 1        |              |
| • Foam   |          | γ,           |
| • Polymers   | <i>.</i> |              |
| • Other  |          | 1            |
| c. Was the cutting fluid, or additive, identified?   |          |              |
| d. Was the drilling equipment steam-cleaned prior to drilling the well?  |          | <del></del>  |
| • Other methods  |          |              |
| e. Was compressed air used during drilling? If yes,  |          | <del> </del> |
| • was the air filtered to remove oil?  | •        |              |
| f. Did the owner/operator document procedure for establishing the potentiometric   | <u> </u> |              |
| surface? If yes,   |          |              |
| • how was the location established?  | 1        |              |
| g. Formation samples   |          |              |
|  |          |              |

| A Word Co  | Y/N  |
|--|--|
| Were formation samples collected initially during drilling?            | V  |
| • Were any cores taken continuous?                                     | 13   |
| • If not, at what interval were samples taken?                         |  |
| • How were the samples obtained?                                       |  |
| —Split spoon   |  |
| —Shelby tube   | .]   |
| F-Core drill   |  |
| —Other (specify)   |  |
| • Identify if any physical and/or chemical tests were performed on the |  |
| formation samples (specify)  |  |
|  | · ·  |
| ——————————————————————————————————————                                 |  |
|  | 1  |
|  |  |
| 2. Monitoring Well Construction Materials                              |  |
|  |  |
| a. Identify construction materials (by number) and diameters (ID/OD)   |  |
| Material Diameter  | •  |
| • Primary Casing   |  |
| • Secondary or outside casing Sheet                                    |  |
| (doubleconstruction)   |  |
| • Screen PVC   |  |
| b. How are the sections of casing and screen connected?                | <del> </del>                                     |
| • Pipe sections threaded   |  |
| Couplings (friction) with adhesive or solvent                          | <del>                                     </del> |
| Couplings (friction) with retainer screws                              | <del>'^/</del>                                   |
| • Other (specify)  | <del>\</del>                                     |
| c. Were the materials steam-cleaned prior to installation?             | //   |
| • If no, how were the materials cleaned?                               |  |
|  | <del>                                     </del> |
| 3. Well Intake Design and Well Development                             | ;  |
|  |  |
| a. Was a well intake screen installed?                                 |  |
| • What is the length of the screen for the well?                       |  |
|  |  |
| • Is the screen manufactured?  |  |
| b. Was a filter pack installed?  |  |
| What kind of filter pack was employed?                                 |  |
|  |  |
| Is the filter pack compatible with formationmaterials?                 |  |
| • How was the filter pack installed?                                   |  |
| pwa nistanett  |  |
|  | NX   |

|   | 1           |  |
|---|-------------|--|
| , |             |  |
|   | 0           |  |
|   |             | f. Has the protective cover been installed with locks to prevent tampering?                                    |
|   | <del></del> | e. Is the well fitted with an above-ground protectivedevice and bumper guards?                                 |
|   |             | infiltration from the surface?   |
|   |             | d. Is the upper portion of the borehole sealed with a concrete cap to prevent                                  |
| ı | ,           | Other (specify)  |
|   |             | —Dropping material down the inside of hollow stem auger  |
|   | ŧ           | Dropping material down the hole and tamping  |
| ŀ |             | • Was this seal installed by?  |
|   |             | Cement (specify neat or concrete)- Other (specify)   |
| 1 | . /         | —Sodium bentonite (specify type and grit)  |
| ŀ | -h          | • Was this seal made with?   |
| ŀ |             | c. Was a different seal used in the unsaturated zone? If yes,  |
| 1 |             | —Other (specify)   |
|   |             | —Tremie pipe method  |
|   |             | —Dropping material down the inside of hollow-stem auger  |
|   |             | Dropping material down the hole and tamping  |
| } | <del></del> | b. Was the seal installed by:  |
|   |             | Other (specify)  |
| ı | •           | —Cement (specify neat or concrete)   |
| 1 | e e         | Sodium bentonite (specify type and grit)   |
|   |             | tilled with:   |
|   |             | a. What is the annular space in the saturated zone directly above the filter pack                              |
| ı | . ,         |  |
|   | •           | 4. Annular Space Seals   |
| Γ |             |  |
|   |             | Other (specify)  |
|   | *           |  |
| 1 |             | gnigue 1iA—  |
|   |             | Bailer Bailer  |
|   | ~ 1         | ——Surge block  |
| Γ | /           | • What technique was used for well development?  |
|   | . /\        | • Was the well developed?  |
|   | 6           | c. Well development  |
|   | . /\        | / STELLAREITH DURSTELLARE TOT DOUBLESON HOSE WAS AND WORLD THE HISTORIAN AND AND AND AND AND AND AND AND AND A |
|   | N           | • Have the filter pack and screen been designed for the insitu materials?                                      |
| я |             | Has a turbidity measurement of the well water ever been made?  |
|   |             | YANK TOLLIO TO SULVEY OF THE THEIR PARK!   |
|   | N/A         | • What are the dimensions of the filter pack?  |
|   | 20/21       |  |

| H. Evaluation of the Facility's Detection Monitoring Program  1. Placement of Downgradient Detection Monitoring Wells  a. Are the ground-water monitoring wells or clusters located immediately adjacent to the waste management area?  b. How far apart are the detection monitoring wells?  c. Does the owner/operator provide a rationale for thelocation of each monitoring well or cluster?  d. Does the owner/operator identified the well screenlengths of each monitoring well or cluster?  e. Does the owner/operator provide an explanation for the well screen lengths of each monitoring well or cluster?  f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  2. Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation for the background monitoring well(s)?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select subsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents from the facility? |  | VA            |
|--|--|---------------|
| 1. Placement of Downgradient Detection Monitoring Wells  a. Are the ground-water monitoring wells or clusters located immediately adjacent to the waste management area?  b. How far apart are the detection monitoring wells?  c. Does the owner/operator provide a rationale for thelocation of each monitoring well or cluster?  d. Does the owner/operator identified the well screenlengths of each monitoring well or clusters?  e. Does the owner/operator provide an explanation for the well screen lengths of each monitoring well or clusters of monitoring wells or clusters correspond to those identified by the owner/operator?  f. Do the actual locations of monitoring wells or clusters correspond to those identified by the owner/operator?  2. Placement of Upgradient Monitoring Wells  a. Has the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select subsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.  | H. Evaluation of the Facility's Detection Moritoring Program                         | Y/N           |
| a. Are the ground-water monitoring wells or clusters located immediately adjacent to the waste management area?  b. How far apart are the detection monitoring wells?  c. Does the owner/operator provide a rationale for thelocation of each monitoring well or cluster?  d. Does the owner/operator identified the well screenlengths of each monitoring well or clusters?  e. Does the owner/operator provide an explanation for the well screen lengths of each monitoring well orcluster?  f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  2. Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation for the location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select subsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | o Describe Montoring Program   |               |
| a. Are the ground-water monitoring wells or clusters located immediately adjacent to the waste management area?  b. How far apart are the detection monitoring wells?  c. Does the owner/operator provide a rationale for thelocation of each monitoring well or cluster?  d. Does the owner/operator identified the well screenlengths of each monitoring well or clusters?  e. Does the owner/operator provide an explanation for the well screen lengths of each monitoring well orcluster?  f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  2. Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation for the location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select subsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | 1. Placement of Downgradient Detection Manitoring Wells                              |               |
| b. How far apart are the detection monitoring wells?  c. Does the owner/operator provide a rationale for thelocation of each monitoring well or cluster?  d. Does the owner/operator identified the well screenlengths of each monitoring well or clusters?  e. Does the owner/operator provide an explanation for the well screen lengths of each monitoring well orcluster?  f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation for the location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.  | Beautiful Problem Monitoring, Wells  | ·             |
| b. How far apart are the detection monitoring wells?  c. Does the owner/operator provide a rationale for thelocation of each monitoring well or cluster?  d. Does the owner/operator identified the well screenlengths of each monitoring well or clusters?  e. Does the owner/operator provide an explanation for the well screen lengths of each monitoring well orcluster?  f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation for the location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.  | a. Are the ground-water monitoring wells or clusters located immediately             |               |
| b. How far apart are the detection monitoring weils?  c. Does the owner/operator provide a rationale for thelocation of each monitoring well or cluster?  d. Does the owner/operator identified the well screenlengths of each monitoring well or clusters?  e. Does the owner/operator provide an explanation for the well screen lengths of each monitoring well orcluster?  f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location ofeach upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.  | to the waste management area?  |               |
| well or cluster?  d. Does the owner/operator identified the well screenlengths of each monitoring well or clusters?  e. Does the owner/operator identified the well screenlengths of each monitoring well or clusters?  f. Do the actual locations of monitoring wells or clusters correspond to those identified by the owner/operator?  f. Do the actual locations of monitoring wells or clusters correspond to those identified by the owner/operator?  Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation for the location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.  |  |               |
| d. Does the owner/operator identified the well screenlengths of each monitoring well or clusters?  e. Does the owner/operator provide an explanation for the well screen lengths of each monitoring well orcluster?  f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location ofeach upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed inthe background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | c. Does the owner/operator provide a rationale for the leasting of                   | 500-100       |
| e. Does the owner/operator provide an explanation for the well screen lengths of each monitoring well orcluster?  f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location ofeach upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | well or cluster?   |               |
| e. Does the owner/operator provide an explanation for the well screen lengths of each monitoring well orcluster?  f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location ofeach upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | d. Does the owner/operator identified the well screenlengths of and                  | <u>. 7</u>    |
| f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents   | well or clusters?  | 1             |
| f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  2. Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents  | e. Does the owner/operator provide an explanation for the well seems learning        |               |
| f. Do the actual locations of monitoring wells orclusters correspond to those identified by the owner/operator?  2. Placement of Upgradient Monitoring Wells  a. Has the owner/operator documented the location ofeach upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed inthe background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | each monitoring well orcluster?  |               |
| a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | f. Do the actual locations of monitoring wells orclusters correspond to those        |               |
| a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation for the location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents   | identified by the owner/operator?  |               |
| a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation for the location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.  |  | N/            |
| a. Has the owner/operator documented the location of each upgradient monitoring well or cluster?  b. Does the owner/operator provide an explanation for the location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents   | . Placement of Upgradient Monitoring Wells   | •             |
| b. Does the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed inthe background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  |  | ,             |
| b. Does the owner/operator provide an explanation forthe location(s) of the upgradient monitoring wells?  c. What length screen has the owner/operator employed inthe background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.  | a. Has the owner/operator documented the location of each ungradient monitoring      |               |
| upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | well or cluster?   |               |
| upgradient monitoring wells?  c. What length screen has the owner/operator employed in the background monitoring well(s)?  d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | b. Does the owner/operator provide an explanation forthe location(s) of the          | <u> </u>      |
| d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents   | upgradient monitoring wells?   |               |
| d. Does the owner/operator provide an explanation for the screen length(s) chosen?  e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents   | c. What length screen has the owner/operator employed in the background              | <del>-7</del> |
| e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select subsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | monitoring well(s)?  | :             |
| e. Does the actual location of each background monitoring well or cluster correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select subsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | d. Does the owner/operator provide an explanation for the screen length(s)           |               |
| Correspond to that identified by the owner/operator?  Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.  | chosen?  | 6/            |
| Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents   | e. Does the actual location of each background monitoring well or cluster            |               |
| Office Evaluation of the Facility's Assessment Monitoring Program  Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select subsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | correspond to that identified by the owner/operator?                                 |               |
| Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   |  | -{            |
| Does the assessment plan specify:  The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | Office Evaluation of the Facility's Assessment Monitoring Program                    | ,             |
| The number, location, and depth of wells?  The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.  |  | 1             |
| The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   | Does the assessment plan specify:  |               |
| The rationale for their placement and identify the basis that will be used to select ubsequent sampling locations and depths in later assessment phases?  Does the list of monitoring parameters include all hazardous waste constituents.   |  |               |
| Does the list of monitoring parameters include all hazardous waste constituents  | The number, location, and depth of wells?  |               |
| Does the list of monitoring parameters include all hazardous waste constituents  | The rationale for their placement and identify the basis that will be used to select | <del></del>   |
| Does the list of monitoring parameters include all hazardous waste constituents rom the facility?  | subsequent sampling locations and depths in later assessment phases?                 |               |
| Does the list of monitoring parameters include all hazardous waste constituents rom the facility?  |  | +             |
| rom the facility?  | Does the list of monitoring parameters include all hazardous waste constituents      |               |
|  | rom the facility?  | $ \cdot $     |
|  |  |               |
|  |  | W             |

|   | Y/N                                   |
|---|---------------------------------------|
| a. Does the water quality parameter list include other important indicators not                 |                                       |
| classified as hazardous waste constituents?   | - y                                   |
| b. Does the owner/operator provide documentation for he listed wastes which are                 | 1                                     |
| not included?   | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| 3. Does the owner/operator's assessment plan specify the procedures to be used to               |                                       |
| determine the rate of constituent migration in the ground-water?                                | $\mathcal{N}$                         |
| 4. Has the owner/operator specified a schedule of implementation in the assessment plan?        | $\mu$                                 |
| 5. Have the assessment monitoring objectives been clearly defined in the assessment             |                                       |
| plan?   | $\forall$                             |
| a Does the plan include analysis and/   | /                                     |
| a. Does the plan include analysis and/or re-evaluation to determine if significant              |                                       |
| contamination has occurred in any of the detection monitoring wells?                            |                                       |
| b. Does the plan provide for a comprehensive program of investigation to fully                  | - \                                   |
| characterize the rate and extent of contaminant migration from the facility?                    |                                       |
| c. Does the plan call for determining the concentrations of hazardous wastes and                | <del> </del>                          |
| hazardous waste constituentsin the ground water?  | y                                     |
| d. Does the plan employ a quarterly monitoring program?   |                                       |
| 5. Does the assessment plan identify the investigatory methods that will be used in the         | 7                                     |
| assessment phase?   | Υ.                                    |
| a. Is the role of each method in the evaluation fully described?                                |                                       |
| b. Does the plan provide sufficient descriptions of the direct methods to be used?              |                                       |
| C. Does the plan provide sufficient descriptions of the direct methods to be used?              |                                       |
| c. Does the plan provide sufficient descriptions of the indirect methods to be used?            | 1/                                    |
| d. Will the method contribute to the further characterization of the contaminant movement?      | , ,                                   |
|   | <b>-</b> ₩                            |
| 7. Are the investigatory techniques utilized in the assessment program based on direct          |                                       |
| methods?  | 1                                     |
|   | <u> </u>                              |
| a Does the assessment approach incompany in discussion  | /                                     |
| a. Does the assessment approach incorporate indirect methods to further support direct methods? | 1.                                    |
|   | //                                    |
| b. Will the planned methods called for in the assessment approach ultimately meet               |                                       |
| performance standards for assessment monitoring?  |                                       |
| c. Are the procedures well defined?   | 1                                     |
| d. Does the approach provide for monitoring wells similar in design and                         |                                       |
| construction as the detectionmonitoring wells?  | N                                     |
|   |                                       |

|   | VII                                      |
|---|--|
| e. Does the approach employ taking samples during drilling or collecting core   | Y/1                                      |
| samples for further analysis?   |  |
| The for fulfiller allalysis!  |  |
| 0 4   | - $N$                                    |
| 8. Are the indirect methods to be used based on reliable and accepted geophysical techniques?   |  |
| techniques?   |  |
|   | iclo                                     |
| A Are they compliant to   | NH                                       |
| a. Are they capable of detecting subsurface changes resulting from contaminant  |  |
| Bradon at the site!   | ı  |
| b. Is the measurement at an appropriate level of sensitivity to detect ground-water   | 1  |
| quality changes at the site?  | .  |
| c. Is the method appropriate assisting  | 1 1                                      |
| c. Is the method appropriate considering the nature of the subsurface materials?  |  |
| an Does the approach consider the limitations of these methods?   | <del></del>                              |
| e. Will the extent of contamination and constituent concernments.   |  |
| methods and sound engineering judgment? (Using indirect methods tofurther   | <b>'  </b>   .                           |
| substantiate the findings.)   |  |
|   | 1  |
| 9. Does the assessment and the  |  |
| 9. Does the assessment approach incorporate any mathe-matical modeling to predict   | 1  |
| contaminant movement?   |  |
|   |  |
| a. Will site specific measurements be utilized toaccurately portray the subsurface?   |  |
| b. Will the derived data be reliable?   |  |
| c. Have the assumptions been identified?  |  |
| d Have the abstractions open identified?  |  |
| d. Have the physical and chemical properties of the site-specific wastes and  | <del></del>                              |
| hazardous waste constituentsbeen identified?  |  |
|   |  |
| Conclusions   |  |
|   | 1  |
| . Subsurface geology  |  |
| a Boology   |  |
|   | 1 .                                      |
| - YY  | l  |
| a. Has sufficient data been collected to adequately define petrography and  | 1  |
| a. Has sufficient data been collected to adequately define petrography and petrographic variation?  | 1. \                                     |
| podographic variation?  |  |
| b. Has the subsurface geochemistry been adequately defined?   | N  |
| b. Has the subsurface geochemistry been adequately defined?  c. Was the boring/coring program adequate to define subsurface.  | <i>N</i>                                 |
| b. Has the subsurface geochemistry been adequately defined?  c. Was the boring/coring program adequate to definesubsurface geologic variation?  d. Was the owner/operator's narrative description complete and account.   | <i>y y y</i>                             |
| <ul> <li>b. Has the subsurface geochemistry been adequately defined?</li> <li>c. Was the boring/coring program adequate to definesubsurface geologic variation?</li> <li>d. Was the owner/operator's narrative description complete and accurate in its interpretation of the data?</li> </ul>  | <i>N Y Y</i>                             |
| <ul> <li>b. Has the subsurface geochemistry been adequately defined?</li> <li>c. Was the boring/coring program adequate to definesubsurface geologic variation?</li> <li>d. Was the owner/operator's narrative description complete and accurate in its interpretation of the data?</li> </ul>  | <i>N Y Y</i>                             |
| <ul> <li>b. Has the subsurface geochemistry been adequately defined?</li> <li>c. Was the boring/coring program adequate to definesubsurface geologic variation?</li> <li>d. Was the owner/operator's narrative description complete and accurate in its interpretation of the data?</li> <li>e. Does the geologic assessment address or provide means to resolve act.</li> </ul>  | <i>y y</i>                               |
| <ul> <li>b. Has the subsurface geochemistry been adequately defined?</li> <li>c. Was the boring/coring program adequate to definesubsurface geologic variation?</li> <li>d. Was the owner/operator's narrative description complete and accurate in its interpretation of the data?</li> </ul>  | <i>Y Y N</i>                             |
| <ul> <li>b. Has the subsurface geochemistry been adequately defined?</li> <li>c. Was the boring/coring program adequate to definesubsurface geologic variation?</li> <li>d. Was the owner/operator's narrative description complete and accurate in its interpretation of the data?</li> <li>e. Does the geologic assessment address or provide means to resolve any information gaps?</li> </ul>                                 | <i>Y Y N</i>                             |
| <ul> <li>b. Has the subsurface geochemistry been adequately defined?</li> <li>c. Was the boring/coring program adequate to definesubsurface geologic variation?</li> <li>d. Was the owner/operator's narrative description complete and accurate in its interpretation of the data?</li> <li>e. Does the geologic assessment address or provide means to resolve act.</li> </ul>  | <i>y y N</i>                             |
| <ul> <li>b. Has the subsurface geochemistry been adequately defined?</li> <li>c. Was the boring/coring program adequate to definesubsurface geologic variation?</li> <li>d. Was the owner/operator's narrative description complete and accurate in its interpretation of the data?</li> <li>e. Does the geologic assessment address or provide means to resolve any information gaps?</li> <li>Ground-water flowpaths</li> </ul> | <i>Y Y N</i>                             |
| <ul> <li>b. Has the subsurface geochemistry been adequately defined?</li> <li>c. Was the boring/coring program adequate to definesubsurface geologic variation?</li> <li>d. Was the owner/operator's narrative description complete and accurate in its interpretation of the data?</li> <li>e. Does the geologic assessment address or provide means to resolve any information gaps?</li> <li>Ground-water flowpaths</li> </ul> | <i>N Y N Y N N Y N N N N N N N N N N</i> |
| <ul> <li>b. Has the subsurface geochemistry been adequately defined?</li> <li>c. Was the boring/coring program adequate to definesubsurface geologic variation?</li> <li>d. Was the owner/operator's narrative description complete and accurate in its interpretation of the data?</li> <li>e. Does the geologic assessment address or provide means to resolve any information gaps?</li> </ul>                                 | Y<br>Y<br>N                              |

|  | Y  | /N   |
|--|--|--|
| b. Were appropriate methods used to establish ground-water flowpaths?              |  |  |
| c. Did the owner/operator provide accurate documentation?                          | † †  | \ <u>\</u>                                       |
| d. Are the potentiometric surface measurements valid?                              | †  | <del>y</del>                                     |
| e. Did the owner/operator adequately consider the seasonal and temporal effects on | <del>                                     </del> | <del>/</del>                                     |
| the ground-water?  | ]  | 1)   |
| f. Were sufficient hydraulic conductivity tests performed to document lateral and  |  | 1/1  |
| vertical variationin hydraulic conductivity in the entire hydrogeologic subsurface | ļ  |  |
| below the site?  |  | W  |
| 3 Unnamost Aquifas   |  | <del></del>                                      |
| 3. Uppermost Aquifer   | l  |  |
| a. Did the owner/operator adequately define the upper-most aquifer?                | ]  |  |
| and the emicisoperator adequatery define the upper-most adulter?                   | <u> </u>   | <u>W</u>   |
| 4. Monitoring Well Construction and Design   |  |  |
|  | •  |  |
| a. Do the design and construction of the owner/operator's ground-water monitoring  |  | •  |
| wells permit depth discrete ground-water samples to be taken?                      |  |  |
| b. Are the samples representative of ground-water quality?                         |  | <del></del> -                                    |
| c. Are the ground-water monitoring wells structurally stable?                      |  | +  |
| d. Does the ground-water monitoring well's design and construction permit an       | <del></del>                                      | +  |
| accurate assessment of aquifer characteristics?                                    |  | 1  |
| F. Daniel M. S.  |  | <del>                                     </del> |
| 5. Detection Monitoring  |  | 1  |
| a Down-adiona Walls  |  |  |
| a. Downgradient Wells  | •  | .  |
| • Do the location, and screen lengths of the ground-water monitoring wells or      |  | 1  |
| clusters in the detection monitoring system allow the immediate detection of a     |  | ļ.,  |
| release of hazardous waste or constituents from the hazardous waste                | •  | · .  |
| management area to the uppermost aquifer?  |  |  |
| b. Upgradient Wells  |  |  |
| • Do the location and screen lengths of the upgradient (background) ground-        |  | ,  |
| water monitoring wells ensure the capability of collecting ground-water            |  | '  |
| samples representative of upgradient (background) ground-water quality             |  | •  |
| including any ambient heterogenous chemical characteristics?                       | 1  |  |
| mercung any ambient neterogenous chemical characteristics?                         | <u> </u>   |  |
| 6. Assessment Monitoring   |  | •  |
|  | .  |  |
| a. Has the owner/operator adequately characterized site hydrogeology to determine  | 1  |  |
| contaminant migration?   |  |  |
| b. Is the detection monitoring system adequately designed and constructed to       |  | <del></del>                                      |
| immediately detect any contaminant release?  |  | /  |

| c. Are the procedures used to make a first to   | Y/N          |
|---|--------------|
| c. Are the procedures used to make a first determination of contamination adequate?   |              |
| d. Is the assessment plan adequate to detect, characterize, and track contaminant migration?  |              |
| e. Will the assessment monitoring wells, given site hydrogeologic conditions,   |              |
| vertical planes?  |              |
| f. Are the assessment monitoring wells adequately designed and constructed?   | <del> </del> |
| g. Are the sampling and analysis procedures adequate to provide true measures of contamination?   | /            |
| h. Do the procedures used for evaluation of assessment monitoring data result in  | N            |
| constituent composition of the contaminant plume?   | . /          |
| 1. Are the data collected at sufficient frequency and duration to adequately  | <u> </u>     |
| determine the rate of migration?  |              |
| j. Is the schedule of implementation adequate?  | <del></del>  |
| k. Is the owner/operator's assessment monitoring plan adequate?   |              |
| • If the owner/operator had to implement hisassessment monitoring plan was it   |              |
| implemented satisfactorily?   |              |
| I. Field Evaluation   |              |
| . Ground-Water Monitoring System  |              |
| 1. Are the numbers, depths, and locations of monitoring wells in agreement with those reported in the facility's monitoring plan? (See Section 3.2.3.)                    |              |
| . Monitoring Well Construction  |              |
| 1. Identify construction material material diameter   |              |
| a. Primary Casing PVC b. Secondary or outside casing Stock  |              |
|   |              |
| 2. Is the upper portion of the borehole sealed with conrete to prevent infiltration from the surface?   |              |
| . Is the well fitted with an above-ground protective device?  |              |
| . Is the protective cover fitted with locks to prevent tampering? If a facility utilizes more than a single well design, answer the above questions for each well design? |              |

|   | Y/N  |
|---|------|
| III. Review of Sample Collection Procedures   |      |
| A. Measurement of Well Depths /Elevation  |      |
| 1. Are measurements of both depth to standing water and depth to the bottom of the well made?       | N    |
| 2. Are measurements taken to the 0.01 feet?   | Y    |
| 3. What device is used?   | TARE |
| 4. Is there a reference point established by a licensed surveyor?                                   | 4    |
| 5. Is the measuring equipment properly cleaned betweenwil locations to prevent cross contamination? | У    |
| B. Detection of Immiscible Layers   |      |
| 1. Are procedures used which will detect light phase immiscible layers?                             | MA   |
| 2. Are procedures used which will detect heavy phase immiscible layers?                             | 1    |
| C. Sampling of Immiscible Layers  |      |
| 1. Are the immiscible layers sampled separately prior to well evacuation?                           |      |
| 2. Do the procedures used minimize mixing with watersoluble phases?                                 | 1    |
| D. Well Evacuation  |      |
| 1. Are low yielding wells evacuated to dryness?   | У    |
| 2. Are high yielding wells evacuated so that at least three casing volumes are removed?             | У    |
| 3. What device is used to evacuate the wells?   | pimp |
| 4. If any problems are encountered (e.g., equipmentmalfunction) are they noted in a field logbook?  | N    |
|   |      |

| 1. For low yielding wells, are samples for volatiles, pH, and oxidation/reduction potential drawn first after the well recovers?  2. Are samples withdrawn with either flurocarbon/resins or stainless steel (316, 304 or 2205) sampling devices?  3. Are sampling devices either bottom valve bailers or positive gas displacement bladder pumps?  4. If bailers are used, is fluorocarbon/resin coated wire, single strand stainless steel wire, or monofilament used to raise and lower the bailer?  5. If bladder pumps are used, are they operated in acontinuous manner to prevent aeration of the sample?  6. If bailers are used, are they lowered slowly to prevent degassing of the water?  7. If bailers are used, are the contents transferred to the sample container in a way that minimizes agitation and aeration?  8. Is care taken to avoid placing clean sampling equipment on the ground or other contaminated surfaces prior to insertion into the well?  9. If dedicated sampling equipment is not used, is equipment disassembled and thoroughly cleaned between samples?  1. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  1. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  2. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  2. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  2. Distilled/deionized water rinse?  3. Acetone rinse?  4. Acetone rinse?  6. Acetone rinse?  6. Acetone rinse? | Y/  | N           |
|---|---|-------------|
| 2. Are samples withdrawn with either flurocarbon/resins or stainless steel (316, 304 or 2205) sampling devices?  3. Are sampling devices either bottom valve bailers or positive gas displacement bladder pumps?  4. If bailers are used, is fluorocarbon/resin coated wire, single strand stainless steel wire, or monofilament used to raise and lower the bailer?  5. If bladder pumps are used, are they operated in acontinuous manner to prevent aeration of the sample?  6. If bailers are used, are they lowered slowly to prevent degassing of the water?  7. If bailers are used, are the contents transferred to the sample container in a way that minimizes agitation and aeration?  8. Is care taken to avoid placing clean sampling equipment on the ground or other contaminated surfaces prior to insertion into the well?  9. If dedicated sampling equipment is not used, is equipment disassembled and thoroughly cleaned between samples?  10. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  a. Dilute acid rinse (HNO <sub>3</sub> or HC1)?11. If samples are for organic analysis, does the cleaning procedure include the following sequential steps:  a. Dilute acid rinse (HNO <sub>3</sub> or HC1)?11. If samples are for organic analysis, does the cleaning procedure include the following sequential steps:  a. Nonphosphate detergent wash?  b. Tap water rinse?  c. Distilled/deionized water rinse?  d. Acetone rinse?  | Sample Withdrawal   |             |
| 3. Are sampling devices?  3. Are sampling devices either bottom valve bailers or positive gas displacement bladder pumps?  4. If bailers are used, is fluorocarbon/resin coated wire, single strand stainless steel wire, or monofilament used to raise and lower the bailer?  5. If bladder pumps are used, are they operated in acontinuous manner to prevent aeration of the sample?  6. If bailers are used, are they lowered slowly to prevent degassing of the water?  7. If bailers are used, are the contents transferred to the sample container in a way that minimizes agitation and aeration?  8. Is care taken to avoid placing clean sampling equipment on the ground or other contaminated surfaces prior to insertion into the well?  9. If dedicated sampling equipment is not used, is equipment disassembled and thoroughly cleaned between samples?  10. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  a. Dilute acid rinse (HNO <sub>3</sub> or HC1)?11. If samples are for organic analysis, does the cleaning procedure include the following sequential steps:  a. Nonphosphate detergent wash?  b. Tap water rinse?  c. Distilled/deionized water rinse?  d. Acetone rinse?  | 1. For low yielding wells, are samples for volatiles, pH, and oxidation/reduction potential drawn first after the well recovers?                            |             |
| 4. If bailers are used, is fluorocarbon/resin coated wire, single strand stainless steel wire, or monofilament used to raise and lower the bailer?  5. If bladder pumps are used, are they operated in acontinuous manner to prevent aeration of the sample?  6. If bailers are used, are they lowered slowly to prevent degassing of the water?  7. If bailers are used, are the contents transferred to the sample container in a way that minimizes agitation and aeration?  8. Is care taken to avoid placing clean sampling equipment on the ground or other contaminated surfaces prior to insertion into the well?  9. If dedicated sampling equipment is not used, is equipment disassembled and thoroughly cleaned between samples?  10. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  a. Dilute acid rinse (HNO <sub>3</sub> or HC1)?11. If samples are for organic analysis, does the cleaning procedure include the following sequential steps:  a. Nonphosphate detergent wash?  b. Tap water rinse?  c. Distilled/deionized water rinse?  d. Acetone rinse?   | 2. Are samples withdrawn with either flurocarbon/resins or stainless steel (316, 304 or 2205) sampling devices?   |             |
| wire, or monorilament used to raise and lower the bailer?  5. If bladder pumps are used, are they operated in acontinuous manner to prevent aeration of the sample?  6. If bailers are used, are they lowered slowly to prevent degassing of the water?  7. If bailers are used, are the contents transferred to the sample container in a way that minimizes agitation and aeration?  8. Is care taken to avoid placing clean sampling equipment on the ground or other contaminated surfaces prior to insertion into the well?  9. If dedicated sampling equipment is not used, is equipment disassembled and thoroughly cleaned between samples?  10. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  11. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  12. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  13. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  14. Acetone rinse?   | Are sampling devices either bottom valve bailers or positive gas displacement bladder pumps?  |             |
| 6. If bailers are used, are they lowered slowly to prevent degassing of the water?  7. If bailers are used, are the contents transferred to the sample container in a way that minimizes agitation and aeration?  8. Is care taken to avoid placing clean sampling equipment on the ground or other contaminated surfaces prior to insertion into the well?  9. If dedicated sampling equipment is not used, is equipment disassembled and thoroughly cleaned between samples?  10. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  11. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  12. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  13. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  14. Anonphosphate detergent wash?  15. Tap water rinse?  16. C. Distilled/deionized water rinse?  | . If bailers are used, is fluorocarbon/resin coated wire, single strand stainless steel wire, or monofilament used to raise and lower the bailer?           |             |
| 7. If bailers are used, are the contents transferred to the sample container in a way that minimizes agitation and aeration?  8. Is care taken to avoid placing clean sampling equipment on the ground or other contaminated surfaces prior to insertion into the well?  9. If dedicated sampling equipment is not used, is equipment disassembled and thoroughly cleaned between samples?  10. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  11. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  12. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  13. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  14. Acetone rinse?  | If bladder pumps are used, are they operated in acontinuous manner to prevent aeration of the sample?   |             |
| B. Is care taken to avoid placing clean sampling equipment on the ground or other contaminated surfaces prior to insertion into the well?  D. If dedicated sampling equipment is not used, is equipment disassembled and thoroughly cleaned between samples?  O. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  a. Dilute acid rinse (HNO <sub>3</sub> or HC1)?11. If samples are for organic analysis, does the cleaning procedure include the following sequential steps:  1. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  a. Nonphosphate detergent wash?  b. Tap water rinse?  c. Distilled/deionized water rinse?  | If bailers are used, are they lowered slowly to prevent degassing of the water?   |             |
| O. If dedicated sampling equipment is not used, is equipment disassembled and thoroughly cleaned between samples?  O. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  a. Dilute acid rinse (HNO <sub>3</sub> or HC1)?11. If samples are for organic analysis, does the cleaning procedure include the following sequential steps:  1. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  a. Nonphosphate detergent wash?  b. Tap water rinse?  c. Distilled/deionized water rinse?   | If bailers are used, are the contents transferred to the sample container in a way that minimizes agitation and aeration?                                   | <del></del> |
| O. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  a. Dilute acid rinse (HNO <sub>3</sub> or HC1)?11. If samples are for organic analysis, does the cleaning procedure include the following sequential steps:  1. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  a. Nonphosphate detergent wash?  b. Tap water rinse?  c. Distilled/deionized water rinse?  | Is care taken to avoid placing clean sampling equipment on the ground or other contaminated surfaces prior to insertion into the well?                      |             |
| a. Dilute acid rinse (HNO <sub>3</sub> or HC1)?11. If samples are for organic analysis, does the cleaning procedure include the following sequential steps:  1. If samples are for inorganic analysis, does the cleaning procedure include the following sequential steps:  a. Nonphosphate detergent wash?  b. Tap water rinse?  c. Distilled/deionized water rinse?   | If dedicated sampling equipment is not used, is equipment disassembled and horoughly cleaned between samples?   |             |
| a. Nonphosphate detergent wash?  b. Tap water rinse?  c. Distilled/deionized water rinse?  d. Acetone rinse?  | If samples are for inorganic analysis, does the cleaning procedure include the ollowing sequential steps:   |             |
| a. Nonphosphate detergent wash? b. Tap water rinse? c. Distilled/deionized water rinse? d. Acetone rinse?   | a. Dilute acid rinse (HNO <sub>3</sub> or HC1)?11. If samples are for organic analysis, does the cleaning procedure include the following sequential steps: |             |
| b. Tap water rinse? c. Distilled/deionized water rinse? d. Acetone rinse?   | If samples are for inorganic analysis, does the cleaning procedure include the ollowing sequential steps:   |             |
| c. Distilled/deionized water rinse? d. Acetone rinse?   |   |             |
| d. Acetone rinse?   |   | 7           |
|   |   |             |
| Brand Holding:  |   |             |
|   |   | 1           |

|   | 9950                                  |
|---|---------------------------------------|
|   | Y/N                                   |
| 12 Is sampling agricument about the same a  |                                       |
| 12. Is sampling equipment thoroughly dry before use?  | <i>N</i>                              |
| 13. Are equipment blanks taken to ensure that sample cross-contamination has not                              |                                       |
| occurred?   | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| 14. If volatile samples are taken with a positive gas displacement bladder pump, are                          | 1                                     |
| pumping rates below 100 ml/min?   | 1//                                   |
| F. In-situ or Field Analyses  | IV A                                  |
| 1. Are the following labile (chemically unstable) parameters determined in the field:                         |                                       |
| a. pH?  | . N                                   |
| b. Temperature?   | IV                                    |
| c. Specific conductivity?   |                                       |
| d. Redox potential?   |                                       |
| e. Chlorine?  |                                       |
| f. Dissolved oxygen?  |                                       |
| g. Turbidity?   |                                       |
| h. Other (specify)  | -+                                    |
| 2. For in-situ determinations, are they made after well evacuation and sample removal?                        |                                       |
| 3. If sample is withdrawn from the well, is parameter measured from a split portion?                          | ·                                     |
| 4. Is monitoring equipment calibrated according to mannufacturers' specifications and consistent with SW-846? |                                       |
| 5. Is the date, procedure, and maintenance for equipment calibration documented in the field logbook?         |                                       |
| . Review of Sample Preservation and Handling Procedures   |                                       |
| Sample Containers   |                                       |
| . Are samples transferred from the sampling device directly to their compatible containers?                   | 9                                     |
|   |                                       |

|   | 1  | Y/N   |
|---|--|---|
| 2. Are sample containers for metals (inorganics) analyses polyethylene with polypropylene caps?   |  |   |
| 3. Are sample containers for organics analysis glass bottles with fluorocarbonresin-lined caps?   |  | <u>у</u><br>У                                 |
| 4. If glass bottles are used for metals samples are the caps fluorocarbonresin-lined?   | <del>                                     </del> | <u>/.                                    </u> |
| 5. Are the sample containers for metal analyses cleanedusing these sequential steps:  | -  | 7   |
| a. Nonphosphate detergent wash?   |  | . 1   |
| b. 1:1 nitric acid rinse?   | <u> </u>   | N.  |
| c. Tap water rinse?   | ·  |   |
| d. 1:1 hydrochloric acid rinse?   |  |   |
| e. Tap water rinse?   | <u> </u>   |   |
| f. Distilled/deionized water rinse?   |  |   |
| a. Nonphosphate detergent/hot water wash?  b. Tap water rinse?  c. Distilled/deionized water rinse?  d. Acetone rinse?  e. Pesticide-grade hexane rinse?  7. Are trip blanks used for each sample container type to verify cleanliness? |  |   |
| 3. Sample Preservation Procedures  1. Are samples for the following analyses cooled to 4°C:   |  |   |
| a. TOC?   |  | ı   |
| b. TOX?   |  |   |
| c. Chloride?  |  |   |
| d. Phenols?   |  |   |
| e. Sulfate?   | T  | ,   |
| f. Nitrate?   |  |   |
|   |  |   |
| g. Coliform bacteria?   |  |   |
| h. Cyanide?   |  |   |
| i. Oil and grease?  |  |   |
| j. Hazardous constituents ()261, Appendix VIII)?  | 7  | /   |


|   | X7/X1    |
|---|----------|
| 2. Are samples for the following analyses field acidified to pH < 2 with HNO₁:  | Y/N      |
| a. Iron?  |          |
| b. Manganese?   | /        |
| c. Sodium?  | <u> </u> |
| d. Total metals?  | ン        |
| e. Dissolved metals?  | 7        |
| f. Fluoride?  | <u> </u> |
| g. Endrin?  | Y        |
| h. Lindane?   | NIA      |
| i. Methoxychlor?  |          |
| j. Toxaphene?   |          |
| k. 2,4, D?  |          |
| 1. 2,4,5 TP Silvex?   |          |
| m. Radium?  |          |
| n. Gross alpha?   |          |
| o. Gross beta?  |          |
| <ul> <li>3. Are samples for the following analyses field acidfied to pH &lt;2 with H₂SO₄:</li> <li>a. Phenois?</li> <li>b. Oil and grease?</li> </ul>   |          |
| 4. Is the sample for TOC analyses field acified to pH <2 with HCl?  | <i>y</i> |
| 5. Is the sample for TOX analysis preserved with 1 ml of 1.1 M sodium sulfite?  | 1 /      |
|   |          |
| 6. Is the sample for cyanide analysis preserved with NaOH to pH >12?  | MA       |
| 6. Is the sample for cyanide analysis preserved with NaOH to pH >12?  Special Handling Considerations   | NA       |
|   | NA       |
| Special Handling Considerations   | NA       |
| Special Handling Considerations  1. Are organic samples handled without filtering?  2. Are samples for volatile organics transferred to the appropriate vials to eliminate.   | N        |
| Special Handling Considerations  1. Are organic samples handled without filtering?  2. Are samples for volatile organics transferred to the appropriate vials to eliminate headspace over the sample?   | N        |
| Special Handling Considerations  1. Are organic samples handled without filtering?  2. Are samples for volatile organics transferred to the appropriate vials to eliminate headspace over the sample?  3. Are samples for metal analysis split into two portions? | N        |


| V. Review of Chain-of-Custody Procedures  | Y/            | N             |
|---|---------------|---------------|
| or Chain-of-Custody Procedures  |               |               |
| A. Sample Labels  |               |               |
| 1 Amaga 1 1 1 1   |               |               |
| 1. Are sample labels used?  | Y             | t             |
| 2. Do they provide the following information:   |               | <del></del>   |
| a. Sample identification number?  |               | •             |
| b. Name of collector?   |               |               |
| c. Date and time of collection?   |               |               |
| d. Place of collection?   |               |               |
| e. Parameter(s) requested and preservitives used?   |               | <del></del>   |
| 3. Do they remain legible even if wet?  |               | <u>.</u><br>1 |
| Sample Seals  | $-\psi$       |               |
| Sample Seals  |               |               |
| I. Are sample seals placed and  |               | •             |
| 1. Are sample seals placed on those containers to ensure samples are not altered?   | 1.1           |               |
| Field Logbook   | $\mathcal{N}$ |               |
|   |               |               |
| . Is a field logbook maintained?  | 1             | ı             |
|   |               |               |
| Does it document the following:   |               | $\dashv$      |
| a Promore of a state of   | ·             | 1             |
| a. Purpose of sampling (e.g., detection or assessment)?   |               |               |
| e. Excanon of Wen(s)?   |               | -             |
| c. Total depth of each well?  |               | $\dashv$      |
| d. Static water level depth and measurement technique?  | +             | $\dashv$      |
| e. Presence of immiscible layers and detection method?  | <del></del>   | -             |
| f. Collection method for immiscible layers and sample identification numbers?  g. Well evacuation procedures?   | <del></del>   | 4             |
| o brocodines/   | <del></del>   | 4             |
| h. Sample withdrawal procedure?   |               | -             |
| i. Date and time of collection? j. Well sampling sequence?  |               | -             |
| k Types of sampling sequence?   | <del></del>   | -             |
| k. Types of sample containers and sample identification number(s)?  | -             | -1            |
| a contract of the contract of | +             | 4             |
| m. Parameters requested?  | <del></del>   | 4             |
| n. Field analysis data and method(s)?   | +             | 4             |
| o. Sample distribution and transporter?   | <del> </del>  | 4             |
| p. Field observations?  |               |               |


|  | 7             | Z/N         |
|--|---------------|-------------|
| —Unusual well recharge rates?  | 1             | 11          |
| —Equipment malfunction(s)?   | 1             | 1           |
| —Possible sample contamination?  | _             | +           |
| —Sampling rate?  |               | 1           |
| D. Chain-of-Custody Record   |               |             |
| 1. Is a chain-of-custody record included with each sample?   |               |             |
| 2. Does it document the following:   |               |             |
| a. Sample number?  |               |             |
| b. Signiture of collector?   | -             |             |
| c. Date and time of collection?  |               |             |
| d. Sample type?  | <del>  </del> | ·           |
| e. Station location?   |               |             |
| f. Number of containers?   |               |             |
| g. Parameters requested?   | <del>  </del> |             |
| h. Signatures of persons involved in chain-of-custody?   |               | ·<br>       |
| i. Inclusive dates of custody?   |               |             |
| E. Sample Analysis Request Sheet  1. Does a sample analysis request sheet accompany each sample?         | <b>Y</b>      | ~           |
| 2. Does the request sheet document the following:  | -/-<br> -     | · · · · · · |
| a. Name of person receiving the sample?  |               |             |
| b. Date of sample receipt?   |               |             |
| c. Duplicates?   |               |             |
| d. Analysis to be performed?   | _             | ·           |
| V. Review of Quality Assurance/Quality Control   |               |             |
| . Is the validity and reliability of the laboratory and field generated data ensured by a QA/QC program? |               |             |
| . Does the QA/QC program include:  |               |             |
| 1. Documentation of any deviation from approved procedures?  |               |             |
|  | $\bigvee$     |             |

|  |    | 99:         |
|--|----|-------------|
| 2 December 2   |    | Y/N         |
| 2. Documentation of analytical results for:  | T  |             |
| a. Blanks?   |    |             |
| b. Standards?  |    | $\bigvee$   |
| c. Duplicates?   |    | /           |
| d. Spiked samples?   |    |             |
| e. Detectable limits for each parameter being analyzed?  |    |             |
| or 2 or complete matter of the analyzed?   |    | )           |
| C. Are approved statistical methods used?  |    | 1           |
| D. Are QC samples used to correct data?  | V  | 1           |
| E. Are all data critically examined to ensure it has been properly calculated and reported?  | 1  |             |
|  | 1/ |             |
| VII Surficial Wall Inspection and Field Observed   |    | _           |
| VII. Surficial Well Inspection and Field Observation   |    |             |
| A. Are the wells adequately maintained?  | 19 | )<br>[      |
| Are the monitoring wells protected and secure?   | 1  |             |
| . Do the wells have surveyed casing elevations?  |    |             |
| . Are the ground-water samples turbid?   |    |             |
| . Have all physical characteristics of the site been noted in the inspector's field notes (i.e., surface waters, topography, surface features)?  |    |             |
| Has a site sketch been prepared by the field inspector with scale, north arrow, location(s) of buildings, location(s) of regulated units, locations of monitoring wells, and a rough depiction of the site drainage pattern? |    |             |
|  |    | <del></del> |
|  |    |             |
|  |    |             |
|  |    |             |
|  |    | •           |
|  | 1  |             |
|  | 1  |             |
| $\cdot$  | •  |             |

|  |  |                          | <del></del>          | · · · · · · · · · · · · · · · · · · · |                      |      | Y/1     |
|--|--|--------------------------|----------------------|---------------------------------------|----------------------|------|---------|
| VIII. Conclusions  |  |                          |                      |                                       |                      |      |         |
| A. Is the facilitycurrently operaction according to the statistical                              | erating under th<br>analyses perforn   | e correct i              | monitorir<br>current | ig progai<br>operator                 | am<br>?              |      | Y       |
| B. Does the ground-water modetection or assessment of a the facility?                            | onitoring system,<br>any possible grou | , as design<br>ind-water | ed and o<br>contami  | perated,<br>nation ca                 | allow for<br>used by | •    | <u></u> |
| . Does the sampling and ana and, where possible, assess to constituents to ground wate facility? | the nature and e                       | xtent of a               | release of           | hazardo                               | \IIG                 | - 1, | 1       |
| <del>-</del>   |  |                          |                      |                                       |                      |      |         |
|  |  |                          |                      |                                       |                      |      |         |
|  |  |                          |                      | . •                                   |                      |      |         |
|  |  |                          |                      |                                       |                      |      | · · ·   |
|  |  |                          | . :                  |                                       |                      |      |         |
|  |  | ,                        |                      |                                       | · .                  | :    |         |
|  |  |                          | . •                  |                                       |                      |      |         |
|  |  | •                        |                      |                                       | •                    | 1    |         |







# **WASTE MANAGEMENT**

KELLY RUN SANITATION, INC. LANDFILL Forward Township, Allegheny County

**PADEP ID No. 100663** 

APPENDIX A

**SECOND QUARTER 2006** 

GROUNDWATER MONITORING FORM 19 RESULTS

Submitted August 2006



#### · COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

| Date Prepared/Revised |
|-----------------------|
| 6/30/2006             |
| LADERUSE ONLY         |
| Date Received         |

# **FORM 19** MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

This form must be fully and accurately completed. All required information must be typed or legibly printed in the spaces provided. If additional space is necessary, identify each attached sheet as Form 19, reference the item number and identify the date prepared. The "date prepared/revised" on any attached sheets needs to match the "date prepared/revised" on this page.

| General References: Section 273.284   |  |
|---|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  | 258.   |
| SECTION A SIT   | E IDENTIFIER   |
| Applicant/permitee: Kelly Run Sanitation  |  |
| Site Name: Kelly Run Sanitation   |  |
| Facility ID (as issued by DEP): 100663  |  |
| SECTION B. FACILI   |  |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH | e with Department standards. INDICATE THE  I OF A SECOND (DD <sup>0</sup> MM' SS.SS"). |
| Monitoring Point Number: SP-10  | ☐ Well ☑ Spring ☐ Stream ☐ Other   |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream  |
| Location: County Allegheny  | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 14 ' 34 . 50 "   | Longitude: 79 ° 53 ' 16 . 00 "   |
| Depth to Water Level: NA fl   | Measured from:  Land Surface  TOC  |
| Casing Stick Up: NA fl  | Elevation of Water Level: NA ft./MSL   |
| Sampling Depth: <u>NA</u> ft  | Volume of Water Column: NA gal.  |
| Total Well Depth: <u>NA</u> ft.   | Sampling Method: Pumped Bailed Grab  |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: NA  |
| Sample Field Filtered (must be 0.45 micron)?  Yes   | No   |
| Spring Flow Rate: GPM   |  |
| Sample Date (mm/dd/yy): 06/07/06  | Sample Collection Time: 14:55  |
| Sample Collector's Name: C. Salmon - G. Stewart   | <u>14.00</u>   |
| Sample Collector's Affiliation: Beran Environmental   |  |
| _aboratoy(ies) Performing Analysis: Geochemical Testing   |  |
|   | lease explain in comments field.   |
| ab Certification Number(s): E87642FL and 56-306PA   | salas attainin dominicinis neig.   |
| ah Ormusi. Ni di Garantea asis  | nal Lab Analysis Completion Date: 6/22/2006  |
| Name/Affiliation of Person who Filled out Form Geochemical  |  |
| Comments: Clear.  | - Coung  |
|   |  |
|   |  |
|   |  |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | SP-10    |
| Sample Date          | 6/7/2006 |
| <del></del>          |          |

# FORM 19 QUARTERLY AND ANNUAL WATER QUALITY ANALYSES :

### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10  | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 254     | SM4500-CO2D               |
| Calcium, Total*                              | 121     | EPA 200.7                 |
| Calcium, Dissolved**                         |         |                           |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000                 |
| Chloride*                                    | 4       | EPA 300.0                 |
| Fluoride                                     | 0.1     | EPA 300.0                 |
| Iron (µg/l), Total                           | . 1330  | EPA 200.7                 |
| Iron (μg/l), Dissolved**                     |         |                           |
| Magnesium, Total*                            | 47.6    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (μg/l), Total*                     | 50      | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                |         |                           |
| Nitrate-Nitrogen                             | 3.91    | EPA 300.0                 |
| pH (standard units), Field*                  | 7.28    |                           |
| pH (standard units), Laboratory*             | 8.03    | SM4500-H+B                |
| Potassium, Total*                            | 1.8     | EPA 200.7                 |
| Potassium, Dissolved**                       | 4.      |                           |
| Sodium, Total*                               | 7.9     | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (umhos/cm), Field*      | 808.7   |                           |
| Specific Conductance (umhos/cm), Laboratory* | 813     | EPA 120.1                 |
| Sulfate*                                     | 189     | EPA 300.0                 |
| Total Alkalinity*                            | 257     | SM 18 2320B               |
| Total Dissolved Solids                       | 552     | SM2540-C                  |
| Total Organic Carbon*                        | 1 .     | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0  | EPA 420:1                 |
| Furbidity (NTU)                              | 45.2    | EPA 180.1                 |
|  |         |                           |
|  |         | 1                         |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |  |
|----------------------|----------|--|
| Monitoring Point No. | SP-10    |  |
| Sample Date          | 6/7/2006 |  |
| Sample Date          | 6/7/2006 |  |

# FORM 19 QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

## 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--------------------------|--------------------|---------------------------|
| Benzene                  | < 5.0              | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0              | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0              | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0              | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0              | EPA 8260B                 |
| Ethyl Benzene            | < 5.0              | EPA 8260B                 |
| Methylene chloride       | < 5.0              | EPA 8260B                 |
| Tetrachloroethene        | < 5.0              | EPA 8260B                 |
| Toluene                  | < 5.0              | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0              | EPA 8260B                 |
| Trichloroethene          | < 5.0              | EPA 8260B                 |
| Vinyl chloride           | < 2.0              | EPA 8260B                 |
| Xylene                   | < 5.0              | EPA 8260B                 |
|                          |                    |                           |
|                          |                    |                           |
|                          | .:                 |                           |
|                          |                    |                           |
|                          |                    |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

2540-PM-LRWM00041 Rev. 3/2004



## COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

| Date Prepared/Revised |
|-----------------------|
| 4/12/2005             |
| DERUSEONLY            |
| Date Received         |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| propared/revised of this page.  |  |
|---|--|
| General References: Section 273.284   | 050  |
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part<br>SECTION A: SI                                 | Z58.<br>TEIDENTIFIER   |
| Applicant/permitee: Kelly Run Sanitation  |  |
| Site Name: Kelly Run Sanitation   |  |
| Facility ID (as issued by DEP): 100663  |  |
| SECTION B. FACIL  |  |
| Monitoring wells must be designed and constructed in accordar<br>LATITUDE AND LONGITUDE TO THE NEAREST ONE TENT | nce with Department standards. INDICATE THE 'H OF A SECOND (DD <sup>O</sup> MM' SS.SS"). |
| Monitoring Point Number: SP-11  | ☐ Well ☑ Spring ☐ Stream ☐ Other   |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream  |
| Location: County Allegheny  | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 14 ' 41 . 10 "   | Longitude: 79 ° 53 ' 21 . 00 "   |
| Depth to Water Level:fl   | Measured from: ☐ Land Surface ☐ TOC  |
| Casing Stick Up:ff  | Elevation of Water Level: ft./MSL  |
| Sampling Depth:ft   | Volume of Water Column: gal.   |
| Total Well Depth: ft.   | Sampling Method:   |
| Nell Purged: ☐ Yes ☐ No   | Well Volumes Purged:   |
| Sample Field Filtered (must be 0.45 micron)?  | ] No   |
| Spring Flow Rate:GPM  |  |
| Sample Date (mm/dd/yy):   | Sample Collection Time:  |
| Sample Collector's Name: C. Salmon - G. Stewart   |  |
| Sample Collector's Affiliation: Beran Environmental   |  |
| aboratoy(ies) Performing Analysis: Geochemical Testing  |  |
| Vere any holding times exceeded?   Yes   No If yes,   | please explain in comments field.  |
| ab Certification Number(s): E87642FL and 56-306PA   |  |
| ab Sample Number: F   | Final Lab Analysis Completion Date:  |
|   |  |
| lame/Affiliation of Person who Filled out FormGeochemica  | nt Testing   |

2540-PM-LRWM00041 Rev. 3/2004



## COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

| Date Prepared/Revised |  |
|-----------------------|--|
| 6/30/2006             |  |
| DEP USE ONLY          |  |
| Date Received         |  |

## FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  | 258.  |
| SECTION A SIT   | EIDENTIFIER                                     |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION B. FACILLI  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH |   |
|   |   |
| Monitoring Point Number: SP-W   | ☐ Well ☐ Spring ☐ Stream ☐ Other                |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 15 ' 5 . 10 "  | Longitude: 79 ° 52 ' 40 . 00 "                  |
| Depth to Water Level: NA ft   | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: <u>NA</u> ft   | Elevation of Water Level: NA ft./MSL            |
| Sampling Depth: <u>NA</u> ft  | Volume of Water Column: NA gal.                 |
| Total Well Depth: NA ft.  | Sampling Method:                                |
| Well Purged: ☐ Yes ☐ No   | Well Volumes Purged: NA                         |
| Sample Field Filtered (must be 0.45 micron)?  | No.   |
| Spring Flow Rate: GPM   |   |
| Sample Date (mm/dd/yy): 06/08/06  | Sample Collection Time: 12:15                   |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Were any holding times exceeded?   Yes   No If yes,   | please explain in comments field.               |
| Lab Certification Number(s): E87642FL and 56-306PA  |   |
| Lab Sample Number: G0606195-007 F   | inal Lab Analysis Completion Date: 6/22/2006    |
| Name/Affiliation of Person who Filled out Form Geochemical  | l Testing                                       |
| Comments: Clear.  |   |
|   |   |
|   |   |
|   | ,   |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | SP-W     |
| Sample Date          | 6/8/2006 |

#### **ANALYTES**

| ANALYTE                                      | VALUE †  | ANALYSIS<br>METHOD NUMBER |
|--|----------|---------------------------|
| Ammonia-Nitrogen*                            | 0.17     | EPA 350.1D                |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 171      | SM4500-CO2D               |
| Calcium, Total*                              | .112     | EPA 200.7                 |
| Calcium, Dissolved**                         |          |                           |
| Chemical Oxygen Demand*                      | < 10     | HACH 8000                 |
| Chloride*                                    | 57       | EPA 300.0                 |
| Fluoride                                     | 0.3      | EPA 300.0                 |
| Iron (µg/l), Total                           | 12300    | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |          |                           |
| Magnesium, Total*                            | 38.2     | EPA 200.7                 |
| Magnesium, Dissolved**                       |          |                           |
| Manganese (μg/l), Total*                     | 500      | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                |          |                           |
| Nitrate-Nitrogen                             | 0.1      | EPA 300.0                 |
| pH (standard units), Field*                  | 6.9      |                           |
| pH (standard units), Laboratory*             | 6.89     | SM4500-H+B                |
| Potassium, Total*                            | 2.4      | EPA 200.7                 |
| Potassium, Dissolved**                       |          |                           |
| Sodium, Total*                               | 170      | EPA 200.7                 |
| Sodium, Dissolved**                          |          |                           |
| Specific Conductance (µmhos/cm), Field*      | 1437     |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 1400     | EPA 120.1                 |
| Sulfate*                                     | 572      | EPA 300.0                 |
| Total Alkalinity*                            | 171      | SM 18 2320B               |
| Total Dissolved Solids                       | 1010     | SM2540-C                  |
| Total Organic Carbon*                        | 0.9      | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0   | EPA 420.1                 |
| Turbidity (NTU)                              | 47.8     | EPA 180.1                 |
|  |          |                           |
|  | <u> </u> | ·                         |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| 100663   |
|----------|
| SP-W     |
| 6/8/2006 |
|          |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
| • .                      | ·       | <del></del>               |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



| Date Prepared/Revised |  |
|-----------------------|--|
| 6/30/2006             |  |
| DEPUSEONLY            |  |
| Date Received         |  |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| property of the page.  | and the contract of the contra |
|--|--|
| General References: Section 273.284                              |  |
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2 |  |
| SECTION A SIT  | EIDENTIFIER  |
| Applicant/permitee: Kelly Run Sanitation                         |  |
| Site Name: Kelly Run Sanitation                                  |  |
| Facility ID (as issued by DEP): 100663                           |  |
| SECTION B. FACILIT   |  |
| Monitoring wells must be designed and constructed in accordance  | e with Department standards. INDICATE THE  |
| LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH                  |  |
| Monitoring Point Number: SS-3                                    | ☐ Well ☐ Spring ☐ Stream ☑ Other   |
|  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream  |
| Location: County Allegheny                                       | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 15 ' 58 . 20 "                    | Longitude: <u>79 ° 53 ' 30 . 60 "</u>  |
| Depth to Water Level: NA fl                                      | Measured from: ☐ Land Surface ☐ TOC  |
| Casing Stick Up: <u>NA</u> fl                                    | Elevation of Water Level: NA ft./MSL   |
| Sampling Depth: NA ft  | Volume of Water Column: NA gal.  |
| Total Well Depth: NA ft.   | Sampling Method: Pumped Bailed Grab  |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: NA  |
| Sample Field Filtered (must be 0.45 micron)?                     | No   |
| Spring Flow Rate: GPM  | entro.<br>Talente  |
| Sample Date (mm/dd/yy): 06/08/06                                 | Sample Collection Time: 11:10  |
| Sample Collector's Name: C. Salmon - G. Stewart                  | Cample Conection Fittle. 11.10   |
| Sample Collector's Affiliation: Beran Environmental              | · · · · · · · · · · · · · · · · · · ·  |
|  |  |
|  |  |
|  | lease explain in comments field.   |
| _ab Certification Number(s): E87642FL and 56-306PA               |  |
| •  | nal Lab Analysis Completion Date: 6/22/2006  |
| Name/Affiliation of Person who Filled out FormGeochemical        |  |
| Comments:  |  |
|  |  |
|  |  |
|  |  |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | SS-3     |
| Sample Date          | 6/8/2006 |
| Sample Date          | 6/8/2006 |

#### **ANALYTES**

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10  | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 488     | SM4500-CO2D               |
| Calcium, Total*                              | 170     | EPA 200.7                 |
| Calcium, Dissolved**                         |         |                           |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000                 |
| Chloride*                                    | 152     | EPA 300.0                 |
| Fluoride                                     | < 0.1   | EPA 300.0                 |
| Iron (µg/I), Total                           | 430     | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |         |                           |
| Magnesium, Total*                            | 60.3    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (μg/l), Total*                     | 110 •   | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                |         | , ,                       |
| Nitrate-Nitrogen                             | 0.3     | EPA 300.0                 |
| pH (standard units), Field*                  | 6.48    |                           |
| pH (standard units), Laboratory*             | 7.26    | SM4500-H+B                |
| Potassium, Total*                            | 2.3     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 50.3    | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 1346    |                           |
| Specific Conductance (umhos/cm), Laboratory* | 1350    | EPA 120.1                 |
| Sulfate*                                     | 53      | EPA 300.0                 |
| Total Alkalinity*                            | 489     | SM 18 2320B               |
| Total Dissolved Solids                       | 748     | SM2540-C                  |
| otal Organic Carbon*                         | 1.6     | SM 19 5310-C              |
| otal Phenolics (µg/l)                        | < 10.0  | EPA 420.1                 |
| urbidity (NTU)                               | 14.2    | EPA 180.1                 |
|  |         | 2.7.100.1                 |
|  |         |                           |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | SS-3     |
| Sample Date          | 6/8/2006 |

#### 2-Q. Organics (Enter all data in $\mu g/I$ )

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| /inyl chloride           | < 2.0   | EPA 8260B                 |
| (ylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



Date Prepared/Revised

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25   | CONTRACTOR OF THE PARTY OF THE |
| SECTION:A. SITE   | IDENTIFIER  |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION B. FACILIT  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH | e with Department standards. INDICATE THE   |
| Monitoring Point Number: KR-1   |   |
| 1441  | · · · · · · · · · · · · · · · · · · ·   |
| Location: County Allegheny  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream   |
|   | Municipality: Township of Forward   |
| Sampling Point: Latitude: 40 ° 15 ' 1 40 "  | Longitude: 79 ° 53 ' 29 . 70 "  |
| Depth to Water Level:fl   | Measured from: ☐ Land Surface ☐ TOC   |
| Casing Stick Up:ft  | Elevation of Water Level: ft./MSL   |
| Sampling Depth: ft  | Volume of Water Column:gal.   |
| Total Well Depth: ft.   | Sampling Method: ☐ Pumped ☐ Bailed ☐ Grab   |
| Well Purged: ☐ Yes ☐ No   | Well Volumes Purged:  |
| Sample Field Filtered (must be 0.45 micron)?  | No .  |
| Spring Flow Rate:GPM  |   |
| Sample Date (mm/dd/yy):   | Sample Collection Time:   |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Were any holding times exceeded?   Yes   No If yes, pl  | ease explain in comments field.   |
| Lab Certification Number(s): E87642FL and 56-306PA  |   |
| Lab Sample Number: Fin  | nal Lab Analysis Completion Date:   |
| Name/Affiliation of Person who Filled out Form Geochemical  | <del></del>   |
| Comments: Dry.  |   |
|   |   |
|   |   |
|   |   |

Date Prepared/Revised
4/11/2005
DEP USE ONLY
Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284  |   |
|--|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25  |   |
| SECTION A SITE   | IDENTIFIER                                      |
| Applicant/permitee: Kelly Run Sanitation   | <u> </u>  |
| Site Name: Kelly Run Sanitation  |   |
| Facility ID (as issued by DEP): 100663   |   |
| SECTION B. FACILITY  |   |
| Monitoring wells must be designed and constructed in accordance  LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH | · ·   |
| Monitoring Point Number: KR-2  | ☐ Well ☐ Spring ☑ Stream ☐ Other                |
| · .  | ☐ Upgradient/Upstream ☐ Downgradient/Downstream |
| Location: County Allegheny   | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 15 ' 4 . 50 "   | Longitude: 79 ° 53 ' 42 00 "                    |
| Depth to Water Level:fl  | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up:fl   | Elevation of Water Level:ft./MSL                |
| Sampling Depth: ft -   | Volume of Water Column:gal.                     |
| Total Well Depth:ft.   | Sampling Method: ☐ Pumped ☐ Bailed ☐ Grab       |
| Well Purged: ☐ Yes ☐ No  | Well Volumes Purged:                            |
| Sample Field Filtered (must be 0.45 micron)?   | No  |
| Spring Flow Rate: GPM  |   |
| Sample Date (mm/dd/yy):  | Sample Collection Time:                         |
| Sample Collector's Name: C. Salmon - G. Stewart  |   |
| Sample Collector's Affiliation: Beran Environmental  | ·   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing  | <u> </u>  |
| Were any holding times exceeded?   Yes   No If yes, plo  | ease explain in comments field.                 |
| Lab Certification Number(s): E87642FL and 56-306PA   |   |
| Lab Sample Number: Fin   | al Lab Analysis Completion Date:                |
| Name/Affiliation of Person who Filled out Form Geochemical 1   | esting  |
| Comments: Dry.   |   |
|  |   |
|  |   |

2540-PM-LRWM00041 Rev. 3/2004




## COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

| Date Prepared/Revised |
|-----------------------|
| Y DERUSE ONLY         |
| Date Received         |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25   | 58.   |
| SECTION A SITE  | IDENTIFIER                                      |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION B. FACILIT  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH |   |
| Monitoring Point Number: ML1A   |   |
| WICHIGHT ON THE NUMBER.   | ☐ Well ☐ Spring ☐ Stream ☐ Other                |
| Locations County Allegham   | ☐ Upgradient/Upstream ☐ Downgradient/Downstream |
| Location: County Allegheny Sampling Point: Latitude:   "  | Municipality: Township of Forward               |
| Camping Cont. Latitude.   | Longitude:'"                                    |
| Depth to Water Level:fl   | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: ft   | Elevation of Water Level:ft./MSL                |
| Sampling Depth: ff  | Volume of Water Column:gal.                     |
| Total Well Depth:ft.  | Sampling Method: ☐ Pumped ☐ Bailed ☑ Grab       |
| Well Purged: ☐ Yes ☐ No   | Well Volumes Purged:                            |
| Sample Field Filtered (must be 0.45 micron)?  | No  |
| Spring Flow Rate: GPM   |   |
| Sample Date (mm/dd/yy):   | Sample Collection Time:                         |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, p   | lease explain in comments field.                |
| Lab Certification Number(s): E87642FL and 56-306PA  |   |
|   | nal Lab Analysis Completion Date:               |
| Name/Affiliation of Person who Filled out FormGeochemical   | Testing   |
| Comments: Dry.  |   |
|   |   |
|   |   |
|   |   |





# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| _F1-F-1   |   |
|---|---|
| General References: Section 273.284                               |   |
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25 |   |
|   | ·   |
| Applicant/permitee: Kelly Run Sanitation                          |   |
| Site Name: Kelly Run Sanitation                                   |   |
| Facility ID (as issued by DEP): 100663  SECTION B. FACILIT        | Y NEGRMATION  |
| Monitoring wells must be designed and constructed in accordance   |   |
| LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH                   |   |
| Monitoring Point Number: ML2A                                     | ☐ Well ☐ Spring ☐ Stream ☐ Other                                |
|   | $\square$ Upgradient/Upstream $\square$ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward                               |
| Sampling Point: Latitude:°'"                                      | Longitude:'"  |
| Depth to Water Level:fl   | Measured from: ☐ Land Surface ☐ TOC                             |
| Casing Stick Up:fl  | Elevation of Water Level:ft./MSL                                |
| Sampling Depth: fl  | Volume of Water Column:gal.                                     |
| Total Well Depth:ft.  | Sampling Method: ☐ Pumped ☐ Bailed ☐ Grab                       |
| Well Purged: ☐ Yes ☐ No   | Well Volumes Purged:  |
| Sample Field Filtered (must be 0.45 micron)?   Yes                | No  |
| Spring Flow Rate: GPM   |   |
| Sample Date (mm/dd/yy):   | Sample Collection Time:   |
| Sample Collector's Name: C. Salmon - G. Stewart                   |   |
| Sample Collector's Affiliation: Beran Environmental               |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing           |   |
| Were any holding times exceeded?   Yes   No If yes, p             | olease explain in comments field.                               |
| Lab Certification Number(s): E87642FL and 56-306PA                | <b>**</b>   |
| Lab Sample Number: Fi   | nal Lab Analysis Completion Date:                               |
| Name/Affiliation of Person who Filled out Form Geochemical        | Testing   |
| Comments: Dry.  |   |
|   |   |
|   |   |
|   | •   |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | ST-4     |
| Sample Date          | 6/8/2006 |

#### **ANALYTES**

| ANALYTE                                      | VALUE † | ANALYSIS METHOD NUMBER                           |
|--|---------|--|
| Ammonia-Nitrogen*                            | < 0.10  | EPA 350.1  |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 255     | SM4500-CO2D                                      |
| Calcium, Total*                              | 170     | EPA 200.7  |
| Calcium, Dissolved**                         |         |  |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000  |
| Chloride*                                    | . 7     | EPA 300.0  |
| Fluoride                                     | 0.1     | EPA 300.0  |
| lron (μg/l), Total                           | 6930    | EPA 200.7  |
| Iron (µg/l), Dissolved**                     |         |  |
| Magnesium, Total*                            | 85.3    | EPA 200.7  |
| Magnesium, Dissolved**                       |         |  |
| Manganese (µg/l), Total*                     | 470     | EPA 200.7  |
| Manganese (µg/l), Dissolved**                |         |  |
| Nitrate-Nitrogen                             | 3.64    | EPA 300.0  |
| pH (standard units), Field*                  | 7.35    | ```  |
| pH (standard units), Laboratory*             | 8.05    | SM4500-H+B                                       |
| Potassium, Total*                            | 3.6     | EPA 200.7  |
| Potassium, Dissolved**                       | : .     |  |
| Sodium, Total*                               | 23.9    | EPA 200.7  |
| Sodium, Dissolved**                          |         |  |
| Specific Conductance (µmhos/cm), Field*      | 1222    |  |
| Specific Conductance (µmhos/cm), Laboratory* | 1180    | EPA 120.1  |
| ulfate*                                      | 459     | EPA 300.0  |
| otal Alkalinity*                             | 258     | SM 18 2320B                                      |
| otal Dissolved Solids                        | 886     | SM2540-C   |
| otal Organic Carbon*                         | 1.9     | SM 19 5310-C                                     |
| otal Phenolics (µg/l)                        | < 10.0  | EPA 420.1  |
| urbidity (NTU)                               | 755     | EPA 180.1  |
|  |         | . 4174 100.1                                     |
|  |         | <del>                                     </del> |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   | _ |
|----------------------|----------|---|
| Monitoring Point No. | ST-4     | _ |
| Sample Date          | 6/8/2006 |   |

#### 2-Q. Organics (Enter all data in $\mu g/I$ )

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
| •                        |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



| Date Prepared/Revised |
|-----------------------|
| 6/30/2006             |
| DEPTUSE ONLY          |
| Date Received         |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 28   |   |
| SECTIONA SITE   | 2IDENTIFIER                                     |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION BY FACILIT  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH | e with Department standards. INDICATE THE       |
|   | _   |
| Monitoring Point Number: ST-5   | ☐ Well ☐ Spring ☐ Stream ☐ Other                |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 33 . 00 "   | Longitude: 79 ° 53 ' 16 . 70 "                  |
| Depth to Water Level: NA fl   | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: NA fl  | Elevation of Water Level: NA ft./MSL            |
| Sampling Depth: <u>NA</u> ft  | Volume of Water Column: NA gal.                 |
| Total Well Depth: <u>NA</u> ft.   | Sampling Method: Pumped Bailed Grab             |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: NA                         |
| Sample Field Filtered (must be 0.45 micron)?  Yes   | No ·  |
| Spring Flow Rate: GPM   |   |
| Sample Date (mm/dd/yy): 06/08/06  | Sample Collection Time: 10:25                   |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| _aboratoy(ies) Performing Analysis: Geochemical Testing   | ·   |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, pl  | lease explain in comments field.                |
| ab Certification Number(s): E87642FL and 56-306PA   |   |
|   | nal Lab Analysis Completion Date: 6/22/2006     |
| Name/Affiliation of Person who Filled out Form Geochemical  |   |
| Comments: Clear.  | ·   |
|   |   |
|   |   |
|   | <del></del>                                     |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | ST-5     |
| Sample Date          | 6/8/2006 |

#### **ANALYTES**

| ANALYTE                                      | VALUE † | ANALYSIS METHOD NUMBER |
|--|---------|------------------------|
| Ammonia-Nitrogen*                            | < 0.10  | EPA 350.1              |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 224     | SM4500-CO2D            |
| Calcium, Total*                              | 121     | EPA 200.7              |
| Calcium, Dissolved**                         |         |                        |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000              |
| Chloride*                                    | 101     | EPA 300.0              |
| Fluoride                                     | 0.1     | EPA 300.0              |
| lron (μg/l), Total                           | 680     | EPA 200.7              |
| lron (µg/l), Dissolved**                     |         |                        |
| Magnesium, Total*                            | 38.6    | EPA 200.7              |
| Magnesium, Dissolved**                       |         |                        |
| Manganese (μg/l), Total*                     | 30      | EPA 200.7              |
| Manganese (µg/l), Dissolved**                |         |                        |
| Nitrate-Nitrogen                             | 2.24    | EPA 300.0              |
| pH (standard units), Field*                  | 7.56    |                        |
| pH (standard units), Laboratory*             | 8.11    | SM4500-H+B             |
| Potassium, Total*                            | 1.4     | EPA 200.7              |
| Potassium, Dissolved**                       |         |                        |
| Sodium, Total*                               | 51.6    | EPA 200.7              |
| Sodium, Dissolved**                          |         |                        |
| Specific Conductance (µmhos/cm), Field*      | 981.5   |                        |
| Specific Conductance (µmhos/cm), Laboratory* | 928     | EPA 120.1              |
| Sulfate*                                     | 123     | EPA 300.0              |
| Total Alkalinity*                            | 227     | SM 18 2320B            |
| Total Dissolved Solids                       | 582     | SM2540-C               |
| Total Organic Carbon*                        | 1,2     | SM 19 5310-C           |
| Total Phenolics (µg/I)                       | < 10.0  | EPA 420.1              |
| Furbidity (NTU)                              | 24.2    | EPA 180.1              |
| •  |         |                        |
|  |         |                        |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.





## FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES


| property and the pager   |  |
|--|--|
| General References: Section 273.284  |  |
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2   | THE DOWNSTEED WAS A SHOW TO SEE THE PROPERTY OF THE PROPERTY O |
| SECTION A: SIT   | EIDENIBIEK   |
| Applicant/permitee: Kelly Run Sanitation   |  |
| Site Name: Kelly Run Sanitation  |  |
| Facility ID (as issued by DEP): 100663   |  |
| SECTION B. FACIL   |  |
| Monitoring wells must be designed and constructed in accordant LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTI |  |
| Monitoring Point Number: ST-4  | ☐ Well ☐ Spring ☑ Stream ☐ Other   |
|  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream  |
| Location: County Allegheny   | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 14 ' 32 . 00 "  | Longitude: 79 ° 53 ' 4 . 20 "  |
| Depth to Water Level: NA ft  | Measured from: ☐ Land Surface ☐ TOC  |
| Casing Stick Up: NA fl   | Elevation of Water Level: NA ft./MSL   |
| Sampling Depth: <u>NA</u> ft   | Volume of Water Column: NA gal.  |
| Total Well Depth: <u>NA</u> ft.  | Sampling Method: ☐ Pumped ☐ Bailed ☑ Grab  |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: NA  |
| Sample Field Filtered (must be 0.45 micron)?   | ] No   |
| Spring Flow Rate: GPM  |  |
| Sample Date (mm/dd/yy): 06/08/06   | Sample Collection Time: 09:50  |
| Sample Collector's Name: C. Salmon - G. Stewart  |  |
| Sample Collector's Affiliation: Beran Environmental  |  |
| Laboratoy(ies) Performing Analysis: Geochemical Testing  |  |
| Were any holding times exceeded? ☐ Yes ☑ No If yes,  | please explain in comments field.  |
| Lab Certification Number(s): E87642FL and 56-306PA   |  |
|  | Final Lab Analysis Completion Date: 6/22/2006  |
| Name/Affiliation of Person who Filled out Form Geochemica  |  |
| Comments: Cloudy.  | . , , , , , , , , , , , , , , , , , , ,  |
| Similar Siday.   |  |
|  |  |
|  |  |


| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | ST-5     |
| Sample Date          | 6/8/2006 |


### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.







#### **FORM 19** MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |  |  |  |
|---|---|--|--|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25   | Width Street Control of the Control |  |  |  |
| SECTION A. SITE   | DENTIFIER   |  |  |  |
| Applicant/permitee: Kelly Run Sanitation  | · · · · · · · · · · · · · · · · · · ·   |  |  |  |
| Site Name: Kelly Run Sanitation   |   |  |  |  |
| Facility ID (as issued by DEP): 100663  |   |  |  |  |
| SECTION B. FACILIT  |   |  |  |  |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH |   |  |  |  |
| Monitoring Point Number: Benwood Spring   |   |  |  |  |
| Berwood Ophing  |   |  |  |  |
| Location, County, Allegham  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream   |  |  |  |
| Location: County Allegheny  | Municipality: Township of Forward   |  |  |  |
| Sampling Point: Latitude: 40 ° 15 ' 2 40 "  | Longitude: 79 ° 52 ' 49 10 "  |  |  |  |
| Depth to Water Level:ft   | Measured from: ☐ Land Surface ☐ TOC   |  |  |  |
| Casing Stick Up: ft   | Elevation of Water Level:ft./MSL  |  |  |  |
| Sampling Depth: ff  | Volume of Water Column:gal.   |  |  |  |
| Total Well Depth:ft.  | Sampling Method: ☐ Pumped ☐ Bailed ☑ Grab   |  |  |  |
| Well Purged: ☐ Yes ☐ No   | Well Volumes Purged:  |  |  |  |
| Sample Field Filtered (must be 0.45 micron)?  Yes   | No  |  |  |  |
| Spring Flow Rate: GPM   |   |  |  |  |
| Sample Date (mm/dd/yy): 06/06/06  | Sample Collection Time: 14:45   |  |  |  |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |  |  |  |
| Sample Collector's Affiliation: Beran Environmental   |   |  |  |  |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |   |  |  |  |
| Were any holding times exceeded?   Yes  No If yes, please explain in comments field.                            |   |  |  |  |
| Lab Certification Number(s): E87642FL and 56-306PA  | · · · · ·   |  |  |  |
| Lab Sample Number: G0606129-001 Fin   | nal Lab Analysis Completion Date: 6/16/2006   |  |  |  |
| Name/Affiliation of Person who Filled out Form Geochemical  | Testing   |  |  |  |
| Comments: Clear - Slight odor.  |   |  |  |  |
|   |   |  |  |  |
|   |   |  |  |  |
| •   |   |  |  |  |

I.D. No. 100663

Monitoring Point No. Benwood Spring
Sample Date 6/6/2006

### FORM 19 QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

#### **ANALYTES**

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | 7.16    | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 685     | SM4500-CO2D               |
| Calcium, Total*                              | 165     | EPA 200.7                 |
| Calcium, Dissolved**                         |         |                           |
| Chemical Oxygen Demand*                      | 30      | HACH 8000                 |
| Chloride*                                    | 106     | EPA 300.0                 |
| Fluoride                                     | < 0.1   | EPA 300.0                 |
| lron (μg/l), Total                           | 4990    | EPA 200.7                 |
| lron (μg/l), Dissolved**                     |         |                           |
| Magnesium, Total*                            | 69.7    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (µg/l), Total*                     | 930     | EPA 200.7                 |
| Manganese (µg/l), Dissolved**                |         |                           |
| Nitrate-Nitrogen                             | < 0.05  | EPA 300.0                 |
| pH (standard units), Field*                  | 6.61    |                           |
| pH (standard units), Laboratory*             | . 7     | SM4500-H+B                |
| Potassium, Total*                            | 8.3     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 77.6    | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 1530    |                           |
| Specific Conductance (umhos/cm), Laboratory* | 1390    | EPA 120.1                 |
| Sulfate*                                     | 26      | EPA 300.0                 |
| Total Alkalinity*                            | 686     | SM 18 2320B               |
| Total Dissolved Solids                       | 846     | SM2540-C                  |
| Total Organic Carbon*                        | 10      | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0  | EPA 420.1                 |
| urbidity (NTU)                               | 20.7    | EPA 180.1                 |
| *  |         |                           |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.

<sup>\*\*</sup> Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| 100663         |
|----------------|
| Benwood Spring |
| 6/6/2006       |
|                |

#### 2-Q. Organics (Enter all data in $\mu g/I$ )

| ANALYTE                               | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|---------------------------------------|--------------------|---------------------------|
| Benzene                               | 5.9                | EPA 8260B                 |
| 1,2-Dibromoethane                     | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethane                    | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethene                    | < 5.0              | EPA 8260B                 |
| 1,2-Dichloroethane                    | < 5.0              | EPA 8260B                 |
| Cis-1,2-Dichloroethene                | < 5.0              | EPA 8260B                 |
| Trans-1,2-Dichloroethene              | < 5.0              | EPA 8260B                 |
| Ethyl Benzene                         | < 5.0              | EPA 8260B                 |
| Methylene chloride                    | < 5.0              | EPA 8260B                 |
| Tetrachloroethene                     | < 5.0              | EPA 8260B                 |
| Toluene                               | < 5.0              | EPA 8260B                 |
| 1,1,1,-Trichloroethane                | < 5.0              | EPA 8260B                 |
| Trichloroethene                       | < 5.0              | EPA 8260B                 |
| Vinyl chloride                        | < 2.0              | EPA 8260B                 |
| Xylene                                | < 5.0              | EPA 8260B                 |
|                                       |                    |                           |
|                                       |                    |                           |
|                                       |                    |                           |
|                                       |                    |                           |
| · · · · · · · · · · · · · · · · · · · |                    |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



| Date Prepared/Revised |
|-----------------------|
| 4/12/2005             |
| FIDER USE ONLY        |
| Date Received         |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |  |  |  |
|---|---|--|--|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25   | 58.   |  |  |  |
| SECTION A SITE  | IDENTIFIER                                      |  |  |  |
| Applicant/permitee: Kelly Run Sanitation  |   |  |  |  |
| Site Name: Kelly Run Sanitation   |   |  |  |  |
| Facility ID (as issued by DEP): 100663  |   |  |  |  |
| SECTION B. FACILIT  |   |  |  |  |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH                           | •   |  |  |  |
|   | _ · _ · _ ·                                     |  |  |  |
| Monitoring Point Number: SP-1   | ☐ Well ☑ Spring ☐ Stream ☐ Other                |  |  |  |
|   | ☐ Upgradient/Upstream ☐ Downgradient/Downstream |  |  |  |
| Location: County Allegheny  | Municipality: Township of Forward               |  |  |  |
| Sampling Point: Latitude: 40 14 49 70 "   | Longitude: 79 ° 52 ' 47 . 30 "                  |  |  |  |
| Depth to Water Level:fl   | Measured from: ☐ Land Surface ☐ TOC             |  |  |  |
| Casing Stick Up:ff  | Elevation of Water Level:ft./MSL                |  |  |  |
| Sampling Depth: ft  | Volume of Water Column: gal.                    |  |  |  |
| Total Well Depth:ft.  | Sampling Method: Pumped Bailed Grab             |  |  |  |
| Well Purged: ☐ Yes ☐ No   | Well Volumes Purged:                            |  |  |  |
| Sample Field Filtered (must be 0.45 micron)?  | No  |  |  |  |
| Spring Flow Rate: GPM   |   |  |  |  |
| Sample Date (mm/dd/yy):   | Sample Collection Time:                         |  |  |  |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |  |  |  |
| Sample Collector's Affiliation: Beran Environmental   |   |  |  |  |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |   |  |  |  |
|   |   |  |  |  |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, please explain in comments field.  Lab Certification Number(s): E87642FL and 56-306PA |   |  |  |  |
|   |   |  |  |  |
| Lab Sample Number: Final Lab Analysis Completion Date: Name/Affiliation of Person who Filled out Form Geochemical Testing                 |   |  |  |  |
|   |   |  |  |  |
| Comments: Dry.  | · · · · · · · · · · · · · · · · · · ·           |  |  |  |
| <del></del>   |   |  |  |  |
| ·   |   |  |  |  |



| Date Prepared/Revised |
|-----------------------|
| 6/30/2006             |
| DEPUSE ONLY           |
| Date Received         |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |
|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.   |
| SECTION A. SITIE IDENTIFIER   |
| Applicant/permitee: Kelly Run Sanitation  |
| Site Name: Kelly Run Sanitation   |
| Facility ID (as issued by DEP): 100663  |
| SECTION B. FACILITY INFORMATION   |
| Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD <sup>O</sup> MM' SS.SS"). |
| Monitoring Point Number: SP-2 ☐ Well ☑ Spring ☐ Stream ☐ Other  |
| ☐ Upgradient/Upstream ☐ Downgradient/Downstream   |
| Location: County Allegheny Municipality: Township of Forward  |
| Sampling Delete Letterde 40 944 140 00 11   |
| Depth to Water Level: NA fi Measured from: Land Surface TOC   |
| Casing Stick Up: NA ft Elevation of Water Level: NA ft./MSL   |
| Compling Donths NA #  |
| Total Well Depth: NA ft. Sampling Method: □ Pumped □ Bailed ☑ Grab  |
| Molification  |
| Well Volumes Purged: NA   |
| Spring Flow Rate: GPM   |
| Sample Date (min/dd/se) - 00/07/00  |
| Sample Collector's Name: C. Salmon - G. Stewart   |
| Sample Collector's Affiliation: Beran Environmental   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |
| Were any holding times exceeded?  |
| Lab Certification Number(s): E87642FL and 56-306PA  |
|   |
|   |
| Name/Affiliation of Person who Filled out Form Geochemical Testing  Comments: Clear.  |
| Johnnents. Clear.   |
|   |
|   |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | SP-2     |
| Sample Date          | 6/7/2006 |

#### ANALYTES

| ANALYTE                                      | VALUE †     | ANALYSIS<br>METHOD NUMBER |
|--|-------------|---------------------------|
| Ammonia-Nitrogen*                            | 2.74        | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 525         | SM4500-CO2D               |
| Calcium, Total*                              | 140         | EPA 200.7                 |
| Calcium, Dissolved**                         |             |                           |
| Chemical Oxygen Demand*                      | < 10        | HACH 8000                 |
| Chloride*                                    | 52          | EPA 300.0                 |
| Fluoride                                     | < 0.1       | EPA 300.0                 |
| Iron (µg/l), Total                           | 640         | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |             |                           |
| Magnesium, Total*                            | 76.9        | EPA 200.7                 |
| Magnesium, Dissolved**                       |             |                           |
| Manganese (μg/l), Total*                     | 360         | EPA 200.7                 |
| Manganese (μg/I), Dissolved**                |             |                           |
| Nitrate-Nitrogen                             | 1:5         | EPA 300.0                 |
| pH (standard units), Field*                  | 6.86        |                           |
| pH (standard units), Laboratory*             | 7.53        | SM4500-H+B                |
| Potassium, Total*                            | 5.9         | EPA 200.7                 |
| Potassium, Dissolved**                       |             |                           |
| Sodium, Total*                               | 31.4        | EPA 200.7                 |
| Sodium, Dissolved**                          |             |                           |
| Specific Conductance (µmhos/cm), Field*      | 1215        |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 1160        | EPA 120.1                 |
| Sulfate*                                     | 124         | EPA 300.0                 |
| Total Alkalinity*                            | . 527       | SM 18 2320B               |
| Total Dissolved Solids                       | 724         | SM2540-C                  |
| Total Organic Carbon*                        | 3           | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0      | EPA 420.1                 |
| Turbidity (NTU)                              | 3.5         | EPA 180.1                 |
|  | <del></del> |                           |
|  | :           |                           |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.


Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.


| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | SP-2     |
| Sample Date          | 6/7/2006 |

### 2-Q. Organics (Enter all data in $\mu$ g/I)

| ANALYTE                  | VALUE †              | ANALYSIS<br>METHOD NUMBER |
|--------------------------|----------------------|---------------------------|
| Benzene                  | < 5.0                | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0                | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0                | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0                | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0                | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0                | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0                | EPA 8260B                 |
| Ethyl Benzene            | < 5.0                | EPA 8260B                 |
| Methylene chloride       | <sup>/</sup> < 5.0 . | EPA 8260B                 |
| Tetrachloroethene        | < 5.0                | EPA 8260B                 |
| Toluene                  | < 5.0                | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0                | EPA 8260B                 |
| Trichloroethene          | < 5.0                | EPA 8260B                 |
| Vinyl chloride           | < 2.0                | EPA 8260B                 |
| Xylene                   | < 5.0                | EPA 8260B                 |
|                          |                      |                           |
|                          |                      |                           |
|                          |                      |                           |
|                          |                      |                           |
|                          |                      |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.





# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| Sampling Point: Latitude: 40 ° 14 ' 46 . 00 " Longitude: 79 ° 52 ' 50 . 00 " Depth to Water Level: NA ft Measured from: Land Surface TOC  Casing Stick Up: NA ft Elevation of Water Level: NA ft. Volume of Water Column: NA  Total Well Depth: NA ft. Sampling Method: Pumped Bailed Well Purged: Yes No Well Volumes Purged: NA  Sample Field Filtered (must be 0.45 micron)? Yes No  Spring Flow Rate: GPM  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing   |                |
|--|----------------|
| Applicant/permitee: Kelly Run Sanitation  Site Name: Kelly Run Sanitation  Facility ID (as issued by DEP): 100663  SECTION B. FACILITY INFORMATION.  Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.SS").  Monitoring Point Number: SP-3   Well Spring Stream Other Department Standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.SS").  Monitoring Point Number: SP-3   Well Spring Stream Other Department Victorian Downgradient/Downstructed in accordance with Department standards. INDICATE THE United Second Control of Market Second (DD° MM' SS.SS").  Monitoring Point Number: SP-3   Well Spring Stream Other Other Downgradient/Downstructed Indicate Second (DD° MM' SS.SS").  Monitoring Point Number: SP-3   Well Spring Stream Other Other Downgradient/Downstructed Indicate Second (DD° MM' SS.SS").  Monitoring Point Number: SP-3   Well Spring Second Indicate Second (DD° MM' SS.SS").  Monitoring Point Number: SP-3   Well Spring Second Indicate Second (DD° MM' SS.SS").  Monitoring Wells Indicate Second (DD° MM' SS.SS").  Monitoring Wells Indicate Second (DD° MM' SS.SS").  Monitoring Point Number: SP-3   Well Spring Second (DD° MM' SS.SS").  Monitoring Point Number: SP-3   Well Volume of Water Level: Na ft./MSL Sampling Depth: Na ft. Sampling Method: Pumped Bailed Well Purged: Na Sample Field Filtered (must be 0.45 micron)? Yes No Well Volumes Purged: Na Sample Collection Time: 11:25   Sample Collection's Affiliation: Beran Environmental Laboratory(se) Performing Analysis: Geochemical Testing   |                |
| Applicant/permitee: Kelly Run Sanitation  Site Name: Kelly Run Sanitation  Facility ID (as issued by DEP): 100663  SECTION B. FACILITY INFORMATION  Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE  LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.SS").  Monitoring Point Number: SP-3  |                |
| Site Name: Kelly Run Sanitation  Facility ID (as issued by DEP): 100663    SECTION B   FACILITY INFORMATION  |                |
| Section   B. Facility   ID (as issued by DEP): 100663   Section   B. Facility   Institute   Institut |                |
| SECTION B: FACILITY INFORMATION:   Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DDO MM' SS.SS").   Monitoring Point Number: SP-3   |                |
| Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.SS").  Monitoring Point Number: SP-3   |                |
| LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.SS").         Monitoring Point Number:       SP-3       □ Well ☑ Spring □ Stream □ Other         □ Upgradient/Upstream ☑ Downgradient/Downstr         Location: County       Allegheny       Municipality: Township of Forward         Sampling Point: Latitude:       40 ° 14 ' 46 . 00 "       Longitude: 79 ° 52 ' 50 . 00 "         Depth to Water Level:       NA ft       Measured from: □ Land Surface □ TOC         Casing Stick Up:       NA ft       Elevation of Water Level: NA ft./MSL         Sampling Depth:       NA ft       Volume of Water Column: NA         Total Well Depth:       NA ft.       Sampling Method: □ Pumped □ Bailed ☑         Well Purged:       ☑ Yes □ No       Well Volumes Purged: NA         Sample Field Filtered (must be 0.45 micron)? □ Yes ☑ No       No         Spring Flow Rate: □ GPM       GPM         Sample Collection's Name: □ C. Salmon - G. Stewart         Sample Collector's Affiliation: Beran Environmental         Laboratoy(les) Performing Analysis: □ Geochemical Testing   |                |
| Monitoring Point Number: SP-3  | • •            |
| Upgradient/Upstream ☑ Downgradient/Downstr  Location: County Allegheny   |                |
| Location: County Allegheny Municipality: Township of Forward  Sampling Point: Latitude: 40 ° 14 ' 46 00 " Longitude: 79 ° 52 ' 50 00 "  Depth to Water Level: NA fl Measured from: Land Surface TOC  Casing Stick Up: NA fl Elevation of Water Level: NA ft./MSL  Sampling Depth: NA fl Volume of Water Column: NA  Total Well Depth: NA ft. Sampling Method: Pumped Bailed Well Purged: Yes No  Sample Field Filtered (must be 0.45 micron)? Yes No  Spring Flow Rate: GPM  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing   |                |
| Sampling Point: Latitude: 40 ° 14 ' 46 . 00 " Longitude: 79 ° 52 ' 50 . 00 " Depth to Water Level: NA fi Measured from: Land Surface TOC  Casing Stick Up: NA fi Elevation of Water Level: NA ft./MSL  Sampling Depth: NA fi Volume of Water Column: NA  Total Well Depth: NA ft. Sampling Method: Pumped Bailed Well Purged: NA  Sample Field Filtered (must be 0.45 micron)? Yes No  Spring Flow Rate: GPM  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing  | tream          |
| Depth to Water Level: NA ft Measured from: Land Surface TOC  Casing Stick Up: NA ft Elevation of Water Level: NA ft./MSL  Sampling Depth: NA ft Volume of Water Column: NA  Total Well Depth: NA ft. Sampling Method: Pumped Bailed Well Purged: Yes No Well Volumes Purged: NA  Sample Field Filtered (must be 0.45 micron)? Yes No  Spring Flow Rate: GPM  Sample Date (mm/dd/yy): 06/07/06 Sample Collection Time: 11:25  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing   | _              |
| Casing Stick Up: NA ft Elevation of Water Level: NA ft./MSL Sampling Depth: NA ft Volume of Water Column: NA  Total Well Depth: NA ft. Sampling Method: Pumped Bailed Well Purged: Yes No Well Volumes Purged: NA  Sample Field Filtered (must be 0.45 micron)? Yes No  Spring Flow Rate: GPM  Sample Date (mm/dd/yy): 06/07/06 Sample Collection Time: 11:25  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing   |                |
| Sampling Depth: NA fl Volume of Water Column: NA  Total Well Depth: NA ft. Sampling Method: Pumped Bailed Well Purged: Yes No Well Volumes Purged: NA  Sample Field Filtered (must be 0.45 micron)? Yes No  Spring Flow Rate: GPM  Sample Date (mm/dd/yy): 06/07/06 Sample Collection Time: 11:25  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing   |                |
| Total Well Depth: NA ft. Sampling Method: Pumped Bailed Well Purged: Yes No Well Volumes Purged: NA  Sample Field Filtered (must be 0.45 micron)? Yes No  Spring Flow Rate: GPM  Sample Date (mm/dd/yy): 06/07/06 Sample Collection Time: 11:25  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing   | _              |
| Well Purged: Yes No Well Volumes Purged: NA  Sample Field Filtered (must be 0.45 micron)? Yes No  Spring Flow Rate: GPM  Sample Date (mm/dd/yy): 06/07/06 Sample Collection Time: 11:25  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing   | _ gal.         |
| Sample Field Filtered (must be 0.45 micron)?   | ☑ Grat         |
| Spring Flow Rate: GPM  Sample Date (mm/dd/yy): 06/07/06  |                |
| Spring Flow Rate: GPM  Sample Date (mm/dd/yy): 06/07/06  | _              |
| Sample Date (mm/dd/yy): 06/07/06 Sample Collection Time: 11:25  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing  |                |
| Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing  |                |
| Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing   | _              |
| _aboratoy(ies) Performing Analysis: Geochemical Testing  | <del>-</del> . |
|  | _              |
| were any notding times exceeded? Li Yes Li No If yes, please explain in comments field.  | _              |
|  |                |
| _ab Certification Number(s): E87642FL and 56-306PA   |                |
| Lab Sample Number: G0606195-003 Final Lab Analysis Completion Date: 6/22/2006  | <u>6</u>       |
| Name/Affiliation of Person who Filled out FormGeochemical Testing  | <u>:_</u>      |
| Comments: Clear.   |                |
|  |                |
|  |                |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | SP-3     |
| Sample Date          | 6/7/2006 |

#### **ANALYTES**

| ANALYTE                                      | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--|--------------------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10             | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 286                | SM4500-CO2D               |
| Calcium, Total*                              | 126                | EPA 200.7                 |
| Calcium, Dissolved**                         | ·                  |                           |
| Chemical Oxygen Demand*                      | < 10               | HACH 8000                 |
| Chloride*                                    | 53                 | EPA 300.0                 |
| Fluoride                                     | < 0.1              | EPA 300.0                 |
| Iron (μg/l), Total                           | 4800               | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |                    |                           |
| Magnesium, Total*                            | 88.8               | EPA 200.7                 |
| Magnesium, Dissolved**                       |                    |                           |
| Manganese (µg/l), Total*                     | 300                | EPA 200.7                 |
| Manganese (µg/I), Dissolved**                |                    |                           |
| Nitrate-Nitrogen                             | 6.16               | EPA 300.0                 |
| pH (standard units), Field*                  | 8.01               |                           |
| pH (standard units), Laboratory*             | 8.26               | SM4500-H+B                |
| Potassium, Total*                            | 3.9                | EPA 200.7                 |
| Potassium, Dissolved**                       |                    |                           |
| Sodium, Total*                               | 24.4               | EPA 200.7                 |
| Sodium, Dissolved**                          |                    |                           |
| Specific Conductance (umhos/cm), Field*      | 1061               |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 1050               | EPA 120.1                 |
| Sulfate*                                     | 238                | EPA 300.0                 |
| Total Alkalinity*                            | 291                | SM 18 2320B               |
| Total Dissolved Solids                       | 704                | SM2540-C                  |
| Total Organic Carbon*                        | 2                  | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0             | EPA 420.1                 |
| Turbidity (NTU)                              | 116                | EPA 180.1                 |
|  |                    |                           |
|  |                    |                           |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |  |
|----------------------|----------|--|
| Monitoring Point No. | SP-3     |  |
| Sample Date          | 6/7/2006 |  |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Kylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          | ···     | <del></del>               |
|                          |         |                           |
|                          |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.


| Date Prepared/Revised |
|-----------------------|
| WREPUSERONIX          |
| Date Received         |
| ·                     |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  | 258.  |
| SECTION/A.SIT   | EIDENTIFIER                                     |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION BEFACILI  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH | ce with Department standards. INDICATE THE      |
| Monitoring Point Number: SP-4   |   |
| With Maring Four Marineer. SF-4   | ☐ Well ☑ Spring ☐ Stream ☐ Other                |
| Location: County Allegheny  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
|   | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 43 . 50 "   | Longitude: 79 ° 52 ' 53 . 00 "                  |
| Depth to Water Level:ff   | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up:ff  | Elevation of Water Level:ft./MSL                |
| Sampling Depth: ft  | Volume of Water Column:gal.                     |
| Total Well Depth:ft.  | Sampling Method:                                |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged:                            |
| Sample Field Filtered (must be 0.45 micron)?  | No  |
| Spring Flow Rate:GPM  |   |
| Sample Date (mm/dd/yy):   | Sample Collection Time:                         |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Were any holding times exceeded?   Yes  No If yes, p  | please explain in comments field                |
| Lab Certification Number(s):-E87642FL and 56-306PA  | nodo oxpidir in commenta neid.                  |
|   | nal Lab Analysis Completion Date:               |
| Name/Affiliation of Person who Filled out Form Geochemical  |   |
|   |   |
| Comments: Dry.  |   |
|   | · · · · · · · · · · · · · · · · · · ·           |
|   |   |







# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284  |   |
|--|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25  | 58.   |
| SECTION A SITE   | <u> IDENTIFIER</u>                              |
| Applicant/permitee: Kelly Run Sanitation   |   |
| Site Name: Kelly Run Sanitation  |   |
| Facility ID (as issued by DEP): 100663   |   |
| SECTION B. FACILIT.  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH  |   |
| Monitoring Point Number: SP-5  |   |
| Monitoring Form Number. <u>3F-3</u>  | ☐ Well ☐ Spring ☐ Stream ☐ Other                |
| All and the second seco | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny   | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 43 00 "  | Longitude: 79 ° 52 ' 47 . 00 "                  |
| Depth to Water Level: NA ft  | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: NA fi   | Elevation of Water Level: NA ft./MSL            |
| Sampling Depth: NA ft  | Volume of Water Column: NA gal.                 |
| Total Well Depth: <u>NA</u> ft.  | Sampling Method:                                |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: NA                         |
| Sample Field Filtered (must be 0.45 micron)?   | No  |
| Spring Flow Rate:GPM   |   |
| Sample Date (mm/dd/yy): 06/08/06   | Sample Collection Time: 11:50                   |
| Sample Collector's Name: C. Salmon - G. Stewart  |   |
| Sample Collector's Affiliation: Beran Environmental  |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing  |   |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, pl   | lease explain in comments field.                |
| Lab Certification Number(s): E87642FL and 56-306PA   |   |
|  | nal Lab Analysis Completion Date: 6/22/2006     |
| Name/Affiliation of Person who Filled out Form Geochemical   |   |
| Comments:  |   |
|  |   |
|  |   |
|  |   |

| I.D. No.             | 100663   |  |
|----------------------|----------|--|
| Monitoring Point No. | SP-5     |  |
| Sample Date          | 6/8/2006 |  |

#### **ANALYTES**

| ANALYTE                                      | VALUE †                               | ANALYSIS<br>METHOD NUMBER |
|--|---------------------------------------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10                                | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 300                                   | SM4500-CO2D               |
| Calcium, Total*                              | 155                                   | EPA 200.7                 |
| Calcium, Dissolved**                         | ,                                     |                           |
| Chemical Oxygen Demand*                      | < 10                                  | HACH 8000                 |
| Chloride*                                    | 97                                    | EPA 300.0                 |
| Fluoride                                     | < 0.1                                 | EPA 300.0                 |
| ron (µg/I), Total                            | 720                                   | EPA 200.7                 |
| lron (µg/I), Dissolved**                     |                                       |                           |
| Magnesium, Total*                            | 77.8                                  | EPA 200.7                 |
| Magnesium, Dissolved**                       |                                       |                           |
| Manganese (µg/I), Total*                     | 40                                    | EPA 200.7                 |
| Manganese (µg/l), Dissolved**                |                                       |                           |
| Nitrate-Nitrogen                             | 0.9                                   | EPA 300.0                 |
| oH (standard units), Field*                  | 7.87                                  |                           |
| pH (standard units), Laboratory*             | 8.23                                  | SM4500-H+B                |
| Potassium, Total*                            | 4.8                                   | EPA 200.7                 |
| Potassium, Dissolved**                       |                                       |                           |
| Sodium, Total*                               | 82.9                                  | EPA 200.7                 |
| Sodium, Dissolved**                          |                                       |                           |
| Specific Conductance (µmhos/cm), Field*      | 1425                                  |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 1400                                  | EPA 120.1                 |
| Sulfate*                                     | 426                                   | EPA 300.0                 |
| otal Alkalinity*                             | 305                                   | SM 18 2320B               |
| otal Dissolved Solids                        | 970                                   | SM2540-C                  |
| otal Organic Carbon*                         | 1.6                                   | SM 19 5310-C              |
| otal Phenolics (µg/I)                        | < 10.0                                | EPA 420.1                 |
| urbidity (NTU)                               | 15.9                                  | EPA 180.1                 |
|  |                                       |                           |
| ,  | · · · · · · · · · · · · · · · · · · · |                           |

Indicator Analyte - For comparison with detection zone analytes. Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | SP-5     |
| Sample Date          | 6/8/2006 |

#### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



| Date Prepared/Revised |
|-----------------------|
| DEP USE ONLY          |
| Date Received         |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |  |
|---|---|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25   |   |  |
|   |   |  |
|   |   |  |
| Site Name: Kelly Run Sanitation  Facility ID (as issued by DEP): 100663   | · · · · · · · · · · · · · · · · · · ·           |  |
| SECTION B. FACILIT  | YINFORMATION                                    |  |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH |   |  |
| Monitoring Point Number: SP-6   | ☐ Well ☑ Spring ☐ Stream ☐ Other                |  |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |  |
| Location: County Allegheny  | Municipality: Township of Forward               |  |
| Sampling Point: Latitude: 40 ° 14 ' 33 . 00 "   | Longitude: 79 ° 53 ' 5 . 00 "                   |  |
| Depth to Water Level:fi   | Measured from: ☐ Land Surface ☐ TOC             |  |
| Casing Stick Up:fl  | Elevation of Water Level: ft./MSL               |  |
| Sampling Depth: ft  | Volume of Water Column: gal.                    |  |
| Total Well Depth:ft.  | Sampling Method: Pumped Bailed Grab             |  |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged:                            |  |
| Sample Field Filtered (must be 0.45 micron)?  Yes  No   |   |  |
| Spring Flow Rate: GPM   |   |  |
| Sample Date (mm/dd/yy):   | Sample Collection Time:                         |  |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |  |
| Sample Collector's Affiliation: Beran Environmental   |   |  |
| Laboratoy(les) Performing Analysis: Geochemical Testing   |   |  |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, pl  | lease explain in comments field.                |  |
| Lab Certification Number(s): E87642FL and 56-306PA  |   |  |
| Lab Sample Number: Fir  | nal Lab Analysis Completion Date:               |  |
| Name/Affiliation of Person who Filled out Form Geochemical  |   |  |
| Comments: Dry.  |   |  |
|   |   |  |
|   |   |  |
|   |   |  |



Date Prepared/Revised
6/30/2006
DEP USE GNEY
Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  | SWAPPEN AND AND AND AND AND AND AND AND AND AN  |
| SECTION: A. SIT   | EIDENTIFIER                                     |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   | · · · · · · · · · · · · · · · · · · ·           |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION B. FACILI   |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH | ce with Department standards. INDICATE THE      |
| Monitoring Point Number: SP-8   |   |
| William Tollic National Services  | ☐ Well ☑ Spring ☐ Stream ☐ Other                |
| Land O  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 34 . 10 "   | Longitude: <u>79 ° 53 ' 1 . 10 "</u>            |
| Depth to Water Level: NA fl   | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: <u>NA</u> fl   | Elevation of Water Level: NA ft./MSL            |
| Sampling Depth: NA fl   | Volume of Water Column: NA gal.                 |
| Total Well Depth: NA ft.  | Sampling Method: ☐ Pumped ☐ Bailed ☐ Grat       |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: NA                         |
| Sample Field Filtered (must be 0.45 micron)?  Yes   | No  |
| Spring Flow Rate: GPM   |   |
| Sample Date (mm/dd/yy): 06/07/06  | Sample Collection Time: 14:35                   |
| Sample Collector's Name: C. Salmon - G. Stewart   | - 14.55   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| _aboratoy(ies) Performing Analysis: Geochemical Testing   |   |
|   |   |
|   | please explain in comments field.               |
| ab Certification Number(s): E87642FL and 56-306PA   |   |
|   | nal Lab Analysis Completion Date: 6/22/2006     |
| lame/Affiliation of Person who Filled out FormGeochemical   | Testing   |
| Comments: Cloudy.   |   |
|   |   |
|   |   |
|   |   |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | SP-8     |
| Sample Date          | 6/7/2006 |

#### **ANALYTES**

| ANALYTE                                      | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--|--------------------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10             | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 229                | SM4500-CO2D               |
| Calcium, Total*                              | 117                | EPA 200.7                 |
| Calcium, Dissolved**                         |                    |                           |
| Chemical Oxygen Demand*                      | < 10               | HACH 8000                 |
| Chloride*                                    | 4                  | EPA 300.0                 |
| Fluoride                                     | 0.1                | EPA 300.0                 |
| Iron (μg/l), Total                           | 11400              | EPA 200.7                 |
| lron (μg/l), Dissolved**                     | 7                  | . ,                       |
| Magnesium, Total*                            | 48.7               | EPA 200.7                 |
| Magnesium, Dissolved**                       | V 30 Up.           | *                         |
| Manganese (µg/l), Total*                     | 220                | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                | *                  |                           |
| Nitrate-Nitrogen                             | 3.3                | EPA 300.0                 |
| pH (standard units), Field*                  | 7.8                |                           |
| pH (standard units), Laboratory*             | 8.16               | SM4500-H+B                |
| Potassium, Total*                            | 2.9                | EPA 200.7                 |
| Potassium, Dissolved**                       |                    |                           |
| Sodium, Total*                               | 8.4                | EPA 200.7                 |
| Sodium, Dissolved**                          |                    |                           |
| Specific Conductance (µmhos/cm), Field*      | 770.5              |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 747                | EPA 120.1                 |
| Sulfate*                                     | 188                | EPA 300.0                 |
| Total Alkalinity*                            | 232                | SM 18 2320B               |
| Total Dissolved Solids                       | 526                | SM2540-C                  |
| Fotal Organic Carbon*                        | 1.5                | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0             | EPA 420.1                 |
| Furbidity (NTU)                              | 215                | EPA 180.1                 |
|  |                    |                           |
|  | 1                  |                           |

indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663                                |
|----------------------|---------------------------------------|
| Monitoring Point No. | SP-8                                  |
| Sample Date          | 6/7/2006                              |
|                      | · · · · · · · · · · · · · · · · · · · |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

|                          |         | ANALYSIS      |
|--------------------------|---------|---------------|
| ANALYTE                  | VALUE † | METHOD NUMBER |
| Benzene                  | < 5.0   | EPA 8260B     |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B     |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B     |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B     |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B     |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B     |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B     |
| Ethyl Benzene            | < 5.0   | EPA 8260B     |
| Methylene chloride       | < 5.0   | EPA 8260B     |
| Tetrachloroethene        | < 5.0   | EPA 8260B     |
| Toluene                  | < 5.0   | EPA 8260B     |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B     |
| Trichloroethene          | < 5.0   | EPA 8260B     |
| Vinyl chloride           | < 2.0   | EPA 8260B     |
| Xylene                   | < 5.0   | EPA 8260B     |
|                          |         |               |
|                          |         |               |
|                          |         |               |
|                          |         | -             |
|                          |         |               |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |  |
|----------------------|----------|--|
| Monitoring Point No. | MW-P2D1  |  |
| Sample Date          | 6/7/2006 |  |
| l a                  |          |  |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

|                          |         | *                         |
|--------------------------|---------|---------------------------|
| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Kylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          |         | <del></del>               |
|                          |         |                           |
|                          |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



Date Prepared/Revised
6/30/2006
DEP/USE/ONLY

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284  |  |
|--|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part   | 258.   |
| SECTION A SID  |  |
| Applicant/permitee: Kelly Run Sanitation   | The state of the s |
| Site Name: Kelly Run Sanitation  |  |
| Facility ID (as issued by DEP): 100663   |  |
| SEGTION B. FACILI  |  |
| Monitoring wells must be designed and constructed in accordan LATITUDE AND LONGITUDE TO THE NEAREST ONE TENT   | ce with Department standards. INDICATE THE   |
| Monitoring Point Number: MW-P2D2   | ☑ Well ☐ Spring ☐ Stream ☐ Other   |
|  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream  |
| Location: County Allegheny   | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 15 ' 56 . 90 "  | Longitude: 79 ° 52 ' 50 . 00 "   |
| Depth to Water Level: 93.00 ft   | Measured from: ☐ Land Surface ☑ TOC  |
| Casing Stick Up: 1.58 fl   | Elevation of Water Level: 870.17 ft./MSL   |
| Sampling Depth: <u>NA</u> fl   | Volume of Water Column: 3.60 gal.  |
| Total Well Depth: 98.61 ft.  | Sampling Method:  Pumped  Bailed  Grab   |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: 0.48  |
| Sample Field Filtered (must be 0.45 micron)?   |  |
| Spring Flow Rate:GPM   |  |
| Sample Date (mm/dd/yy): <u>06/07/06</u>  | Sample Collection Time: 09:30  |
| Sample Collector's Name: C. Salmon - G. Stewart  |  |
| Sample Collector's Affiliation: Beran Environmental  |  |
| aboratoy(ies) Performing Analysis: Geochemical Testing   |  |
| Vere any holding times exceeded? 🏻 Yes 🗹 No 🏻 If yes, p  | please explain in comments field.  |
| ab Certification Number(s): E87642FL and 56-306PA  |  |
| ab Sample Number: G0606196-004 Fi  | nal Lab Analysis Completion Date: 6/22/2006  |
| lame/Affiliation of Person who Filled out Form Geochemical   |  |
| Comments: Clear.   |  |
|  |  |
|  |  |
| and the second of the second o |  |

| I.D. No.             | 100663   |   |
|----------------------|----------|---|
| Monitoring Point No. | MW-P2D2  | _ |
| Sample Date          | 6/7/2006 | _ |
|                      |          |   |

#### **ANALYTES**

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10  | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 201     | SM4500-CO2D               |
| Calcium, Total*                              | 111     | EPA 200.7                 |
| Calcium, Dissolved**                         |         |                           |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000                 |
| Chloride*                                    | 24      | EPA 300.0                 |
| Fluoride                                     | 0.2     | EPA 300.0                 |
| Iron (μg/l), Total                           | 120     | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |         |                           |
| Magnesium, Total*                            | 40.1    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (µg/l), Total*                     | < 10    | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                |         | <del></del>               |
| Nitrate-Nitrogen                             | 0.37    | EPA 300.0                 |
| pH (standard units), Field*                  | 6.42    |                           |
| pH (standard units), Laboratory*             | 7.01    | SM4500-H+B                |
| Potassium, Total*                            | 3.7     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 21.3    | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 820.1   |                           |
| Specific Conductance (umhos/cm), Laboratory* | 789     | EPA 120.1                 |
| Sulfate*                                     | 210     | EPA 300.0                 |
| Total Alkalinity*                            | 201     | SM 18 2320B               |
| Total Dissolved Solids                       | 546     | SM2540-C                  |
| Total Organic Carbon*                        | 1.8     | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0  | EPA 420.1                 |
| Turbidity (NTU)                              | 2.9     | EPA 180.1                 |
|  |         | 3                         |
|  |         | <del> </del>              |

indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| 100663   |
|----------|
| MW-P2D2  |
| 6/7/2006 |
|          |

### 2-Q. Organics (Enter all data in $\mu g/l$ )

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          | *       |                           |
|                          |         |                           |
|                          |         |                           |
| ,                        |         |                           |
|                          |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

### **WASTE MANAGEMENT**

# KELLY RUN SANITATION, INC. LANDFILL Forward Township, Allegheny County


PADEP ID No. 100663

APPENDIX B

SECOND QUARTER 2006

SURFACE WATER FORM 19 QUARTERLY RESULTS
AND
SPRING FORM 19 QUARTERLY RESULTS

Submitted August 2006



Date Prepared/Revised 6/30/2006 DEP/USE/ONLY Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284                               |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25 |   |
|   | HUCKUINER                                       |
| Applicant/permitee: Kelly Run Sanitation                          | <del></del>                                     |
| Site Name: Kelly Run Sanitation                                   |   |
| Facility ID (as issued by DEP): 100663 SECTION B. FACILITY        | (INICODWATION                                   |
| Monitoring wells must be designed and constructed in accordance   |   |
| LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH                   |   |
| Monitoring Point Number: FTR-1                                    | ☐ Well ☐ Spring ☑ Stream ☐ Other                |
|   | ☑ Upgradient/Upstream ☐ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 55 . 50 "                     | Longitude: 79 ° 52 ' 38 . 00 "                  |
| Depth to Water Level: NA ft                                       | Measured from: ☐ Land Surface ☑TOC              |
| Casing Stick Up: <u>NA</u> fl                                     | Elevation of Water Level: NA ft./MSL            |
| Sampling Depth: <u>NA</u> fl                                      | Volume of Water Column: NA gal.                 |
| Total Well Depth: NA ft.  | Sampling Method: ☐ Pumped ☐ Bailed ☑ Grab       |
| Well Purged: ☐ Yes ☐ No   | Well Volumes Purged: NA                         |
| Sample Field Filtered (must be 0.45 micron)?                      | No  |
| Spring Flow Rate:GPM  |   |
| Sample Date (mm/dd/yy): 06/08/06                                  | Sample Collection Time: 12:05                   |
| Sample Collector's Name: C. Salmon - B. Beran                     |   |
| Sample Collector's Affiliation: Beran Environmental               |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing           |   |
| Were any holding times exceeded?   Yes   No If yes, pl            | ease explain in comments field.                 |
| Lab Certification Number(s): E87642FL and 56-306PA                |   |
| Lab Sample Number: G0606195-008 Fin                               | al Lab Analysis Completion Date: 6/22/2006      |
| Name/Affiliation of Person who Filled out FormGeochemical ]       | esting  |
| Comments: Clear.  |   |
|   |   |
|   |   |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | FTR-1    |
| Sample Date          | 6/8/2006 |
|                      |          |

#### **ANALYTES**

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10  | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 241     | SM4500-CO2D               |
| Calcium, Total*                              | 96.4    | EPA 200.7                 |
| Calcium, Dissolved**                         |         |                           |
| Chemical Oxygen Demand*                      | . < 10  | HACH 8000                 |
| Chloride*                                    | 80      | EPA 300.0                 |
| Fluoride                                     | 0.2     | EPA 300.0                 |
| lron (μg/l), Total                           | 570     | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |         |                           |
| Magnesium, Total*                            | 32.6    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (μg/l), Total*                     | 40      | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                |         |                           |
| Nitrate-Nitrogen                             | 0.66    | EPA 300.0                 |
| pH (standard units), Field*                  | 8.1     |                           |
| pH (standard units), Laboratory*             | 8.37    | SM4500-H+B                |
| Potassium, Total*                            | 2.4     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 42.6    | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 798.1   |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 775     | EPA 120.1                 |
| Sulfate*                                     | 97      | EPA 300.0                 |
| Total Alkalinity*                            | 246     | SM 18 2320B               |
| Total Dissolved Solids                       | 460     | SM2540-C                  |
| Total Organic Carbon*                        | 1.9     | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0  | EPA 420.1                 |
| Turbidity (NTU)                              | 12.1    | EPA 180.1                 |
|  |         |                           |
|  |         |                           |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.


<sup>\*\*</sup> Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | FTR-1    |
| Sample Date          | 6/8/2006 |
|                      | 9/0/2000 |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--------------------------|--------------------|---------------------------|
| Benzene                  | < 5.0              | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0              | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0              | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0              | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0              | EPA 8260B                 |
| Ethyl Benzene            | < 5.0              | EPA 8260B                 |
| Methylene chloride       | < 5.0              | EPA 8260B                 |
| Tetrachloroethene        | < 5.0              | EPA 8260B                 |
| Toluene                  | < 5.0              | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0              | EPA 8260B                 |
| Trichloroethene          | < 5.0              | EPA 8260B                 |
| Vinyl chloride           | < 2.0              | EPA 8260B                 |
| Xylene                   | < 5.0              | EPA 8260B                 |
|                          |                    |                           |
|                          |                    |                           |
| <u> </u>                 |                    |                           |
|                          |                    |                           |
|                          |                    |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |  |
|---|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.  SECTION A: SITE ID | nevalue  |
|   | PENNITIER  |
| Applicant/permitee: Kelly Run Sanitation  |  |
| Site Name: Kelly Run Sanitation   |  |
| Facility ID (as issued by DEP): 100663  | WEODWATION   |
| SECTION B. FACILITY:  Monitoring wells must be designed and constructed in accordance w | [16] THE THE TRANSPORT OF |
| LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF                                      |  |
| Monitoring Point Number: FTR-2  | ☐ Well ☐ Spring  |
|   | ☑ Upgradient/Upstream ☐ Downgradient/Downstream  |
| Location: County Allegheny N  | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 15 ' 11 . 50 " L   | ongitude: <u>79 ° 52 ' 43 . 00 "</u>   |
| Depth to Water Level: NA fl   | Measured from: ☐ Land Surface ☐ TOC  |
| Casing Stick Up: <u>NA</u> fl E   | Elevation of Water Level: NA ft./MSL   |
| Sampling Depth: NA ft V   | /olume of Water Column: NA gal.  |
| Total Well Depth: <u>NA</u> ft. S   | Sampling Method: ☐ Pumped ☐ Bailed ☑ Grab  |
| Well Purged: ☐ Yes ☐ No V   | Vell Volumes Purged: NA  |
| Sample Field Filtered (must be 0.45 micron)?   Yes  N                                   | lo.  |
| Spring Flow Rate: GPM   |  |
| Sample Date (mm/dd/yy): <u>06/08/06</u> S   | Sample Collection Time: 12:25  |
| Sample Collector's Name: C. Salmon - G. Stewart   |  |
| Sample Collector's Affiliation: Beran Environmental                                     |  |
| Laboratoy(ies) Performing Analysis: Geochemical Testing                                 |  |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, plea                                | ase explain in comments field.   |
| Lab Certification Number(s): E87642FL and 56-306PA                                      |  |
| Lab Sample Number: G0606195-006 Final   | Lab Analysis Completion Date: 6/22/2006  |
| Name/Affiliation of Person who Filled out FormGeochemical Te                            | sting  |
| Comments: Clear.  |  |
|   |  |
|   |  |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | FTR-2    |
| Sample Date          | 6/8/2006 |
|                      | ,        |

#### **ANALYTES**

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.15  | EPA 350.1D                |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 217     | SM4500-CO2D               |
| Calcium, Total*                              | 104     | EPA 200.7                 |
| Calcium, Dissolved**                         |         |                           |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000                 |
| Chloride*                                    | 75      | EPA 300.0                 |
| Fluoride                                     | 0.2     | EPA 300.0                 |
| Iron (µg/I), Total                           | 4370    | EPA 200.7                 |
| Iron (µg/l), Dissolved**                     | 5       |                           |
| Magnesium, Total*                            | 36.7    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (µg/l), Total*                     | 210     | EPA 200.7                 |
| Manganese (μg/I), Dissolved**                |         |                           |
| Nitrate-Nitrogen                             | 0.39    | EPA 300.0                 |
| pH (standard units), Field*                  | 7.16    |                           |
| pH (standard units), Laboratory*             | 7.79    | SM4500-H+B                |
| Potassium, Total*                            | 2.5     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 103     | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 1116    |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 1070    | EPA 120.1                 |
| Sulfate*                                     | 298     | EPA 300.0                 |
| Total Alkalinity*                            | 218     | SM 18 2320B               |
| Total Dissolved Solids                       | 712     | SM2540-C                  |
| Total Organic Carbon*                        | 1.5     | SM 19 5310-C              |
| Total Phenolics (µg/I)                       | < 10.0  | EPA 420.1                 |
| Turbidity (NTU)                              | 26.9    | EPA 180.1                 |
|  |         |                           |
|  | 4       |                           |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.

<sup>\*\*</sup> Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).

Remaining quarterly samples only require total metals analysis.

| 1.D. No.             |    | 100663   |
|----------------------|----|----------|
| Monitoring Point No. |    | FTR-2    |
| Sample Date          | ,- | 6/8/2006 |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
| 547                      |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.





Date Prepared/Revised 6/30/2006 IDEP USE ONLY Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 29   | 58.   |
| SECTION A SITE  | DENTIFIER                                       |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   | *   |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION B. FACILIT  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH |   |
| Monitoring Point Number: ST-1   | . <u></u>                                       |
| wormoring Four Number. 31-1   | ☐ Well ☐ Spring ☐ Stream ☐ Other                |
| Landing County of All Land  | ☐ Upgradient/Upstream ☐ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 51 . 60 "   | Longitude: 79 ° 52 ' 38 . 40 "                  |
| Depth to Water Level: NA fl   | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: NA fl  | Elevation of Water Level: NA ft./MSL            |
| Sampling Depth: <u>NA</u> fl  | Volume of Water Column: NA gal.                 |
| Total Well Depth: NA ft.  | Sampling Method:                                |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: NA                         |
| Sample Field Filtered (must be 0.45 micron)?  | No  |
| Spring Flow Rate:GPM  |   |
| Sample Date (mm/dd/yy): 06/08/06  | Sample Collection Time: 11:55                   |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| _aboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, p   | lease evolain in comments field                 |
| _ab Certification Number(s): E87642FL and 56-306PA  | reado explain in continento nela.               |
|   | and I ab Analysis Completion Date: 6/09/2006    |
|   | nal Lab Analysis Completion Date: 6/22/2006     |
|   | resting   |
| Comments: Clear.  |   |
|   |   |
| · · · · · · · · · · · · · · · · · · ·   |   |

| 100663   |  |
|----------|--|
| ST-1     |  |
| 6/8/2006 |  |
|          |  |

### **ANALYTES**

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10  | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 244     | SM4500-CO2D               |
| Calcium, Total*                              | 98.1    | EPA 200.7                 |
| Calcium, Dissolved**                         |         | <del></del>               |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000                 |
| Chloride*                                    | 79      | EPA 300.0                 |
| Fluoride                                     | 0.1     | EPA 300.0                 |
| Iron (μg/l), Total                           | 310     | EPA 200.7                 |
| Iron (μg/l), Dissolved**                     | 4       |                           |
| Magnesium, Total*                            | 33.2    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         | · ·                       |
| Manganese (µg/l), Total*                     | 30      | EPA 200.7                 |
| Manganese (µg/l), Dissolved**                |         |                           |
| Nitrate-Nitrogen                             | 0.65    | EPA 300.0                 |
| pH (standard units), Field*                  | 8.08    |                           |
| pH (standard units), Laboratory*             | 8.35    | SM4500-H+B                |
| Potassium, Total*                            | 2.5     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 41.6    | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 800     |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 762     | EPA 120.1                 |
| Sulfate*                                     | 97      | EPA 300.0                 |
| Total Alkalinity*                            | 249     | SM 18 2320B               |
| Total Dissolved Solids                       | 450     | SM2540-C                  |
| Total Organic Carbon*                        | 1.9     | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0  | EPA 420.1                 |
| Turbidity (NTU)                              | 13.2    | EPA 180.1                 |
|  |         |                           |
|  |         | : *                       |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.


<sup>\*\*</sup> Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4) Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |  |
|----------------------|----------|--|
| Monitoring Point No. | ST-1     |  |
| Sample Date          | 6/8/2006 |  |
| · ·                  |          |  |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE †                                 | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---|---------------------------|
| Benzene                  | < 5.0                                   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0                                   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0                                   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0                                   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0                                   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0                                   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0                                   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0                                   | EPA 8260B                 |
| Methylene chloride       | < 5.0                                   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0                                   | EPA 8260B                 |
| Toluene                  | < 5.0                                   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0                                   | EPA 8260B                 |
| Trichloroethene          | < 5.0                                   | EPA 8260B                 |
| Vinyl chloride           | < 2.0                                   | EPA 8260B                 |
| Xylene                   | < 5.0                                   | EPA 8260B                 |
|                          |   |                           |
|                          |   |                           |
|                          |   |                           |
|                          |   |                           |
| *                        |   |                           |
|                          | - · · · · · · · · · · · · · · · · · · · | <del> </del>              |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |
|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.  SECTION A. SITE IDENTIFIER:  |
| Applicant/permitee: Kelly Run Sanitation  |
| Site Name: Kelly Run Sanitation   |
| Facility ID (as issued by DEP): 100663  |
| SECTION B. FACILITY INFORMATION   |
| Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD <sup>O</sup> MM' SS.SS"). |
| Monitoring Point Number: ST-2 ☐ Well ☐ Spring ☐ Stream ☐ Other  |
| ☐ Upgradient/Upstream ☑ Downgradient/Downstream   |
| Location: County Allegheny Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 14 ' 26 . 60 " Longitude: 79 ° 52 ' 55 . 50 "  |
| Depth to Water Level: NA ft Measured from: Land Surface TOC   |
| Casing Stick Up: NA ft. Elevation of Water Level: NA ft./MSL  |
| Sampling Depth: NA fl Volume of Water Column: NA gal.   |
| Total Well Depth: <u>NA</u> ft. Sampling Method: □ Pumped □ Bailed ☑ Grat   |
| Well Purged: ☑ Yes ☐ No Well Volumes Purged: <u>NA</u>  |
| Sample Field Filtered (must be 0.45 micron)? ☐ Yes ☑ No   |
| Spring Flow Rate:GPM  |
| Sample Date (mm/dd/yy): 06/08/06 Sample Collection Time: 11:35  |
| Sample Collector's Name: C. Salmon - G. Stewart   |
| Sample Collector's Affiliation: Beran Environmental   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, please explain in comments field.   |
| _ab Certification Number(s): E87642FL and 56-306PA  |
| _ab Sample Number: G0606195-010 Final Lab Analysis Completion Date: 6/22/2006   |
| Name/Affiliation of Person who Filled out Form Geochemical Testing  |
| Comments: Clear.  |
|   |
|   |

| I.D. No.             | 100663   |  |
|----------------------|----------|--|
| Monitoring Point No. | ST-2     |  |
| Sample Date∖         | 6/8/2006 |  |
| .,                   |          |  |

### **ANALYTES**

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10  | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 239     | SM4500-CO2D               |
| Calcium, Total*                              | 97.3    | EPA 200.7                 |
| Calcium, Dissolved**                         |         |                           |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000                 |
| Chloride*                                    | 73      | EPA 300.0                 |
| Fluoride                                     | 0.2     | EPA 300.0                 |
| Iron (µg/l), Total                           | 460     | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |         |                           |
| Magnesium, Total*                            | 29      | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (μg/l), Total*                     | 50      | EPA 200.7                 |
| Manganese (µg/l), Dissolved**                |         |                           |
| Nitrate-Nitrogen                             | 0.65    | EPA 300.0                 |
| pH (standard units), Field*                  | 8.09    |                           |
| pH (standard units), Laboratory*             | . 8.4   | SM4500-H+B                |
| Potassium, Total*                            | 2.5     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 36.2    | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 746.7   |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 734     | EPA 120.1                 |
| Sulfate*                                     | 75      | EPA 300.0                 |
| Total Alkalinity*                            | 245     | SM 18 2320B               |
| Total Dissolved Solids                       | 424     | SM2540-C                  |
| Total Organic Carbon*                        | 2.1     | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | ,< 10.0 | EPA 420.1                 |
| Turbidity (NTU)                              | 8       | EPA 180.1                 |
|  |         |                           |
|  |         |                           |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.


<sup>\*\*</sup> Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| 100663   |
|----------|
| ST-2     |
| 6/8/2006 |
|          |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--------------------------|--------------------|---------------------------|
| Benzene                  | < 5.0              | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0              | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0              | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0              | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0              | EPA 8260B                 |
| Ethyl Benzene            | < 5.0              | EPA 8260B                 |
| Methylene chloride       | < 5.0              | EPA 8260B                 |
| Tetrachloroethene        | < 5.0              | EPA 8260B                 |
| Toluene                  | < 5.0              | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0              | EPA 8260B                 |
| Trichloroethene          | < 5.0              | EPA 8260B                 |
| Vinyl chloride           | < 2.0              | EPA 8260B                 |
| Xylene                   | < 5.0              | EPA 8260B                 |
|                          |                    |                           |
|                          |                    |                           |
|                          |                    |                           |
|                          |                    |                           |
|                          |                    |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  SECTION A SIT     |   |
|   | EIDENHIER                                       |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   | <u> </u>  |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION B. FACILII  Monitoring wells must be designed and constructed in accordance |   |
| LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH                                     | _ ·   |
| Monitoring Point Number: ST-3   | ☐ Well ☐ Spring ☑ Stream ☐ Other                |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 27 40 "   | Longitude: 79 ° 52 ' 56 . 50 "                  |
| Depth to Water Level: NA fi   | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: NA fl  | Elevation of Water Level: NA ft./MSL            |
| Sampling Depth: <u>NA</u> ft  | Volume of Water Column: NA gal.                 |
| Total Well Depth: <u>NA</u> ft.   | Sampling Method: ☐ Pumped ☐ Bailed ☐ Grab       |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: NA                         |
| Sample Field Filtered (must be 0.45 micron)? ☐ Yes ☑                                | No  |
| Spring Flow Rate:GPM  |   |
| Sample Date (mm/dd/yy): 06/08/06  | Sample Collection Time: 11:30                   |
| Sample Collector's Name: C. Salmon - G. Stewart                                     |   |
| Sample Collector's Affiliation: Beran Environmental                                 |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing                             |   |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, p                               | please explain in comments field.               |
| Lab Certification Number(s): E87642FL and 56-306PA                                  |   |
| Lab Sample Number: G0606195-011 Fi  | inal Lab Analysis Completion Date: 6/22/2006    |
| Name/Affiliation of Person who Filled out Form Geochemical                          | Testing   |
| Comments: Clear.  |   |
|   |   |
|   |   |

 I.D. No.
 100663

 Monitoring Point No.
 ST-3

 Sample Date
 6/8/2006

## FORM 19 QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

#### **ANALYTES**

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER               |
|--|---------|---|
| Ammonia-Nitrogen*                            | < 0.10  | EPA 350.1                               |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 234     | SM4500-CO2D                             |
| Calcium, Total*                              | 99.5    | EPA 200.7                               |
| Calcium, Dissolved**                         |         |   |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000                               |
| Chloride*                                    | 80      | EPA 300.0                               |
| Fluoride                                     | 0.1     | EPA 300.0                               |
| lron (μg/l), Total                           | 670     | EPA 200.7                               |
| lron (μg/l), Dissolved**                     |         |   |
| Magnesium, Total*                            | 41      | EPA 200.7                               |
| Magnesium, Dissolved**                       |         |   |
| Manganese (μg/l), Total*                     | 40      | EPA 200.7                               |
| Manganese (μg/l), Dissolved**                |         | * |
| Nitrate-Nitrogen                             | 0.98    | EPA 300.0                               |
| pH (standard units), Field*                  | 7.87    |   |
| pH (standard units), Laboratory*             | 8.23    | SM4500-H+B                              |
| Potassium, Total*                            | 1.7     | EPA 200.7                               |
| Potassium, Dissolved**                       |         |   |
| Sodium, Total*                               | 56.5    | EPA 200.7                               |
| Sodium, Dissolved**                          |         |   |
| Specific Conductance (µmhos/cm), Field*      | 930.1   |   |
| Specific Conductance (µmhos/cm), Laboratory* | 915     | EPA 120.1                               |
| Sulfate*                                     | 131     | EPA 300.0                               |
| Total Alkalinity*                            | 238     | SM 18 2320B                             |
| Total Dissolved Solids                       | 554     | SM2540-C                                |
| Total Organic Carbon*                        | 1,8     | SM 19 5310-C                            |
| Total Phenolics (µg/I)                       | < 10.0  | EPA 420.1                               |
| Turbidity (NTU)                              | 26.8    | EPA 180.1                               |
|  |         | , |
|  |         |   |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

<sup>\*\*</sup> Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

|   | I.D. No.             |     | 100663   |  |
|---|----------------------|-----|----------|--|
| 1 | Monitoring Point No. | r . | ST-3     |  |
|   | Sample Date          |     | 6/8/2006 |  |

### 2-Q. Organics (Enter all data in $\mu g/I$ )

| ANALYTE                  | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--------------------------|--------------------|---------------------------|
| Benzene                  | < 5.0              | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0              | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0              | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0              | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0              | EPA 8260B                 |
| Ethyl Benzene            | < 5.0              | EPA 8260B                 |
| Methylene chloride       | < 5.0              | EPA 8260B                 |
| Tetrachloroethene        | < 5.0              | EPA 8260B                 |
| Toluene                  | < 5.0              | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0              | EPA 8260B                 |
| Trichloroethene          | < 5.0              | EPA 8260B                 |
| Vinyl chloride           | < 2.0              | EPA 8260B                 |
| Xylene                   | < 5.0              | EPA 8260B                 |
|                          |                    | <del></del>               |
|                          |                    |                           |
| , , ,                    |                    |                           |
| <del></del>              |                    |                           |
|                          | 44                 |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

 I.D. No.
 100663

 Monitoring Point No.
 MW-312R

 Sample Date
 6/7/2006

### FORM 19 ANNUAL WATER QUALITY ANALYSES

1-A. Metals (Enter all data in  $\mu$ g/l) If initial background analyses or four consecutive annual analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

|                     | ANALYTE                               |           | VALUE                             | ANALYSIS<br>METHOD NUMBER               |
|---------------------|---------------------------------------|-----------|-----------------------------------|---|
| Arsenic, Total      | انت<br>د                              | 1.        | < 10                              | EPA 200.8                               |
| Arsenic, Dissolved  |                                       |           | < 10                              | EPA 200.8D                              |
| Barium, Totai       |                                       |           |                                   |   |
| Barium, Dissolved   |                                       |           | •                                 |   |
| Cadmium, Total      |                                       | , ,       |                                   |   |
| Cadmium, Dissolved  |                                       |           |                                   | * ,                                     |
| Chromium, Total     |                                       |           | < 10                              | EPA 200.7                               |
| Chromium, Dissolved | *.                                    |           | < 10                              | EPA 200.7D                              |
| Copper, Total       |                                       |           |                                   |   |
| Copper, Dissolved   |                                       |           |                                   | 1                                       |
| Lead, Total         | · · · · · · · · · · · · · · · · · · · |           | < 5.0                             | EPA 200.8                               |
| Lead, Dissolved     |                                       |           | < 5.0                             | EPA 200.8D                              |
| Mercury, Total      |                                       |           |                                   |   |
| Mercury, Dissolved  |                                       |           |                                   |   |
| Selenium, Total     |                                       |           |                                   |   |
| Selenium, Dissolved | <u>.</u>                              |           |                                   | н                                       |
| Silver, Total       |                                       |           |                                   |   |
| Silver, Dissolved   |                                       |           |                                   |   |
| Zinc, Total         |                                       |           |                                   |   |
| Zinc, Dissolved     |                                       |           |                                   |   |
| , Total             |                                       |           |                                   |   |
| , Dissolved         |                                       |           | , .                               |   |
| , Total             |                                       |           |                                   |   |
| , Dissolved         |                                       |           |                                   |   |
| , Total             |                                       |           |                                   | , |
| , Dissolved         |                                       |           | <del></del>                       |   |
| , Total             |                                       |           |                                   |   |
| , Dissolved         |                                       |           | · · · · · · · · · · · · · · · · · |   |
| , Total             |                                       |           |                                   |   |
| , Dissolved         | <del></del>                           | · · · · · |                                   |   |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-312R  |
| Sample Date          | 6/7/2006 |

### FORM 19 ANNUAL WATER QUALITY ANALYSES

### 2-A. Organics (Enter all data in $\mu$ g/l)

|   | <del></del>                            |   |  |  |
|---|--|---|--|--|
| ANALYTE                                       | VALUE †                                | ANALYSIS<br>METHOD NUMBER               |  |  |
| Bromoform (Tribromomethane)                   |  |   |  |  |
| Bromomethane (Methyl Bromide)                 |  |   |  |  |
| Carbon tetrachloride                          |  |   |  |  |
| Chlorobenzene                                 |  |   |  |  |
| Chloroethane (Ethyl Chloride)                 | 4                                      |   |  |  |
| Dibromochloromethane (Chlorodibromomethane)   |  |   |  |  |
| Methyl Chloride (Chloromethane)               | · · · · · · · · · · · · · · · · · · ·  | * |  |  |
| 3-Chloro-I-propene                            | *                                      |   |  |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)       |  |   |  |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)       |  | ·                                       |  |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)       |  |   |  |  |
| Dichlorodifluoromethane                       |  |   |  |  |
| 1, 2-Dichloropropane (Propylene Dichloride)   |  |   |  |  |
| Cis-1, 3-Dichloropropene                      |  |   |  |  |
| Trans-1, 3-Dichloropropene                    | ************************************** |   |  |  |
| Methyl Ethyl Ketone (2-Butanone)              |  |   |  |  |
| 4-Methyl-2-pentanone (Methyl Isobutyl Ketone) |  |   |  |  |
| 1,1,1,2-Tetrachloroethane                     |  |   |  |  |
| 1,1,2,2-Tetrachloroethane                     |  |   |  |  |
| 1,1,2-Trichloroethane                         | <del>-</del>                           |   |  |  |
| Trichlorofluoromethane (CFC-11)               |  | · · · · · · · · · · · · · · · · · · ·   |  |  |
| 1,2,3-Trichloropropane                        |  |   |  |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-312R  |
| Sample Date          | 6/7/2006 |

### FORM 19 ANNUAL WATER QUALITY ANALYSES

SUBTITLE D - Detection Zone Add-On List: When the MCI of any analyte is exceeded in the detection zone Form 50 monitoring, the following analytes must be monitored annually in the ground water monitoring wells.

ORGANICS AND METALS (enter all data in ug/l)

|                 |   | ۹        |                                       | ٠.       |   |             |                   | <u></u> |   |
|-----------------|---|----------|---------------------------------------|----------|---|-------------|-------------------|---------|---|
|                 | ANALYTE                                 |          |                                       |          |   | VALU        | <u>†</u>          | ,       | ALYSIS<br>D NUMBER                                |
| Acetone         | · · · · · · ·                           |          |                                       | e e      |   |             | •.                |         |   |
| Acrylonitrile   |   | ī        |                                       |          | - |             |                   |         |   |
| Bromochlorom    | ethane (Chlorobro                       | mome     | thane)                                |          |   |             |                   |         | · <u></u>   |
| Bromodichloro   | methane (Dichloro                       | bromo    | methane)                              |          |   |             |                   |         |   |
| Carbon Disulfic | de                                      | . ,      | ,                                     |          |   |             |                   |         |   |
| Chloroform (Tr  | ichloromethane)                         | •        |                                       |          | , | · ,         |                   | , ,     |   |
| 1,2-Dibromo-3   | -Chloropropane (D                       | BCP)     |                                       | 1        |   | <del></del> |                   |         | <del>· · · · · · · · · · · · · · · · · · · </del> |
| trans-1,4-Dichl | oro-2-Butene                            |          | ,                                     |          |   |             |                   |         | * - 3   |
| Methyl butyl ke | tone (2-Hexanone                        | )        |                                       | 1        |   |             | · ·               |         |   |
| Methylene bron  | mide (Dibromomet                        | hane)    |                                       |          |   |             |                   |         |   |
| Methyl lodide ( | lodomethane)                            | •        |                                       | -        |   |             | ,                 |         |   |
| Styrene         |   | * *<br>2 |                                       |          |   |             |                   |         |   |
| Vinyl Acetate   | * |          |                                       |          |   | · · ·       | ,                 |         |   |
|                 |   |          |                                       |          |   | <del></del> |                   |         | · · · · · · · · · · · · · · · · · · ·             |
|                 |   |          | · · · · · · · · · · · · · · · · · · · |          |   |             | 1                 | ***     |   |
| Antimony, Tota  | ıl                                      |          | , "                                   |          |   |             |                   | 40 g    |   |
| Beryllium, Tota | 1                                       |          |                                       |          |   |             |                   |         | F   |
| Cobalt, Total   |   |          | •                                     |          |   |             | ,                 |         |   |
| Nickel, Total   |   |          | 100                                   | . ;      | , |             |                   |         | 5   |
| Thallium, Total |   |          |                                       |          |   |             | :                 |         |   |
| Vanadium, Tota  | al                                      |          | , e                                   |          |   | ١,          |                   |         |   |
|                 |   | * ·      |                                       |          |   |             | · -3 -4 · · · · · | •       | · · · · · ·                                       |
|                 |   | ,        | • .                                   | <u> </u> |   | G. T. T.    |                   |         |   |
|                 |   |          |                                       |          |   |             |                   |         | <del></del>                                       |

<sup>†</sup>Please indicate detection limit if analyte is not detected


| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-312R  |
| Sample Date          | 6/7/2006 |
|                      |          |

### FORM 19 ANNUAL WATER QUALITY ANALYSES

### 4. Qualitatively Identified Organic Compounds

List at least ten volatile organic compounds not otherwise identified in this section. Their identification should be based upon those compounds showing the greatest apparent concentration from the peaks of a mass spectrum of each sample. These ten compounds shall be identified but the concentration of each is not required.

|                           | ,           |            |
|---------------------------|-------------|------------|
|                           | Constituent | CAS Number |
|                           |             |            |
| Acetamide                 |             |            |
| Benzene, 1-ethyl-3-methyl |             |            |
| Butane, 2-methyl          |             |            |
| Ethyl Chloride            |             |            |
| Ethyl ether               |             |            |
| Indene                    |             |            |
|                           |             |            |
|                           |             |            |
|                           |             |            |
|                           |             |            |
|                           |             |            |
| ,                         |             |            |
|                           |             |            |
|                           |             |            |
|                           |             |            |
| F                         |             |            |
|                           |             |            |
|                           |             |            |



# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |
|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.   |
| SECTION A SITE IDENTIFIER   |
| Applicant/permitee: Kelly Run Sanitation  |
| Site Name: Kelly Run Sanitation   |
| Facility ID (as issued by DEP): 100663  |
| SECTION B. FACILITY INCORMATION.  |
| Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD <sup>O</sup> MM' SS.SS"). |
| Monitoring Point Number: MW-PZ-1  |
| ☐ Upgradient/Upstream ☑ Downgradient/Downstream.  |
| Location: County Allegheny Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 14 ' 57 . 08 " Longitude: 79 ° 53 ' 30 . 51 "  |
| Depth to Water Level: 99.40 ft Measured from: 🗆 Land Surface 🗹 TOC  |
| Casing Stick Up: 1.46 ft Elevation of Water Level: 1019.92 ft./MSL  |
| Sampling Depth: NA fl Volume of Water Column: 12.90 gal.  |
| Total Well Depth: <u>119.32</u> ft. Sampling Method: ☑ Pumped ☐ Bailed ☐ Grat   |
| Well Purged: ☑ Yes ☐ No Well Volumes Purged: 0.30   |
| Sample Field Filtered (must be 0.45 micron)? ☐ Yes ☑ No   |
| Spring Flow Rate: GPM   |
| Sample Date (mm/dd/yy): 06/05/06 Sample Collection Time: 10:00  |
| Sample Collector's Name: C. Salmon - G. Stewart   |
| Sample Collector's Affiliation: Beran Environmental   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |
| Were any holding times exceeded?   Yes  No If yes, please explain in comments field.  |
| Lab Certification Number(s): E87642FL and 56-306PA  |
| Lab Sample Number: G0606125-001 Final Lab Analysis Completion Date: 6/21/2006   |
| Name/Affiliation of Person who Filled out Form Geochemical Testing  |
| Comments: Clear - Slight odor.  |
|   |
|   |

| 1.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-PZ-1  |
| Sample Date          | 6/5/2006 |

#### **ANALYTES**

| ANALYTE                                      | VALUE †                                | ANALYSIS<br>METHOD NUMBER |
|--|--|---------------------------|
| Ammonia-Nitrogen*                            | · ·                                    |                           |
| Bicarbonate (as Ca Co₃)*                     |  |                           |
| Calcium, Total*                              | · · · · · · · · · · · · · · · · · · ·  |                           |
| Calcium, Dissolved**                         |  |                           |
| Chemical Oxygen Demand*                      |  | <del></del>               |
| Chloride*                                    | 151                                    | EPA 300.0                 |
| Fluoride                                     | < 0.1                                  | EPA 300.0                 |
| Iron (µg/I), Total                           | 600                                    | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |  |                           |
| Magnesium, Total*                            |  |                           |
| Magnesium, Dissolved**                       |  |                           |
| Manganese (µg/l), Total*                     | 20                                     | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                |  |                           |
| Nitrate-Nitrogen                             |  |                           |
| pH (standard units), Field*                  | 7.43                                   |                           |
| pH (standard units), Laboratory*             | · · · · · · · · · · · · · · · · · · ·  |                           |
| Potassium, Total*                            | ************************************** |                           |
| Potassium, Dissolved**                       |  |                           |
| Sodium, Total*                               | 734                                    | EPA 200.7                 |
| Sodium, Dissolved**                          |  |                           |
| Specific Conductance (µmhos/cm), Field*      | 2824                                   |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 2700                                   | EPA 120.1                 |
| Sulfate*                                     | < 10                                   | EPA 300.0                 |
| Total Alkalinity*                            |  |                           |
| Total Dissolved Solids                       |  |                           |
| Total Organic Carbon*                        | 6.4                                    | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | 10.3                                   | EPA 420.1                 |
| Furbidity (NTU)                              | <del></del>                            |                           |
|  |  |                           |
|  |  |                           |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.

<sup>\*\*</sup> Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| 100663   |
|----------|
| MW-PZ-1  |
| 6/5/2006 |
|          |

### 2-Q. Organics (Enter all data in $\mu g/I$ )

|                          |                    | ANALYSIS   |
|--------------------------|--------------------|--|
| ANALYTE                  | VALUE <sup>†</sup> | METHOD NUMBER                                    |
| Benzene                  | < 5.0              | EPA 8260B  |
| 1,2-Dibromoethane        |                    |  |
| 1,1-Dichloroethane       |                    |  |
| 1,1-Dichloroethene       |                    |  |
| 1,2-Dichloroethane       |                    |  |
| Cis-1,2-Dichloroethene   |                    |  |
| Trans-1,2-Dichloroethene |                    |  |
| Ethyl Benzene            | < 5.0              | EPA 8260B  |
| Methylene chloride       |                    |  |
| Tetrachloroethene        |                    |  |
| Toluene                  | < 5.0              | EPA 8260B  |
| 1,1,1,-Trichloroethane   |                    |  |
| Trichloroethene          |                    |  |
| Vinyl chloride           |                    |  |
| Xylene                   | < 5.0              | EPA 8260B  |
|                          |                    |  |
|                          |                    |  |
|                          | 1                  |  |
|                          | 1.                 | <del>*************************************</del> |
|                          |                    |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

Date Prepared/Revised 6/29/2006 DEPUSE CALLY

Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| prepared/revised" on this page.   |   |
|---|---|
| General References: Section 273.284   |   |
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25   |   |
| SECTION A. SITE   | : IDENTIFIER                                    |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION B. FACILIT  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH O |   |
| Monitoring Point Number: MW-PZ-2  | ☑ Well ☐ Spring ☐ Stream ☐ Other                |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 55 . 38 "   | Longitude: 79 ° 53 ' 28 . 12 "                  |
| Depth to Water Level: 113.10 ft   | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: 1.52 ft  | Elevation of Water Level: 1022.84 ft./MSL       |
| Sampling Depth: NA ft   | Volume of Water Column: 10.60 gal.              |
| Total Well Depth: <u>129.45</u> ft.   | Sampling Method:                                |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: 0.30                       |
| Sample Field Filtered (must be 0.45 micron)?   Yes  | No  |
| Spring Flow Rate:GPM  | *   |
| Sample Date (mm/dd/yy): 06/05/06  | Sample Collection Time: 10:30                   |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, p   | olease explain in comments field.               |
| Lab Certification Number(s): E87642FL and 56-306PA  |   |
| Lab Sample Number: <u>G0606125-002</u> Fi   | nal Lab Analysis Completion Date: 6/21/2006     |
| Name/Affiliation of Person who Filled out Form Geochemical  | Testing   |
| Comments: Clear - Slight odor.  |   |
|   |   |
|   |   |
|   |   |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-PZ-2  |
| Sample Date          | 6/5/2006 |
| •                    | ,        |

#### **ANALYTES**

| ANALYTE                                      | VALUE †                               | ANALYSIS<br>METHOD NUMBER |
|--|---------------------------------------|---------------------------|
| Ammonia-Nitrogen*                            |                                       |                           |
| Bicarbonate (as Ca Co <sub>3</sub> )*        |                                       |                           |
| Calcium, Total*                              |                                       |                           |
| Calcium, Dissolved**                         |                                       |                           |
| Chemical Oxygen Demand*                      |                                       |                           |
| Chloride*                                    | 226                                   | EPA 300.0                 |
| Fluoride                                     | < 0.1                                 | EPA 300.0                 |
| Iron (µg/l), Total                           | 1640                                  | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |                                       |                           |
| Magnesium, Total*                            |                                       |                           |
| Magnesium, Dissolved**                       |                                       |                           |
| Manganese (μg/l), Total*                     | 10                                    | EPA 200.7                 |
| Manganese (µg/l), Dissolved**                |                                       | 2                         |
| Nitrate-Nitrogen                             | . , ,                                 |                           |
| pH (standard units), Field*                  | 7.39                                  |                           |
| pH (standard units), Laboratory*             |                                       |                           |
| Potassium, Total*                            | •                                     |                           |
| Potassium, Dissolved**                       |                                       |                           |
| Sodium, Total*                               | 911                                   | EPA 200.7                 |
| Sodium, Dissolved**                          |                                       | 16                        |
| Specific Conductance (µmhos/cm), Field*      | 3248                                  |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 3180                                  | EPA 120.1                 |
| Sulfate*                                     | < 10                                  | EPA 300.0                 |
| Total Alkalinity*                            |                                       | ,                         |
| Total Dissolved Solids                       | · · · · · · · · · · · · · · · · · · · |                           |
| Total Organic Carbon*                        | 9,2                                   | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0                                | EPA 420.1                 |
| Furbidity (NTU)                              |                                       |                           |
|  |                                       |                           |
|  |                                       |                           |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| 100663   |
|----------|
| MW-PZ-2  |
| 6/5/2006 |
|          |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        |         |                           |
| 1,1-Dichloroethane       |         |                           |
| 1,1-Dichloroethene       |         |                           |
| 1,2-Dichloroethane       | •       |                           |
| Cis-1,2-Dichloroethene   |         |                           |
| Trans-1,2-Dichloroethene |         |                           |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       |         |                           |
| Tetrachloroethene        |         |                           |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   |         |                           |
| Trichloroethene          |         |                           |
| Vinyl chloride           |         |                           |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         | <del></del>               |
|                          | ,       |                           |
|                          |         | *                         |
|                          | ,       | <del></del>               |

<sup>†</sup> Please indicate detection limit if analyte is not detected.





# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284  |  |
|--|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2   | 58.  |
| a Section a sut  | EIDENTIFIER  |
| Applicant/permitee: Kelly Run Sanitation   |  |
| Site Name: Kelly Run Sanitation  |  |
| Facility ID (as issued by DEP): 100663   |  |
| SECTION B. FACILIT   |  |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH  | e with Department standards. INDICATE THE  |
| Monitoring Point Number: MW-PZ-3   | * <u></u>  |
| WW-PZ-3  | ☑ Well ☐ Spring ☐ Stream ☐ Other   |
| l and an a   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream  |
| Location: County Allegheny   | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 14 ' 55 . 38 "  | Longitude: 79 ° 53 ' 28 . 12 "   |
| Depth to Water Level: 95.60 fl   | Measured from: ☐ Land Surface ☑ TOC  |
| Casing Stick Up: 1.25 ft   | Elevation of Water Level: 1028.79 ft./MSL  |
| Sampling Depth: NA ft  | Volume of Water Column: 10.00 gal.   |
| Total Well Depth: 111.08 ft.   | Sampling Method:  Pumped  Bailed  Grab   |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: 0.35  |
| Sample Field Filtered (must be 0.45 micron)?   Yes   | No   |
| Spring Flow Rate:GPM   |  |
| Sample Date (mm/dd/yy): 06/05/06   | Sample Collection Time: 11:08  |
| Sample Collector's Name: C. Salmon - G. Stewart  |  |
| Sample Collector's Affiliation: Beran Environmental  |  |
| _aboratoy(ies) Performing Analysis: Geochemical Testing  |  |
|  | lease explain in comments field.   |
| ab Certification Number(s): E87642FL and 56-306PA  | out of the state o |
|  | nal Lab Analysis Completion Date: 6/21/2006  |
| Name/Affiliation of Person who Filled out Form Geochemical   |  |
| Comments: Clear - slight odor.   | ı cəuny  |
| Oldar Gright Gdorf   |  |
|  |  |
| the state of the s |  |

| I.D. No.             | 100663                                |
|----------------------|---------------------------------------|
| Monitoring Point No. | MW-PZ-3                               |
| Sample Date          | 6/5/2006                              |
| [* ·                 | · · · · · · · · · · · · · · · · · · · |

#### **ANALYTES**

| ANALYTE                                      | VALUE †   | ANALYSIS METHOD NUMBER |
|--|-----------|------------------------|
| Ammonia-Nitrogen*                            | ,         |                        |
| Bicarbonate (as Ca Co <sub>3</sub> )*        |           |                        |
| Calcium, Total*                              | . S       |                        |
| Calcium, Dissolved**                         |           |                        |
| Chemical Oxygen Demand*                      |           |                        |
| Chloride*                                    | 209       | EPA 300.0              |
| Fluoride                                     | 0.6       | EPA 300.0              |
| Iron (µg/I), Total                           | 7840      | EPA 200.7              |
| Iron (µg/I), Dissolved**                     |           |                        |
| Magnesium, Total*                            |           |                        |
| Magnesium, Dissolved**                       | 8         | <u> </u>               |
| Manganese (μg/l), Total*                     | 40        | EPA 200.7              |
| Manganese (μg/l), Dissolved**                | , , , , , |                        |
| Nitrate-Nitrogen                             |           |                        |
| pH (standard units), Field*                  | 6.74      | 3                      |
| pH (standard units), Laboratory*             |           |                        |
| Potassium, Total*                            |           |                        |
| Potassium, Dissolved**                       |           |                        |
| Sodium, Total*                               | 673       | EPA 200.7              |
| Sodium, Dissolved**                          |           |                        |
| Specific Conductance (µmhos/cm), Field*      | 2783      |                        |
| Specific Conductance (µmhos/cm), Laboratory* | 2560      | EPA 120.1              |
| Sulfate*                                     | < 10      | EPA 300.0              |
| Total Alkalinity*                            |           |                        |
| Total Dissolved Solids                       |           | Grand Control          |
| Total Organic Carbon*                        | 18.4      | SM 19 5310-C           |
| Total Phenolics (µg/l)                       | < 10.0    | EPA 420.1              |
| Furbidity (NTU)                              |           |                        |
|  |           |                        |
|  |           |                        |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

 I.D. No.
 100663

 Monitoring Point No.
 MW-PZ-3


 Sample Date
 6/5/2006

### FORM 19 QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

### 2-Q. Organics (Enter all data in $\mu g/I$ )

| ANALYTE                  |     | VALUE <sup>†</sup>   | ANALYSIS<br>METHOD NUMBER |
|--------------------------|-----|--|---------------------------|
| Benzene                  |     | 9.8  | EPA 8260B                 |
| 1,2-Dibromoethane        | •   |  |                           |
| 1,1-Dichloroethane       |     |  |                           |
| 1,1-Dichloroethene       | · · | /  |                           |
| 1,2-Dichloroethane       |     |  |                           |
| Cis-1,2-Dichloroethene   |     |  |                           |
| Trans-1,2-Dichloroethene | •   |  |                           |
| Ethyl Benzene            |     | < 5.0  | EPA 8260B                 |
| Methylene chloride       | ,   |  |                           |
| Tetrachloroethene        |     |  | -                         |
| Toluene                  | - 1 | < 5.0  | EPA 8260B                 |
| 1,1,1,-Trichloroethane   |     | :  |                           |
| Trichloroethene          |     |  |                           |
| Vinyl chloride           | ٠.  |  | r a                       |
| Xylene                   |     | < 5.0  | EPA 8260B                 |
|                          |     |  |                           |
|                          |     |  | *                         |
|                          |     |  |                           |
|                          |     | The state of the s |                           |
|                          |     |  |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258  |   |
| SECTION A SITE  | IDENTIFIER .                                    |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION B FACILITY  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH ( |   |
|   |   |
| Monitoring Point Number: MW-P1U   | ✓ Well ☐ Spring ☐ Stream ☐ Other                |
|   | ☑ Upgradient/Upstream ☐ Downgradient/Downstream |
| Location: County <u>Allegheny</u>   | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 56 . 90 "   | Longitude: 79 ° 52 * 50 . 00 "                  |
| Depth to Water Level: 19.10 fl  | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: 1.43 ft  | Elevation of Water Level: 873.63 ft./MSL        |
| Sampling Depth: <u>NA</u> ft  | Volume of Water Column: 11.50 gal.              |
| Total Well Depth: <u>36.75</u> ft.  | Sampling Method: ☐ Pumped ☐ Bailed ☐ Grab       |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: 1.30                       |
| Sample Field Filtered (must be 0.45 micron)?  | No  |
| Spring Flow Rate:GPM  |   |
| Sample Date (mm/dd/yy): 06/06/06  | Sample Collection Time: 14:25                   |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, ple   | ease explain in comments field.                 |
| Lab Certification Number(s): E87642FL and 56-306PA  |   |
| Lab Sample Number: G0606127-003 Final   | al Lab Analysis Completion Date: 6/16/2006      |
| Name/Affiliation of Person who Filled out Form Geochemical T  | esting  |
| Comments: Clear.  |   |
|   |   |
|   |   |

| I.D. No.                              | 100663   |  |
|---------------------------------------|----------|--|
| Monitoring Point No.                  | MW-P1U   |  |
| Sample Date                           | 6/6/2006 |  |
| · · · · · · · · · · · · · · · · · · · |          |  |

#### **ANALYTES**

| ANALYTE                                      | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER               |
|--|--------------------|---|
| Ammonia-Nitrogen*                            | 0.41               | EPA 350.1                               |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 595                | SM4500-CO2D                             |
| Calcium, Total*                              | 154                | EPA 200.7                               |
| Calcium, Dissolved**                         |                    |   |
| Chemical Oxygen Demand*                      | < 10               | HACH 8000                               |
| Chloride*                                    | 62                 | EPA 300.0                               |
| Fluoride                                     | 0.2                | EPA 300.0                               |
| Iron (µg/l), Total                           | 160                | EPA 200.7                               |
| Iron (µg/I), Dissolved**                     |                    |   |
| Magnesium, Total*                            | 53.5               | EPA 200.7                               |
| Magnesium, Dissolved**                       |                    |   |
| Manganese (μg/l), Total*                     | 870                | EPA 200.7                               |
| Manganese (μg/l), Dissolved**                |                    | 1 |
| Nitrate-Nitrogen                             | < 0.05             | EPA 300.0                               |
| pH (standard units), Field*                  | 7                  |   |
| pH (standard units), Laboratory*             | 7.5                | SM4500-H+B                              |
| Potassium, Total*                            | 3.5                | EPA 200.7                               |
| Potassium, Dissolved**                       |                    |   |
| Sodium, Total*                               | 183                | EPA 200.7                               |
| Sodium, Dissolved**                          |                    |   |
| Specific Conductance (µmhos/cm), Field*      | 1623               |   |
| Specific Conductance (µmhos/cm), Laboratory* | 1580               | EPA 120.1                               |
| Sulfate*                                     | 299                | EPA 300.0                               |
| Total Alkalinity*                            | 597                | SM 18 2320B                             |
| Total Dissolved Solids                       | 1060               | SM2540-C                                |
| Total Organic Carbon*                        | 2.7                | SM 19 5310-C                            |
| Total Phenolics (µg/I)                       | < 10.0             | EPA 420.1                               |
| Turbidity (NTU)                              | 5.3                | EPA 180.1                               |
| 4  |                    |   |
|  | 1                  |   |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |  |
|----------------------|----------|--|
| Monitoring Point No. | MW-P1U   |  |
| Sample Date          | 6/6/2006 |  |
|                      |          |  |


### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--------------------------|--------------------|---------------------------|
| Benzene                  | < 5.0              | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0              | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0              | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0              | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0              | EPA 8260B                 |
| Ethyl Benzene            | < 5.0              | EPA 8260B                 |
| Methylene chloride       | < 5.0              | EPA 8260B                 |
| Tetrachloroethene        | < 5.0              | EPA 8260B                 |
| Toluene                  | < 5.0              | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0              | EPA 8260B                 |
| Trichloroethene          | < 5.0              | EPA 8260B                 |
| Vinyl chloride           | < 2.0              | EPA 8260B                 |
| Xylene                   | < 5.0              | EPA 8260B                 |
|                          |                    |                           |
|                          |                    | *                         |
|                          |                    |                           |
|                          |                    |                           |
|                          |                    | 1                         |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT



# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284                               |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25 |   |
| SECTION A. SITE   | DENTIFIER                                       |
| Applicant/permitee: Kelly Run Sanitation                          |   |
| Site Name: Kelly Run Sanitation                                   |   |
| Facility ID (as issued by DEP): 100663                            |   |
| SECTION B. FACILIT  |   |
| Monitoring wells must be designed and constructed in accordance   | e with Department standards. INDICATE THE       |
| LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH                   |   |
| Monitoring Point Number: MW-P1D1                                  | ☑ Well □ Spring □ Stream □ Other                |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 15 ' 16 . 00 "                     | Longitude: <u>79 ° 52 ' 51 .00 "</u>            |
| Depth to Water Level: 21.00 ft                                    | Measured from: ☐ Land Surface ☑ TOC             |
| Casing Stick Up:ft  | Elevation of Water Level: 870.18 ft./MSL        |
| Sampling Depth: <u>NA</u> ft                                      | Volume of Water Column: 11.60 gal.              |
| Total Well Depth: 38.82 ft.                                       | Sampling Method:                                |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: 0.17                       |
| Sample Field Filtered (must be 0.45 micron)?  Yes                 | No  |
| Spring Flow Rate:GPM  |   |
| Sample Date (mm/dd/yy): 06/06/06                                  | Sample Collection Time: 13:35                   |
| Sample Collector's Name: C. Salmon - G. Stewart                   |   |
| Sample Collector's Affiliation: Beran Environmental               |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing           |   |
| Were any holding times exceeded?   Yes   No If yes, pl            | ease explain in comments field.                 |
| Lab Certification Number(s): <u>E87642FL</u> and 56-306PA         |   |
| Lab Sample Number: G0606127-005 Fin                               | al Lab Analysis Completion Date: 6/16/2006      |
| Name/Affiliation of Person who Filled out Form Geochemical 1      |   |
| Comments: Clear - slight odor.                                    |   |
|   |   |
|   |   |
|   | <del></del>                                     |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-P1D1  |
| Sample Date          | 6/6/2006 |
|                      |          |

### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | 0.16    | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 564     | SM4500-CO2D               |
| Calcium, Total*                              | 95.7    | EPA 200.7                 |
| Calcium, Dissolved**                         |         |                           |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000                 |
| Chloride*                                    | 88      | EPA 300.0                 |
| Fluoride                                     | 0.4     | EPA 300.0                 |
| Iron (µg/I), Total                           | 210     | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |         |                           |
| Magnesium, Total*                            | 30.2    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (µg/l), Total*                     | 60      | EPA 200.7                 |
| Manganese (µg/l), Dissolved**                |         |                           |
| Nitrate-Nitrogen                             | 0.05    | EPA 300.0                 |
| pH (standard units), Field*                  | 7.08    |                           |
| pH (standard units), Laboratory*             | 7.91    | SM4500-H+B                |
| Potassium, Total*                            | 2       | EPA 200.7                 |
| Potassium, Dissolved**                       |         | 8                         |
| Sodium, Total*                               | 205     | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 1372    |                           |
| Specific Conductance (umhos/cm), Laboratory* | 1330    | EPA 120.1                 |
| Sulfate*                                     | 93      | EPA 300.0                 |
| Total Alkalinity*                            | 568     | SM 18 2320B               |
| Total Dissolved Solids                       | 822     | SM2540-C                  |
| Total Organic Carbon*                        | 1.9     | SM 19 5310-C              |
| Total Phenolics (μg/l)                       | < 10.0  | EPA 420.1                 |
| Turbidity (NTU)                              | 8.8     | EPA 180.1                 |
|  |         |                           |
|  |         |                           |

Indicator Analyte - For comparison with detection zone analytes. Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-P1D1  |
| Sample Date          | 6/6/2006 |
| 18                   |          |

### 2-Q. Organics (Enter all data in $\mu g/l$ )

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         | <del></del>               |
|                          |         |                           |

Please indicate detection limit if analyte is not detected.



## COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

Date Prepared/Revised
6/29/2006
DEP(USE ONLY)
Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  |   |
| SECTION A. SIT  | EIDENTIFIER:                                    |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION B. FACILIT  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH |   |
| Monitoring Point Number: MW-P1D2  | ☑ Well □ Spring □ Stream □ Other                |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 15 ' 16 . 00 "   | Longitude: 79 ° 52 ' 48 00 "                    |
| Depth to Water Level: 27.00 ff  | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up:ft  | Elevation of Water Level: 861.43 ft./MSL        |
| Sampling Depth: <u>NA</u> ft  | Volume of Water Column: 9.80 gal.               |
| Total Well Depth: 42.12 ft.   | Sampling Method:                                |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: 0.50                       |
| Sample Field Filtered (must be 0.45 micron)?   Yes  | No  |
| Spring Flow Rate:GPM  |   |
| Sample Date (mm/dd/yy): <u>06/06/06</u>   | Sample Collection Time: 13:55                   |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, p   | please explain in comments field.               |
| Lab Certification Number(s): E87642FL and 56-306PA  |   |
| Lab Sample Number: G0606127-004 Fi  | nal Lab Analysis Completion Date: 6/16/2006     |
| Name/Affiliation of Person who Filled out FormGeochemical   |   |
| Comments: Clear.  |   |
|   |   |
|   |   |
| *   |   |

| 15.11                | 40000    |
|----------------------|----------|
| I.D. No.             | 100663   |
| Monitoring Point No. | MW-P1D2  |
| Sample Date          | 6/6/2006 |
| ` ·                  |          |

#### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10  | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 465     | SM4500-CO2D               |
| Calcium, Total*                              | 146     | EPA 200.7                 |
| Calcium, Dissolved**                         | *       |                           |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000                 |
| Chloride*                                    | 109     | EPA 300.0                 |
| Fluoride                                     | < 0.1   | EPA 300.0                 |
| Iron (µg/I), Total                           | 2300    | EPA 200.7                 |
| Iron (µg/l), Dissolved**                     |         | E                         |
| Magnesium, Total*                            | 42.6    | EPA 200.7                 |
| Magnesium, Dissolved**                       | * *     |                           |
| Manganese (µg/l), Total*                     | 870     | EPA 200.7                 |
| Manganese (µg/I), Dissolved**                | 1 -     | 3                         |
| Nitrate-Nitrogen                             | < 0.05  | EPA 300.0                 |
| pH (standard units), Field*                  | 6.73    |                           |
| pH (standard units), Laboratory*             | 7.35    | SM4500-H+B                |
| Potassium, Total*                            | 2.3     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 117     | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 1330    |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 1330    | EPA 120.1                 |
| Sulfate*                                     | 154     | EPA 300.0                 |
| Total Alkalinity*                            | 466     | SM 18 2320B               |
| Total Dissolved Solids                       | 826     | SM2540-C                  |
| Total Organic Carbon*                        | 3.3     | SM 19 5310-C              |
| Total Phenolics (µg/t)                       | < 10.0  | EPA 420.1                 |
| Turbidity (NTU)                              | 3.2     | EPA 180.1                 |
|  |         |                           |
|  |         |                           |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

 I.D. No.
 100663

 Monitoring Point No.
 MW-P1D2

 Sample Date
 6/6/2006

### FORM 19 QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

### 2-Q. Organics (Enter all data in $\mu g/l$ )

| ANALYTE                         | VALUE † | ANALYSIS<br>METHOD NUMBER |
|---------------------------------|---------|---------------------------|
| Benzene                         | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane               | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane              | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene              | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane              | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene          | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene        | < 5.0   | EPA 8260B                 |
| Ethyl Benzene                   | < 5.0   | EPA 8260B                 |
| Methylene chloride              | < 5.0   | EPA 8260B                 |
| Tetrachloroethene               | < 5.0   | EPA 8260B                 |
| Toluene                         | < 5.0   | EPA 8260B                 |
| I,1,1,-Trichloroethane          | < 5.0   | EPA 8260B                 |
| Frichloroethene Trichloroethene | < 5.0   | EPA 8260B                 |
| /inyl chloride                  | < 2.0   | EPA 8260B                 |
| Kylene                          | < 5.0   | EPA 8260B                 |
|                                 |         |                           |
|                                 |         |                           |
|                                 |         |                           |
|                                 |         |                           |
|                                 |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

| Date Prepared/Revised |
|-----------------------|
| 4/12/2005             |
| DEP USE ONLY          |
| Date Received         |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284  |   |
|--|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2   |   |
| SECTION:A SIT  | EIDENTIFIER                                     |
| Applicant/permitee: Kelly Run Sanitation   |   |
| Site Name: Kelly Run Sanitation  |   |
| Facility ID (as issued by DEP): 100663   |   |
| SECTION B. FACILII   |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH  | ce with Department standards. INDICATE THE      |
| Monitoring Point Number: MW-P2U  |   |
| MW-P20   | ☑ Well ☐ Spring ☐ Stream ☐ Other                |
|  | ☑ Upgradient/Upstream ☐ Downgradient/Downstream |
| Location: County Allegheny   | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 58 . 90 "  | Longitude: <u>79 ° 52 ' 46 , 80 "</u>           |
| Depth to Water Level:ft  | Measured from: ☐ Land Surface ☑ TOC             |
| Casing Stick Up:fi   | Elevation of Water Level: ft./MSL               |
| Sampling Depth: ft   | Volume of Water Column: gál.                    |
| Total Well Depth: ft.  | Sampling Method: Pumped Bailed Gra              |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged:                            |
| Sample Field Filtered (must be 0.45 micron)?   | No  |
| Spring Flow Rate: GPM  |   |
| Sample Date (mm/dd/yy):  | Orange Out of the                               |
|  | Sample Collection Time:                         |
| Sample Collector's Name: C. Salmon - G. Stewart  |   |
| Sample Collector's Affiliation: Beran Environmental  |   |
| aboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Vere any holding times exceeded? 🔲 Yes 🗹 No 🛮 If yes, p  | olease explain in comments field.               |
| The state of the s |   |
|  | · · · · · · · · · · · · · · · · · · ·           |
| ab Certification Number(s): E87642FL and 56-306PA  | nal Lab Analysis Completion Date:               |
| ab Certification Number(s): E87642FL and 56-306PA ab Sample Number: Fi   | nal Lab Analysis Completion Date:               |
| ab Certification Number(s): E87642FL and 56-306PA  ab Sample Number: Filled out Form Geochemical   |   |
| ab Certification Number(s): E87642FL and 56-306PA ab Sample Number: Fi   |   |



# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

| Date Prepared/Revised | 1 |
|-----------------------|---|
| 6/30/2006             |   |
| DEPUSEONLY 4          |   |
| Date Received         |   |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  |   |
| SECTION A. SIT  | EIDENTIFIER                                     |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| Monttoda valle met bedesit  |   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH | e with Department standards. INDICATE THE       |
| Monitoring Point Number: MW-P2D1  | ✓ Well ☐ Spring ☐ Stream ☐ Other                |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 54 . 60 "   | Longitude: 79 ° 52 ' 49 . 00 "                  |
| Depth to Water Level: 92.50 ft  | Measured from: ☐ Land Surface ☑ TOC             |
| Casing Stick Up:fl  | Elevation of Water Level: 870.67 ft./MSL        |
| Sampling Depth: <u>NA</u> ft  | Volume of Water Column: 2.60 gal.               |
| Total Well Depth: 96.50 ft.   | Sampling Method:                                |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: 0.48                       |
| Sample Field Filtered (must be 0.45 micron)?   Yes  | No  |
| Spring Flow Rate: GPM   |   |
| Sample Date (mm/dd/yy): 06/07/06  | Sample Collection Time: 10:10                   |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| _aboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Were any holding times exceeded? ☐ Yes ☑ No If yes, p   | lease explain in comments field.                |
| _ab Certification Number(s): E87642FL and 56-306PA  |   |
| ab Sample Number: G0606196-003 Fir  | nal Lab Analysis Completion Date: 6/22/2006     |
| Name/Affiliation of Person who Filled out FormGeochemical   |   |
| Comments: Clear - Slight odor.  |   |
|   |   |
|   |   |

| I.D. No.                              | 100663   |
|---------------------------------------|----------|
| Monitoring Point No.                  | MW-P2D1  |
| Sample Date                           | 6/7/2006 |
| · · · · · · · · · · · · · · · · · · · |          |

#### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE †     | ANALYSIS<br>METHOD NUMBER |
|--|-------------|---------------------------|
| Ammonia-Nitrogen*                            | < 0.10      | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 252         | SM4500-CO2D               |
| Calcium, Total*                              | 116         | EPA 200.7                 |
| Calcium, Dissolved**                         |             |                           |
| Chemical Oxygen Demand*                      | < 10        | HACH 8000                 |
| Chloride*                                    | 33          | EPA 300.0                 |
| Fluoride                                     | 0.3         | EPA 300.0                 |
| Iron (µg/l), Total                           | < 50        | EPA 200.7                 |
| Iron (µg/l), Dissolved**                     | -           |                           |
| Magnesium, Total*                            | 42.1        | EPA 200.7                 |
| Magnesium, Dissolved**                       |             |                           |
| Manganese (µg/l), Total*                     | < 10        | EPA 200.7                 |
| Manganese (µg/l), Dissolved**                |             |                           |
| Nitrate-Nitrogen                             | 0.29        | EPA 300.0                 |
| pH (standard units), Field*                  | 6.59        |                           |
| pH (standard units), Laboratory*             | 7.02        | SM4500-H+B                |
| Potassium, Total*                            | 3.5         | EPA 200.7                 |
| Potassium, Dissolved**                       |             |                           |
| Sodium, Total*                               | 25.1        | EPA 200.7                 |
| Sodium, Dissolved**                          |             |                           |
| Specific Conductance (µmhos/cm), Field*      | 840.1       |                           |
| Specific Conductance (umhos/cm), Laboratory* | 809         | EPA 120.1                 |
| Suifate*                                     | 169         | EPA 300.0                 |
| Total Alkalinity*                            | 252         | SM 18 2320B               |
| otal Dissolved Solids                        | 516         | SM2540-C                  |
| otal Organic Carbon*                         | 2           | SM 19 5310-C              |
| otal Phenolics (µg/I)                        | < 10.0      | EPA 420.1                 |
| urbidity (NTU)                               | 0.4         | EPA 180.1                 |
|  |             |                           |
|  | <del></del> |                           |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected:

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-306   |
| Sample Date          | 6/7/2006 |
| Sample Date          | 6/7/2006 |

### 4. Qualitatively Identified Organic Compounds

List at least ten volatile organic compounds not otherwise identified in this section. Their identification should be based upon those compounds showing the greatest apparent concentration from the peaks of a mass spectrum of each sample. These ten compounds shall be identified but the concentration of each is not required.

|          |                            | Constituent | CAS Number |
|----------|----------------------------|-------------|------------|
| 7        | 1-Propanesulfonyl chloride |             |            |
| <u> </u> | <del></del>                | 4           |            |
| <u>.</u> | Cyclohexane, methyl-       |             |            |
|          | Ethyl ether                |             |            |
| şi"      | Indane                     |             |            |
|          | Isobutane                  |             |            |
|          | 2.                         |             |            |
|          |                            |             |            |
| ,        | r                          |             |            |
|          |                            |             |            |
| * *      |                            | ,           |            |
|          |                            |             |            |
| <u> </u> |                            |             |            |
|          |                            |             |            |
|          | **                         |             |            |
| ,        | 2                          |             |            |
|          |                            |             |            |
| *        |                            |             |            |
|          |                            |             | *          |



## COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

|   | Date Prepared/Revised |
|---|-----------------------|
|   | 6/29/2006             |
|   | DEPUSEONLY            |
| + | Date Received         |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| <del> </del>   |   |
|--|---|
| General References: Section 273.284  |   |
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part   |   |
| SECTION A. SI  | TE DENTIFIER  |
| Applicant/permitee: Kelly Run Sanitation   |   |
| Site Name: Kelly Run Sanitation  |   |
| Facility ID (as issued by DEP): 100663   | - 100 Control of the |
| SECTION B. FACILI  |   |
| Monitoring wells must be designed and constructed in accordan LATITUDE AND LONGITUDE TO THE NEAREST ONE TENT | ce with Department standards. INDICATE THE H OF A SECOND (DD <sup>0</sup> MM' SS.SS").  |
| Monitoring Point Number: MW-307  | ☑ Well □ Spring □ Stream □ Other  |
|  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream   |
| Location: County Allegheny   | Municipality: Township of Forward   |
| Sampling Point: Latitude: 40 ° 14 ' 47 . 90 "  | Longitude: 79 ° 53 ' 23 . 41 "  |
| Depth to Water Level: 158.10 fl  | Measured from: ☐ Land Surface ☐ TOC   |
| Casing Stick Up: <u>1.96</u> ft  | Elevation of Water Level: 1006.97 ft./MSL   |
| Sampling Depth: NA fi  | Volume of Water Column: 6.60 gal.   |
| Total Well Depth: <u>168.20</u> ft.  | Sampling Method:  Pumped  Bailed  Grab  |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: 0.30   |
| Sample Field Filtered (must be 0.45 micron)? 🗹 Yes   | l No  |
| Spring Flow Rate: GPM  |   |
| Sample Date (mm/dd/yy): 06/06/06   | Sample Collection Time: 12:00   |
| Sample Collector's Name: C. Salmon - G. Stewart  | Table 5   |
| Sample Collector's Affiliation: Beran Environmental  |   |
| _aboratoy(ies) Performing Analysis: Geochemical Testing  |   |
|  | please explain in comments field.   |
| ab Certification Number(s): E87642FL and 56-306PA  | piedeo explain in comments neid.  |
|  | inal Lab Analysis Completion Date: 6/21/2006  |
| Name/Affiliation of Person who Filled out Form Geochemical   | · · · · · · · · · · · · · · · · · · ·   |
| Comments: Clear.   | i resuity   |
| John John John John John John John John  |   |
|  |   |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-307   |
| Sample Date          | 6/6/2006 |
| · · · —              |          |

#### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | 1.95    | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 1330    | SM4500-CO2D               |
| Calcium, Total*                              | 46.9    | EPA 200.7                 |
| Calcium, Dissolved**                         |         | T T                       |
| Chemical Oxygen Demand*                      | 90      | HACH 8000                 |
| Chloride*                                    | 461     | EPA 300.0                 |
| Fluoride                                     | < 0.1   | EPA 300.0                 |
| ron (µg/I), Total                            | 2890    | EPA 200.7                 |
| ron (µg/l), Dissolved**                      |         |                           |
| Magnesium, Total*                            | 21.3    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (µg/l), Total*                     | 30      | EPA 200.7                 |
| //Aanganese (µg/l), Dissolved**              |         |                           |
| Nitrate-Nitrogen                             | < 0.05  | EPA 300.0                 |
| oH (standard units), Field*                  | 6.82    |                           |
| pH (standard units), Laboratory*             | 7.19    | SM4500-H+B                |
| Potassium, Total*                            | 4.7     | EPA 200.7                 |
| Potassium, Dissolved**                       |         | •                         |
| Sodium, Total*                               | 858     | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 3621    |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 3280    | EPA 120.1                 |
| Sulfate*                                     | < 10    | EPA 300.0                 |
| otal Alkalinity*                             | 1330    | SM 18 2320B               |
| otal Dissolved Solids                        | 2100    | SM2540-C                  |
| otal Organic Carbon*                         | 25.9    | SM 19 5310-C              |
| otal Phenolics (µg/l)                        | < 10.0  | EPA 420.1                 |
| urbidity (NTU)                               | 28.8    | EPA 180.1                 |
|  |         |                           |
|  |         |                           |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-307   |
| Sample Date          | 6/6/2006 |
| 1                    |          |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

|                          | <del>' </del> |                           |
|--------------------------|---------------|---------------------------|
| ANALYTE                  | VALUE †       | ANALYSIS<br>METHOD NUMBER |
| Benzene                  | < 5.0         | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0         | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0         | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0         | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0         | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0         | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0         | EPA 8260B                 |
| Ethyl Benzene            | < 5.0         | EPA 8260B                 |
| Methylene chloride       | < 5.0         | EPA 8260B                 |
| Tetrachloroethene        | < 5.0         | EPA 8260B                 |
| Toluene                  | < 5.0         | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0         | EPA 8260B                 |
| Trichloroethene          | < 5.0         | EPA 8260B                 |
| Vinyl chloride           | < 2.0         | EPA 8260B                 |
| Xylene                   | < 5.0         | EPA 8260B                 |
|                          |               |                           |
|                          |               |                           |
|                          |               |                           |
|                          |               |                           |
|                          |               | <del></del>               |
|                          | <del></del>   | <u> </u>                  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |  |
|----------------------|----------|--|
| Monitoring Point No. | MW-307   |  |
| Sample Date          | 6/6/2006 |  |

1-A. Metals (Enter all data in  $\mu$ g/l) If initial background analyses or four consecutive annual analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

| ANALYTE             | VALUE | ANALYSIS<br>METHOD NUMBER |  |
|---------------------|-------|---------------------------|--|
| Arsenic, Total      | < 10  | EPA 200.8                 |  |
| Arsenic, Dissolved  | < 10  | EPA 200.8D                |  |
| Barium, Total       |       |                           |  |
| Barium, Dissolved   |       |                           |  |
| Cadmium, Total      |       |                           |  |
| Cadmium, Dissolved  |       |                           |  |
| Chromium, Total     | < 10  | EPA 200.7                 |  |
| Chromium, Dissolved | < 10  | EPA 200.7D                |  |
| Copper, Total       |       |                           |  |
| Copper, Dissolved   |       |                           |  |
| Lead, Total         | < 5.0 | EPA 200.8                 |  |
| Lead, Dissolved     | < 5.0 | EPA 200.8D                |  |
| Mercury, Total      |       |                           |  |
| Mercury, Dissolved  |       | <u> </u>                  |  |
| Selenium, Total     | E     |                           |  |
| Selenium, Dissolved |       |                           |  |
| Silver, Total       |       |                           |  |
| Silver, Dissolved   |       | •                         |  |
| Zinc, Total         |       |                           |  |
| Zinc, Dissolved     |       |                           |  |
| , Total             |       |                           |  |
| , Dissolved         |       |                           |  |
| , Total             |       | <u> </u>                  |  |
| , Dissolved         |       |                           |  |
| , Total             |       |                           |  |
| , Dissolved         |       | 1.                        |  |
| , Total             |       |                           |  |
| , Dissolved         |       |                           |  |
| , Total             |       |                           |  |
| , Dissolved         |       |                           |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-307   |
| Sample Date          | 6/6/2006 |

### 2-A. Organics (Enter all data in $\mu g/I$ )

| ANALYTE                                       | VALUE † | ANALYSIS<br>METHOD NUMBER  |
|---|---------|--|
| Bromoform (Tribromomethane)                   | 3,      |  |
| Bromomethane (Methyl Bromide)                 |         |  |
| Carbon tetrachloride                          |         | 2  |
| Chlorobenzene                                 |         |  |
| Chloroethane (Ethyl Chloride)                 |         |  |
| Dibromochloromethane (Chlorodibromomethane)   |         | . 1  |
| Methyl Chloride (Chloromethane)               |         |  |
| 3-Chloro-l-propene                            |         |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)       |         |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)       |         |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)       |         |  |
| Dichlorodifluoromethane                       | 7 g 3   | ,  |
| 1, 2-Dichloropropane (Propylene Dichloride)   |         |  |
| Cis-1, 3-Dichloropropene                      |         |  |
| Trans-1, 3-Dichloropropene                    |         |  |
| Methyl Ethyl Ketone (2-Butanone)              |         |  |
| 4-Methyl-2-pentanone (Methyl Isobutyl Ketone) |         |  |
| 1,1,1,2-Tetrachloroethane                     |         |  |
| 1,1,2,2-Tetrachioroethane                     |         | <del></del>  |
| 1,1,2-Trichloroethane                         |         |  |
| Trichlorofluoromethane (CFC-11)               | *       | The second secon |
| 1,2,3-Trichloropropane                        |         |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-307   |
| Sample Date          | 6/6/2006 |

SUBTITLE D - Detection Zone Add-On List: When the MCl of any analyte is exceeded in the detection zone Form 50 monitoring, the following analytes must be monitored annually in the ground water monitoring wells.

ORGANICS AND METALS (enter all data in ug/l)

|   | +        | ANALYSIS      |
|---|----------|---------------|
| ANALYTE                                     | VALUE    | METHOD NUMBER |
| Acetone                                     |          |               |
| Acrylonitrile                               |          |               |
| Bromochloromethane (Chlorobromomethane)     |          |               |
| Bromodichloromethane (Dichlorobromomethane) |          |               |
| Carbon Disulfide                            |          | <del></del>   |
| Chloroform (Trichloromethane)               | <u>`</u> |               |
| 1,2-Dibromo-3-Chloropropane (DBCP)          |          |               |
| trans-1,4-Dichloro-2-Butene                 |          |               |
| Methyl butyl ketone (2-Hexanone)            |          |               |
| Methylene bromide (Dibromomethane)          |          |               |
| Methyl lodide (lodomethane)                 |          |               |
| Styrene                                     |          |               |
| Vinyl Acetate                               |          |               |
|   |          |               |
|   |          |               |
| Antimony, Total                             | v        |               |
| Beryllium, Total                            |          |               |
| Cobalt, Total                               |          |               |
| Nickel, Total                               |          |               |
| Thallium, Total                             |          |               |
| Vanadium, Total                             |          |               |
|   |          |               |
|   |          |               |
|   |          | <del></del>   |

Please indicate detection limit if analyte is not detected

| 33 |
|----|
| 07 |
| 06 |
|    |

### 4. Qualitatively Identified Organic Compounds

List at least ten volatile organic compounds not otherwise identified in this section. Their identification should be based upon those compounds showing the greatest apparent concentration from the peaks of a mass spectrum of each sample. These ten compounds shall be identified but the concentration of each is not required.

|                             | Constituent |  |  | CAS Num | ber                                   |
|-----------------------------|-------------|--|--|---------|---------------------------------------|
| Benzene, (2-methyl-2-propen | yl)         | <br>   | <del>,</del> .                         |         |                                       |
| Ethyl ether                 |             |  | ······································ |         |                                       |
| Indane                      |             |  |  |         |                                       |
| Propane, 2-methyoxy-        | ·           |  |  |         | <del></del>                           |
| Tetrahydrofuran             |             |  |  |         |                                       |
|                             |             |  | ,                                      |         |                                       |
|                             |             |  |  |         |                                       |
|                             | i           |  | · · · · · · · · · · · · · · · · · · ·  |         |                                       |
|                             |             |  |  |         |                                       |
|                             |             |  |  |         |                                       |
|                             |             | a de la companya de l |  |         |                                       |
|                             |             |  |  |         |                                       |
|                             |             | <del></del>  | ·                                      |         |                                       |
|                             | <u> </u>    |  |  |         |                                       |
|                             | . <u> </u>  |  | ,                                      | N       |                                       |
|                             |             |  |  |         | · · · · · · · · · · · · · · · · · · · |
|                             |             |  |  |         |                                       |



### DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

| Date Prepared/Revised |
|-----------------------|
| 4/6/2006              |
| DEPUSEONLY            |
| Date Received         |
|                       |

### **FORM 19** MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |  |
|---|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 29   | N/12-10-03-2-10-10-10-10-10-10-10-10-10-10-10-10-10- |
| SECTION A SITE  | DENTIFIER  |
| Applicant/permitee: Kelly Run Sanitation  |  |
| Site Name: Kelly Run Sanitation   |  |
| Facility ID (as issued by DEP): 100663  |  |
| SECTION B. FACILIT  |  |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH |  |
| Monitoring Point Number: MW-310D  | ✓ Well ☐ Spring ☐ Stream ☐ Other                     |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream      |
| Location: County Allegheny  | Municipality: Township of Forward                    |
| Sampling Point: Latitude: 40 ° 14 ' 42 . 80 "   | Longitude: 79 ° 53 ' 1 . 48 "                        |
| Depth to Water Level:   | Measured from: ☐ Land Surface ☐ TOC                  |
| Casing Stick Up: 1.90 ft  | Elevation of Water Level: ft./MSL                    |
| Sampling Depth: <u>NA</u> fl  | Volume of Water Column: gal.                         |
| Total Well Depth: <u>128.84</u> ft.   | Sampling Method: Pumped Bailed Grab                  |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged:                                 |
| Sample Field Filtered (must be 0.45 micron)?  | No   |
| Spring Flow Rate: GPM   |  |
| Sample Date (mm/dd/yy):   | Sample Collection Time:                              |
| Sample Collector's Name: C. Salmon - G. Stewart   |  |
| Sample Collector's Affiliation: Beran Environmental   |  |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |  |
| Were any holding times exceeded? ☐ Yes ☑ No if yes, pl  | lease explain in comments field.                     |
| Lab Certification Number(s): E87642FL and 56-306PA  |  |
| Lab Sample Number:Fir   | nal Lab Analysis Completion Date:                    |
| Name/Affiliation of Person who Filled out Form Geochemical  |  |
| Comments: Insufficient water to sample.   |  |
|   |  |
|   |  |
| •   |  |



### DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

Date Prepared/Revised 4/12/2005 DEP USE ONLY Date Received

### **FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES**

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 25   |   |
| SECTION A SITE  | IDENTIFIER .                                    |
| Applicant/permitee: Kelly Run Sanitation  |   |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| ⇒ SECTION B. FACILITY   |   |
| Monitoring wells must be designed and constructed in accordance   |   |
| LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH   | <u> </u>  |
| Monitoring Point Number: MW-310R  | ✓ Well ☐ Spring ☐ Stream ☐ Other                |
|   | ☐ Upgradient/Upstream ☐ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 42 . 80 "   | Longitude: <u>79 ° 53 ' 1 . 48 "</u>            |
| Depth to Water Level: 105.70 fl   | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: 2.66 ft  | Elevation of Water Level: 993.69 ft./MSL        |
| Sampling Depth: <u>NA</u> ft  | Volume of Water Column:gal.                     |
| Total Well Depth: <u>108.81</u> ft.   | Sampling Method: ☑ Pumped ☐ Bailed ☐ Grab       |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged:                            |
| Sample Field Filtered (must be 0.45 micron)?  | No  |
| Spring Flow Rate:GPM  |   |
| Sample Date (mm/dd/yy):   | Sample Collection Time:                         |
| Sample Collector's Name: C. Salmon - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental   |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |   |
| Were any holding times exceeded?   Yes   No If yes, place in the place is a second of the place | ease explain in comments field.                 |
| Lab Certification Number(s): E87642FL and 56-306PA  |   |
| Lab Sample Number: Fin:   | al Lab Analysis Completion Date:                |
| Name/Affiliation of Person who Filled out Form Geochemical T  | esting  |
| Comments: Insufficient water.   |   |
|   |   |
|   |   |



## COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

Date Prepared/Revised
6/30/2006
DEP:USE ONLY
Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284                              |   |
|--|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2 |   |
| * "SECTION A SIT   | EIDENTIFIER                                     |
| Applicant/permitee: Kelly Run Sanitation                         |   |
| Site Name: Kelly Run Sanitation                                  |   |
| Facility ID (as issued by DEP): 100663                           |   |
| SECTION B. FACILI  |   |
| Monitoring wells must be designed and constructed in accordance  | ce with Department standards. INDICATE THE      |
| LATITUDE AND LONGITUDE TO THE NEAREST ONE TENT                   |   |
| Monitoring Point Number: MW-311                                  | ☑ Well □ Spring □ Stream □ Other                |
|  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny                                       | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 43 . 39 "                    | Longitude: <u>79 ° 53 ' 8 . 75 "</u>            |
| Depth to Water Level: 103.70 fl                                  | Measured from: ☐ Land Surface ☑ TOC             |
| Casing Stick Up: 1.33 fl   | Elevation of Water Level: 996.67 ft./MSL        |
| Sampling Depth: NA fl  | Volume of Water Column: 8.50 gal.               |
| Total Well Depth: <u>116.85</u> ft.                              | Sampling Method:                                |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: 0.30                       |
| Sample Field Filtered (must be 0.45 micron)? ☑ Yes ☐             | No  |
| Spring Flow Rate: GPM  |   |
| Sample Date (mm/dd/yy): 06/07/06                                 | Sample Collection Time: 12:50                   |
| Sample Collector's Name: C. Salmon - G. Stewart                  | 1230  |
| Sample Collector's Affiliation: Beran Environmental              |   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing          |   |
|  | lease explain in comments field.                |
| Lab Certification Number(s): E87642FL and 56-306PA               | nease explain in comments neid.                 |
|  |   |
|  | nal Lab Analysis Completion Date: 6/27/2006     |
| Name/Affiliation of Person who Filled out Form Geochemical       | Testing   |
| Comments: Clear - slight odor.                                   |   |
|  |   |
|  |   |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-311   |
| Sample Date          | 6/7/2006 |
|                      |          |

### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | 0.65    | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 984     | SM4500-CO2D               |
| Calcium, Total*                              | 24.3    | EPA 200.7                 |
| Calcium, Dissolved**                         |         |                           |
| Chemical Oxygen Demand*                      | 140     | HACH 8000                 |
| Chloride*                                    | 2480    | EPA 300.0                 |
| Fluoride                                     | < 0.1   | EPA 300.0                 |
| lron (μg/l), Total                           | 1230    | EPA 200.7                 |
| Iron (μg/I), Dissolved**                     |         |                           |
| Magnesium, Total*                            | 12.4    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (μg/l), Total*                     | 20      | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                |         | <u> </u>                  |
| Nitrate-Nitrogen                             | 0.13    | EPA 300.0                 |
| pH (standard units), Field*                  | 7.36    |                           |
| pH (standard units), Laboratory*             | 7.88    | SM4500-H+B                |
| Potassium, Total*                            | 5.3     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 1980    | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (umhos/cm), Field*      | 8737    |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 8710    | EPA 120.1                 |
| Sulfate*                                     | < 10    | EPA 300.0                 |
| Total Alkalinity*                            | 991     | SM 18 2320B               |
| Total Dissolved Solids                       | 4870    | SM2540-C                  |
| Fotal Organic Carbon*                        | 44.4    | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0  | EPA 420.1                 |
| Turbidity (NTU)                              | 9.8     | EPA 180.1                 |
|  |         |                           |

Indicator Analyte - For comparison with detection zone analytes.

T Please indicate detection limit if analyte is not detected.

<sup>\*</sup> Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-311   |
| Sample Date          | 6/7/2006 |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER                 |
|--------------------------|---------|---|
| Benzene                  | < 5.0   | EPA 8260B                                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                                 |
| Methylene chloride       | < 5.0   | EPA 8260B                                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                                 |
| Toluene                  | < 5.0   | EPA 8260B                                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                                 |
| Trichloroethene          | < 5.0   | EPA 8260B                                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                                 |
| Xylene                   | < 5.0   | EPA 8260B                                 |
|                          |         |   |
|                          |         | 5 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) |
|                          |         |   |
|                          |         |   |
|                          |         |   |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-311   |
| Sample Date          | 6/7/2006 |
| 4 . '                |          |

1-A. Metals (Enter all data in  $\mu g/I$ ) If initial background analyses or four consecutive annual analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

|                     | ANALYTE                                 | VALUE | ANALYSIS<br>METHOD NUMBER             |
|---------------------|---|-------|---------------------------------------|
| Arsenic, Total      |   | < 10  | EPA 200.8                             |
| Arsenic, Dissolved  |   | < 10  | EPA 200.8D                            |
| Barium, Total       |   |       | LFA 200.0D                            |
| Barium, Dissolved   |   |       |                                       |
| Cadmium, Total      |   |       |                                       |
| Cadmium, Dissolved  |   |       |                                       |
| Chromium, Total     | <del> </del>                            | 20    | EPA 200.7                             |
| Chromium, Dissolved | , a                                     | < 10  | EPA 200.7D                            |
| Copper, Total       |   |       | 2.77.200(13                           |
| Copper, Dissolved   | , |       |                                       |
| Lead, Total         |   | < 5.0 | EPA 200.8                             |
| Lead, Dissolved     | -                                       | < 5.0 | EPA 200.8D                            |
| Mercury, Total      |   |       |                                       |
| Mercury, Dissolved  |   |       |                                       |
| Selenium, Total     |   |       |                                       |
| Selenium, Dissolved |   |       |                                       |
| Silver, Total       |   |       |                                       |
| Silver, Dissolved   |   |       |                                       |
| Zinc, Total         |   |       | · · · · · · · · · · · · · · · · · · · |
| Zinc, Dissolved     |   |       | *                                     |
| , Total             |   |       |                                       |
| , Dissolved         |   |       | 1                                     |
| , Total             |   |       | · ·                                   |
| , Dissolved         |   |       |                                       |
| , Total             |   |       | , a                                   |
| , Dissolved         | ,                                       |       |                                       |
| , Total             |   |       |                                       |
| , Dissolved         | 6                                       |       |                                       |
| , Total             |   |       |                                       |
| , Dissolved         |   |       |                                       |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.                 | 100663       |
|--------------------------|--------------|
| Monitoring Point No.     | MW-311       |
| <sup>,</sup> Sample Date | <br>6/7/2006 |

### 2-A. Organics (Enter all data in $\mu g/I$ )

| ANALYTE                                       | VALUE † | ANALYSIS METHOD NUMBER |  |
|---|---------|------------------------|--|
| Bromoform (Tribromomethane)                   |         |                        |  |
| Bromomethane (Methyl Bromide)                 |         |                        |  |
| Carbon tetrachloride                          |         |                        |  |
| Chlorobenzene                                 |         |                        |  |
| Chloroethane (Ethyl Chloride)                 |         |                        |  |
| Dibromochloromethane (Chlorodibromomethane)   |         |                        |  |
| Methyl Chloride (Chloromethane)               |         |                        |  |
| 3-Chloro-I-propene                            |         |                        |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)       |         |                        |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)       |         |                        |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)       |         |                        |  |
| Dichlorodifluoromethane                       |         |                        |  |
| 1, 2-Dichloropropane (Propylene Dichloride)   |         |                        |  |
| Cis-1, 3-Dichloropropene                      |         |                        |  |
| Trans-1, 3-Dichloropropene                    |         |                        |  |
| Methyl Ethyl Ketone (2-Butanone)              |         |                        |  |
| 4-Methyl-2-pentanone (Methyl Isobutyl Ketone) |         |                        |  |
| 1,1,1,2-Tetrachloroethane                     |         |                        |  |
| 1,1,2,2-Tetrachloroethane                     |         |                        |  |
| 1,1,2-Trichloroethane                         |         |                        |  |
| Trichlorofluoromethane (CFC-11)               |         |                        |  |
| 1,2,3-Trichloropropane                        |         |                        |  |
|   |         |                        |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-311   |
| Sample Date          | 6/7/2006 |

SUBTITLE D - Detection Zone Add-On List: When the MCI of any analyte is exceeded in the detection zone Form 50 monitoring, the following analytes must be monitored annually in the ground water monitoring wells.

ORGANICS AND METALS (enter all data in ug/l)

| ANALYTE                                     | VALUE † | ANALYSIS<br>METHOD NUMBER             |
|---|---------|---------------------------------------|
| Acetone                                     |         |                                       |
| Acrylonitrile                               |         | ,                                     |
| Bromochloromethane (Chlorobromomethane)     |         |                                       |
| Bromodichloromethane (Dichlorobromomethane) |         |                                       |
| Carbon Disulfide                            |         |                                       |
| Chloroform (Trichloromethane)               |         |                                       |
| 1,2-Dibromo-3-Chloropropane (DBCP)          | , , ,   |                                       |
| trans-1,4-Dichloro-2-Butene                 |         | <u> </u>                              |
| Methyl butyl ketone (2-Hexanone)            |         |                                       |
| Methylene bromide (Dibromomethane)          |         |                                       |
| Methyl lodide (lodomethane)                 | *       |                                       |
| Styrene                                     |         |                                       |
| Vinyl Acetate                               |         | <del></del>                           |
|   |         |                                       |
|   | 110     |                                       |
| Antimony, Total                             |         |                                       |
| Beryllium, Total                            | 5       | <del></del>                           |
| Cobalt, Total                               |         |                                       |
| Nickel, Total                               |         |                                       |
| Thallium, Total                             |         |                                       |
| Vanadium, Total                             |         |                                       |
|   |         |                                       |
|   |         | · · · · · · · · · · · · · · · · · · · |

†Please indicate detection limit if analyte is not detected

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-311   |
| Sample Date          | 6/7/2006 |
| 1                    |          |

### 4. Qualitatively Identified Organic Compounds

List at least ten volatile organic compounds not otherwise identified in this section. Their identification should be based upon those compounds showing the greatest apparent concentration from the peaks of a mass spectrum of each sample. These ten compounds shall be identified but the concentration of each is not required.

| •              | Constituent |             | CAS Number                            |
|----------------|-------------|-------------|---------------------------------------|
|                |             | <u> </u>    |                                       |
| 3-Octene, (Z)- |             |             |                                       |
|                |             |             |                                       |
|                |             |             |                                       |
|                | ,           |             |                                       |
|                |             | ,           |                                       |
|                |             | ·.          |                                       |
|                | •           |             |                                       |
|                |             |             |                                       |
|                |             |             |                                       |
|                |             |             |                                       |
|                |             |             |                                       |
|                |             |             |                                       |
|                |             |             |                                       |
|                |             | <del></del> |                                       |
|                |             |             |                                       |
|                |             |             | · · · · · · · · · · · · · · · · · · · |
|                |             |             |                                       |
|                |             | ٠.          |                                       |



| Date Prepared/Revised |
|-----------------------|
| 6/30/2006             |
| Fr. DEPIUSE/ONLY      |
| Date Received         |

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |  |
|---|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  | 58.  |
| SECTION A SIT   | ANY PORT OF THE PROPERTY OF TH |
| Applicant/permitee: Kelly Run Sanitation  |  |
| Site Name: Kelly Run Sanitation   |  |
| Facility ID (as issued by DEP): 100663  |  |
| SECTION B. FACILIT  |  |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH | e with Department standards. INDICATE THE I OF A SECOND (DD <sup>0</sup> MM' SS.SS").  |
| Monitoring Point Number: MW-312R  | ☑ Well ☐ Spring ☐ Stream ☐ Other   |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream  |
| Location: County Allegheny  | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 14 ' 44 . 40 "   | Longitude: 79 ° 53 ' 19 . 70 "   |
| Depth to Water Level: 170.00 fi   | Measured from: ☐ Land Surface ☐ TOC  |
| Casing Stick Up: 1.79 ft  | Elevation of Water Level: 1001.46 ft./MSL  |
| Sampling Depth: NA ft   | Volume of Water Column: 8.20 gal.  |
| Total Well Depth: <u>182.65</u> ft.   | Sampling Method: Pumped Bailed Grab  |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: 0.50  |
| Sample Field Filtered (must be 0.45 micron)?   Yes  | No   |
| Spring Flow Rate: GPM   |  |
| Sample Date (mm/dd/yy): 06/07/06  | Sample Collection Time: 14:05  |
| Sample Collector's Name: C. Salmon - G. Stewart   |  |
| Sample Collector's Affiliation: Beran Environmental   |  |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |  |
| Were any holding times exceeded?   Yes   No If yes, p   | lease explain in comments field.   |
| Lab Certification Number(s): E87642FL and 56-306PA  |  |
| Lab Sample Number: G0606194-001 Fir   | nal Lab Analysis Completion Date: 6/27/2006  |
| Name/Affiliation of Person who Filled out Form Geochemical  | Testing  |
| Comments: Clear - Moderate odor.  |  |
|   |  |
|   |  |

| 100663   |
|----------|
| MW-312R  |
| 6/7/2006 |
|          |

#### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE <sup>†</sup> | ANALYSIS METHOD NUMBER |
|--|--------------------|------------------------|
| Ammonia-Nitrogen*                            | 19.2               | EPA 350.1              |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 1010               | SM4500-CO2D            |
| Calcium, Total*                              | 184                | EPA 200.7              |
| Calcium, Dissolved**                         |                    |                        |
| Chemical Oxygen Demand*                      | 260                | HACH 8000              |
| Chloride*                                    | 1870               | EPA 300.0              |
| Fluoride                                     | < 0.1              | EPA 300.0              |
| Iron (µg/l), Total                           | 1920               | EPA 200.7              |
| Iron (µg/l), Dissolved**                     |                    |                        |
| Magnesium, Total*                            | 101                | EPA 200.7              |
| Magnesium, Dissolved**                       |                    | in .                   |
| Manganese (μg/l), Total*                     | 50                 | EPA 200.7              |
| Manganese (µg/l), Dissolved**                |                    |                        |
| Nitrate-Nitrogen                             | 0.11               | EPA 300.0              |
| pH (standard units), Field*                  | 6.54               |                        |
| pH (standard units), Laboratory*             | 7.04               | SM4500-H+B             |
| Potassium, Total*                            | 18.7               | EPA 200.7              |
| Potassium, Dissolved**                       |                    | ,                      |
| Sodium, Total*                               | 1200               | EPA 200.7              |
| Sodium, Dissolved**                          |                    |                        |
| Specific Conductance (µmhos/cm), Field*      | 6766               |                        |
| Specific Conductance (umhos/cm), Laboratory* | 6770               | EPA 120.1              |
| Sulfate*                                     | < 10               | EPA 300.0              |
| Total Alkalinity*                            | 1010               | SM 18 2320B            |
| Total Dissolved Solids                       | 3860               | SM2540-C               |
| Total Organic Carbon*                        | 61.5               | SM 19 5310-C           |
| Total Phenolics (µg/l)                       | < 10.0             | EPA 420.1              |
| Turbidity (NTU)                              | 39.6               | EPA 180.1              |
|  |                    |                        |
|  |                    |                        |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

 I.D. No.
 100663

 Monitoring Point No.
 MW-312R

 Sample Date
 6/7/2006

### FORM 19 QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

### 2-Q. Organics (Enter all data in $\mu g/l$ )

| ANALYTE  | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--|--------------------|---------------------------|
| Benzene  | < 5.0              | EPA 8260B                 |
| 1,2-Dibromoethane  | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethane   | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethene   | < 5.0              | EPA 8260B                 |
| 1,2-Dichloroethane   | < 5.0              | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0              | EPA 8260B                 |
| Trans-1,2-Dichloroethene   | < 5.0              | EPA 8260B                 |
| Ethyl Benzene  | < 5.0              | EPA 8260B                 |
| Methylene chloride   | < 5.0              | EPA 8260B                 |
| Tetrachloroethene  | < 5.0              | EPA 8260B                 |
| Toluene  | < 5.0              | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0              | EPA 8260B                 |
| Trichloroethene  | < 5.0              | EPA 8260B                 |
| Vinyl chloride   | < 2.0              | EPA 8260B                 |
| Kylene   | < 5.0              | EPA 8260B                 |
|  | 3                  |                           |
|  |                    | *                         |
| A STATE OF THE STA |                    |                           |
|  |                    |                           |
|  |                    |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

Date Prepared/Revised 6/29/2006 DEP/USE ONLY Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |   |
|---|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  | 258.  |
| SECTION A SI  | REIDENTIFIER                                    |
| Applicant/permitee: Kelly Run Sanitation  | V. transfer at polytras Service December        |
| Site Name: Kelly Run Sanitation   |   |
| Facility ID (as issued by DEP): 100663  |   |
| SECTION B. FACILI   |   |
| Monitoring wells must be designed and constructed in accordant<br>LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTI | ce with Department standards. INDICATE THE      |
| Monitoring Point Number: MW-304   |   |
| violationing i Olat Nutriber.   | ☑ Well ☐ Spring ☐ Stream ☐ Other                |
| continue County Allesters   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Location: County Allegheny  | Municipality: Township of Forward               |
| Sampling Point: Latitude: 40 ° 14 ' 57 . 06 "   | Longitude: 79 ° 52 ' 55 . 85 "                  |
| Depth to Water Level: 49.20 ft  | Measured from: ☐ Land Surface ☐ TOC             |
| Casing Stick Up: 1.33 ft  | Elevation of Water Level: 1005.94 ft./MSL       |
| Sampling Depth: NA fi   | Volume of Water Column: 9.70 ga                 |
| otal Well Depth: 64.15 ft.  | Sampling Method: ☐ Pumped ☐ Bailed ☐ Gr         |
| Vell Purged: ☑ Yes ☐ No   | Well Volumes Purged: 0.40                       |
| Sample Field Filtered (must be 0.45 micron)? ☑ Yes ☐  | No .  |
| pring Flow Rate:GPM   |   |
| ample Date (mm/dd/yy): <u>06/05/06</u>  | Sample Collection Time: 14:40                   |
| ample Collector's Name: C. Salmon - G. Stewart  |   |
| ample Collector's Affiliation: Beran Environmental  |   |
| aboratoy(ies) Performing Analysis: Geochemical Testing  |   |
| Vere any holding times exceeded? ☐ Yes ☑ No If yes, p   | please explain in comments field.               |
| ab Certification Number(s): E87642FL and 56-306PA   |   |
|   | inal Lab Analysis Completion Date: 6/21/2006    |
| ame/Affiliation of Person who Filled out Form Geochemical   |   |
| omments: Clear - Moderate odor.   |   |
|   |   |
|   |   |
|   |   |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-304   |
| Sample Date          | 6/5/2006 |
| •                    |          |

#### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE †                               | ANALYSIS METHOD NUMBER |
|--|---------------------------------------|------------------------|
| Ammonia-Nitrogen*                            | < 0.10                                | EPA 350.1              |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 706                                   | SM4500-CO2D            |
| Calcium, Total*                              | 185                                   | EPA 200.7              |
| Calcium, Dissolved**                         | 2 87 5                                |                        |
| Chemical Oxygen Demand*                      | < 10                                  | HACH 8000              |
| Chloride*                                    | 6                                     | EPA 300.0              |
| Fluoride                                     | < 0.1                                 | EPA 300.0              |
| Iron (µg/I), Total                           | 440                                   | EPA 200.7              |
| Iron (µg/I), Dissolved**                     |                                       |                        |
| Magnesium, Total*                            | 87.2                                  | EPA 200.7              |
| Magnesium, Dissolved**                       |                                       |                        |
| Manganese (µg/l), Total*                     | 1150                                  | EPA 200.7              |
| Manganese (µg/I), Dissolved**                |                                       |                        |
| Nitrate-Nitrogen                             | < 0.05                                | EPA 300.0              |
| pH (standard units), Field*                  | 6.73                                  |                        |
| pH (standard units), Laboratory*             | 6.96                                  | SM4500-H+B             |
| Potassium, Total*                            | 2.3                                   | EPA 200.7              |
| Potassium, Dissolved**                       |                                       |                        |
| Sodium, Total*                               | 12.9                                  | EPA 200.7              |
| Sodium, Dissolved**                          |                                       |                        |
| Specific Conductance (µmhos/cm), Field*      | 1324                                  |                        |
| Specific Conductance (µmhos/cm), Laboratory* | 1280                                  | EPA 120.1              |
| Sulfate*                                     | 126                                   | EPA 300.0              |
| otal Alkalinity*                             | 707                                   | SM 18 2320B            |
| otal Dissolved Solids                        | 816                                   | SM2540-C               |
| otal Organic Carbon*                         | 2.5                                   | SM 19 5310-C           |
| otal Phenolics (µg/l)                        | < 10.0                                | EPA 420.1              |
| urbidity (NTU)                               | 3.7                                   | EPA 180.1              |
|  | <del>-</del>                          |                        |
|  | · · · · · · · · · · · · · · · · · · · |                        |

Indicator Analyte - For comparison with detection zone analytes. Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4) Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-304   |
| Sample Date          | 6/5/2006 |
|                      |          |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          | ·       |                           |
|                          |         |                           |
|                          |         |                           |
| , , , , , , ,            |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-304   |
| Sample Date          | 6/5/2006 |
|                      |          |

1-A. Metals (Enter all data in  $\mu g/l$ ) If initial background analyses or four consecutive annual analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

| ANALYTE             | VALUE | ANALYSIS<br>METHOD NUMBER                           |
|---------------------|-------|---|
| Arsenic, Total      | < 10  | EPA 200.8   |
| Arsenic, Dissolved  | < 10  | EPA 200.8D  |
| Barium, Total       | Σ     |   |
| Barium, Dissolved   |       |   |
| Cadmium, Total      |       | 4   |
| Cadmium, Dissolved  |       | V   |
| Chromium, Total     | < 10  | EPA 200.7   |
| Chromium, Dissolved | < 10  | EPA 200.7D  |
| Copper, Total       | 8 7 7 |   |
| Copper, Dissolved   |       |   |
| Lead, Total         | < 5.0 | EPA 200.8   |
| Lead, Dissolved     | < 5.0 | EPA 200.8D  |
| Mercury, Total      |       | · · · · · · · · · · · · · · · · · · ·               |
| Mercury, Dissolved  |       |   |
| Selenium, Total     |       |   |
| Selenium, Dissolved |       |   |
| Silver, Total       |       |   |
| Silver, Dissolved   |       |   |
| Zinc, Total         |       |   |
| Zinc, Dissolved     |       |   |
| , Total             |       |   |
| , Dissolved         |       |   |
| , Totai             |       |   |
| , Dissolved         |       |   |
| , Total             |       |   |
| , Dissolved         |       |   |
| , Total             |       |   |
| , Dissolved         |       | <del></del> , · · · · · · · · · · · · · · · · · · · |
| , Total             |       |   |
| , Dissolved         |       |   |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-304   |
| Sample Date          | 6/5/2006 |

### 2-A. Organics (Enter all data in $\mu g/I$ )

| ANALYTE                                       | VALUE † | ANALYSIS<br>METHOD NUMBER             |
|---|---------|---------------------------------------|
| Bromoform (Tribromomethane)                   |         |                                       |
| Bromomethane (Methyl Bromide)                 |         |                                       |
| Carbon tetrachloride                          |         |                                       |
| Chlorobenzene                                 |         |                                       |
| Chloroethane (Ethyl Chloride)                 |         | *                                     |
| Dibromochloromethane (Chlorodibromomethane)   |         |                                       |
| Methyl Chloride (Chloromethane)               |         | <del></del>                           |
| 3-Chloro-I-propene                            |         |                                       |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)       |         |                                       |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)       |         | 3                                     |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)       |         | · · · · · · · · · · · · · · · · · · · |
| Dichlorodifluoromethane                       |         |                                       |
| 1, 2-Dichloropropane (Propylene Dichloride)   |         |                                       |
| Cis-1, 3-Dichloropropene                      |         |                                       |
| Trans-1, 3-Dichloropropene                    |         |                                       |
| Methyl Ethyl Ketone (2-Butanone)              |         |                                       |
| 4-Methyl-2-pentanone (Methyl Isobutyl Ketone) |         |                                       |
| 1,1,1,2-Tetrachloroethane                     |         |                                       |
| 1,1,2,2-Tetrachloroethane                     |         | **                                    |
| 1,1,2-Trichloroethane                         |         |                                       |
| Trichlorofluoromethane (CFC-11)               |         |                                       |
| 1,2,3-Trichloropropane                        |         |                                       |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |  |
|----------------------|----------|--|
| Monitoring Point No. | MW-304   |  |
| Sample Date          | 6/5/2006 |  |

SUBTITLE D - Detection Zone Add-On List: When the MCI of any analyte is exceeded in the detection zone Form 50 monitoring, the following analytes must be monitored annually in the ground water monitoring wells.

### ORGANICS AND METALS (enter all data in ug/l)

| ANALYTE                                     | VALUE † | ANALYSIS<br>METHOD NUMBER             |
|---|---------|---------------------------------------|
| Acetone                                     |         |                                       |
| Acrylonitrile                               |         | - P                                   |
| Bromochloromethane (Chlorobromomethane)     |         |                                       |
| Bromodichloromethane (Dichlorobromomethane) |         |                                       |
| Carbon Disulfide                            | · ·     | · · · · · · · · · · · · · · · · · · · |
| Chloroform (Trichloromethane)               |         |                                       |
| 1,2-Dibromo-3-Chloropropane (DBCP)          |         |                                       |
| trans-1,4-Dichloro-2-Butene                 |         |                                       |
| Methyl butyl ketone (2-Hexanone)            |         |                                       |
| Methylene bromide (Dibromomethane)          |         |                                       |
| Methyl lodide (lodomethane)                 |         |                                       |
| Styrene                                     |         |                                       |
| Vinyl Acetate                               |         | × .                                   |
|   |         | · · · · · · · · · · · · · · · · · · · |
|   |         | <del> </del>                          |
| Antimony, Total                             |         |                                       |
| Beryllium, Total                            |         |                                       |
| Cobalt, Total                               | 1       |                                       |
| Nickel, Total                               |         | Con P                                 |
| Thallium, Total                             |         | 49                                    |
| Vanadium, Total                             | a       |                                       |
|   |         |                                       |
|   |         |                                       |

<sup>†</sup>Please indicate detection limit if analyte is not detected

| I.D. No.             | 100663   |  |
|----------------------|----------|--|
| Monitoring Point No. | MW-304   |  |
| Sample Date          | 6/5/2006 |  |
|                      |          |  |

### 4. Qualitatively Identified Organic Compounds

List at least ten volatile organic compounds not otherwise identified in this section. Their identification should be based upon those compounds showing the greatest apparent concentration from the peaks of a mass spectrum of each sample. These ten compounds shall be identified but the concentration of each is not required.

|                | •   |                                       |   |            |  |
|----------------|-----|---------------------------------------|---|------------|--|
|                | •   | Constituent                           |   | CAS Number |  |
|                | · . |                                       | · |            |  |
| Isobutane      |     |                                       |   |            |  |
| Sulfur Dioxide |     |                                       |   | ä          |  |
|                |     |                                       |   |            |  |
|                |     |                                       |   |            |  |
| ,              |     |                                       |   |            |  |
| 1.             |     |                                       |   |            |  |
|                |     |                                       |   |            |  |
|                |     |                                       |   |            |  |
|                |     |                                       |   |            |  |
|                |     |                                       |   |            |  |
| ,              |     |                                       |   |            |  |
|                |     |                                       |   |            |  |
| *              |     |                                       | , |            |  |
|                |     |                                       |   |            |  |
| ,              |     |                                       |   |            |  |
|                |     | , , , , , , , , , , , , , , , , , , , |   |            |  |
|                |     |                                       |   |            |  |
|                |     |                                       |   |            |  |



# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

Date Prepared/Revised
6/30/2006
DEPUSE ONLY
Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284  |  |
|--|--|
| Federal Regulations, Subtitle D. 258.54 and Appendix I to Part 2   | TERROTO CONTRACTOR AND |
| SECTION A SIT  | EIDENTIFIER  |
| Applicant/permitee: Kelly Run Sanitation   |  |
| Site Name: Kelly Run Sanitation  |  |
| Facility ID (as issued by DEP): 100663   |  |
| SECTION B. FACILI  |  |
| Monitoring wells must be designed and constructed in accordant LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTI | ce with Department standards. INDICATE THE                 |
|  |  |
| Monitoring Point Number: <u>MW-306</u>   | ☑ Well ☐ Spring ☐ Stream ☐ Other                           |
|  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream            |
| Location: County Allegheny   | Municipality: Township of Forward                          |
| Sampling Point: Latitude: 40 ° 14 ' 46 . 07 ".   | Longitude: <u>79 ° 53 ' 9 . 98 "</u>                       |
| Depth to Water Level: 117.70 fl  | Measured from: ☐ Land Surface ☐ TOC                        |
| Casing Stick Up: 0.83 ft   | Elevation of Water Level: 1001.38 ft./MSL                  |
| Sampling Depth: <u>NA</u> ft   | Volume of Water Column: 13.30 gal.                         |
| Total Well Depth: 138.08 ft.   | Sampling Method:   |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: 0.15                                  |
| Sample Field Filtered (must be 0.45 micron)?   | No   |
| Spring Flow Rate: GPM  |  |
| Sample Date (mm/dd/yy): <u>06/07/06</u>  | Sample Collection Time: 13:25                              |
| Sample Collector's Name: C. Salmon - G. Stewart  |  |
| Sample Collector's Affiliation: Beran Environmental  |  |
| _aboratoy(ies) Performing Analysis: Geochemical Testing  |  |
| Were any holding times exceeded?   Yes   No If yes, p  | please explain in comments field.                          |
| Lab Certification Number(s): E87642FL and 56-306PA   |  |
| _ab Sample Number: G0606194-002 Fi   | nal Lab Analysis Completion Date: 6/27/2006                |
| Name/Affiliation of Person who Filled out Form Geochemical   |  |
| Comments: Clear - Moderate odor.   |  |
|  |  |
|  |  |
|  |  |

| I.D. No.             | 100663        |
|----------------------|---------------|
| Monitoring Point No. | MW-306        |
| Sample Date          | 6/7/2006      |
| -                    | <del>''</del> |

### ANALYTES

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE †      | ANALYSIS<br>METHOD NUMBER             |
|--|--------------|---------------------------------------|
| Ammonia-Nitrogen*                            | 3.84         | EPA 350.1                             |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 1160         | SM4500-CO2D                           |
| Calcium, Total*                              | 95.5         | EPA 200.7                             |
| Calcium, Dissolved**                         |              |                                       |
| Chemical Oxygen Demand*                      | 150          | HACH 8000                             |
| Chloride*                                    | 994          | EPA 300.0                             |
| Fluoride                                     | < 0.1        | EPA 300.0                             |
| Iron (µg/l), Total                           | 8160         | EPA 200.7                             |
| lron (µg/l), Dissoived**                     |              |                                       |
| Magnesium, Total*                            | 54.5         | EPA 200.7                             |
| Magnesium, Dissolved**                       |              |                                       |
| Manganese (µg/l), Total*                     | 110          | EPA 200.7                             |
| Manganese (μg/l), Dissolγed**                |              |                                       |
| Nitrate-Nitrogen                             | < 0.05       | EPA 300.0                             |
| pH (standard units), Field*                  | 6.59         |                                       |
| pH (standard units), Laboratory*             | 6.98         | SM4500-H+B                            |
| Potassium, Total*                            | 9.6          | EPA 200.7                             |
| Potassium, Dissolved**                       |              | · · · · · · · · · · · · · · · · · · · |
| Sodium, Total*                               | 1010         | EPA 200.7                             |
| Sodium, Dissolved**                          |              |                                       |
| Specific Conductance (µmhos/cm), Field*      | 4719         |                                       |
| Specific Conductance (µmhos/cm), Laboratory* | 4630         | EPA 120.1                             |
| Sulfate*                                     | < 10         | EPA 300.0                             |
| Total Alkalinity*                            | 1160         | SM 18 2320B                           |
| Total Dissolved Solids                       | 2600         | SM2540-C                              |
| Total Organic Carbon*                        | 49.9         | SM 19 5310-C                          |
| Total Phenolics (µg/l)                       | < 10.0       | EPA 420.1                             |
| Furbidity (NTU)                              | 101          | EPA 180.1                             |
|  | <del> </del> |                                       |

Indicator Analyte - For comparison with detection zone analytes. Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| 100663   |
|----------|
| MW-306   |
| 6/7/2006 |
|          |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE <sup>†</sup>                    | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------------------------------------|---------------------------|
| Benzene                  | 25.4                                  | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0                                 | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0                                 | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0                                 | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0                                 | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0                                 | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0                                 | EPA 8260B                 |
| Ethyl Benzene            | < 5.0                                 | EPA 8260B                 |
| Methylene chloride       | < 5.0                                 | EPA 8260B                 |
| Tetrachloroethene        | < 5.0                                 | EPA 8260B                 |
| Toluene                  | < 5.0                                 | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0                                 | EPA 8260B                 |
| Trichloroethene          | < 5.0                                 | EPA 8260B                 |
| Vinyl chloride           | < 2.0                                 | EPA 8260B                 |
| Xylene                   | < 5.0                                 | EPA 8260B                 |
|                          |                                       |                           |
|                          |                                       |                           |
|                          |                                       |                           |
|                          | , , , , , , , , , , , , , , , , , , , |                           |
|                          |                                       |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-306   |
| Sample Date          | 6/7/2006 |

1-A. Metals (Enter all data in  $\mu g/l$ ) If initial background analyses or four consecutive annual analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

|                     |    |     |                                       | "                                       |  |
|---------------------|----|-----|---------------------------------------|---|--|
| ANALYTE             |    |     | VALUE                                 | ANALYSIS<br>METHOD NUMBER               |  |
| Arsenic, Total      | ·. |     | < 10                                  | EPA 200.8                               |  |
| Arsenic, Dissolved  |    |     | < 10                                  | EPA 200.8D                              |  |
| Barium, Total       |    |     |                                       |   |  |
| Barium, Dissolved   |    |     |                                       |   |  |
| Cadmium, Total      |    |     |                                       |   |  |
| Cadmium, Dissolved  |    |     |                                       |   |  |
| Chromium, Total     |    | · · | < 10                                  | EPA 200.7                               |  |
| Chromium, Dissolved | ,  |     | < 10                                  | EPA 200.7D                              |  |
| Copper, Total       |    |     |                                       |   |  |
| Copper, Dissolved   |    |     | · · · · · · · · · · · · · · · · · · · |   |  |
| Lead, Total         |    |     | < 5.0                                 | EPA 200.8                               |  |
| Lead, Dissolved     |    |     | < 5.0                                 | EPA 200.8D                              |  |
| Mercury, Total      |    |     |                                       |   |  |
| Mercury, Dissolved  |    |     |                                       |   |  |
| Selenium, Total     |    |     |                                       |   |  |
| Selenium, Dissolved |    |     |                                       |   |  |
| Silver, Total       |    |     |                                       |   |  |
| Silver, Dissolved   |    |     |                                       |   |  |
| Zinc, Total         |    |     |                                       |   |  |
| Zinc, Dissolved     |    |     | <del></del>                           |   |  |
| , Total             |    |     |                                       |   |  |
| , Dissolved         |    |     |                                       |   |  |
| , Total             |    |     |                                       |   |  |
| , Dissolved         |    |     | ,                                     |   |  |
| , Total             |    |     |                                       | , |  |
| , Dissolved         |    |     |                                       |   |  |
| , Total             |    |     |                                       | <u> </u>                                |  |
| , Dissolved         |    |     |                                       |   |  |
| , Total             |    |     |                                       |   |  |
| , Dissolved         |    |     |                                       | ,                                       |  |
| <del></del>         |    |     |                                       | <u> </u>                                |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-306   |
| Sample Date          | 6/7/2006 |

# 2-A. Organics (Enter all data in $\mu$ g/I)

| ANALYTE                                       | VALUE †  | ANALYSIS<br>METHOD NUMBER             |  |
|---|----------|---------------------------------------|--|
| Bromoform (Tribromomethane)                   |          |                                       |  |
| Bromomethane (Methyl Bromide)                 | i.       |                                       |  |
| Carbon tetrachloride                          | <u> </u> |                                       |  |
| Chlorobenzene                                 |          |                                       |  |
| Chloroethane (Ethyl Chloride)                 |          |                                       |  |
| Dibromochloromethane (Chlorodibromomethane)   |          |                                       |  |
| Methyl Chloride (Chloromethane)               |          |                                       |  |
| 3-Chloro-I-propene                            |          | 6                                     |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)       |          |                                       |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)       |          |                                       |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)       |          |                                       |  |
| Dichlorodifluoromethane                       |          |                                       |  |
| 1, 2-Dichloropropane (Propylene Dichloride)   |          |                                       |  |
| Cis-1, 3-Dichloropropene                      |          | · · · · · · · · · · · · · · · · · · · |  |
| Trans-1, 3-Dichloropropene                    |          | •                                     |  |
| Methyl Ethyl Ketone (2-Butanone)              |          |                                       |  |
| 4-Methyl-2-pentanone (Methyl Isobutyl Ketone) |          |                                       |  |
| 1,1,1,2-Tetrachloroethane                     |          | <del></del>                           |  |
| 1,1,2,2-Tetrachloroethane                     |          |                                       |  |
| 1,1,2-Trichloroethane                         |          |                                       |  |
| Trichlorofluoromethane (CFC-11)               | -        |                                       |  |
| 1,2,3-Trichloropropane                        |          |                                       |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-306   |
| Sample Date          | 6/7/2006 |

SUBTITLE D - Detection Zone Add-On List: When the MCI of any analyte is exceeded in the detection zone Form 50 monitoring, the following analytes must be monitored annually in the ground water monitoring wells.

### ORGANICS AND METALS (enter all data in ug/l)

|   |                                       | T       |   |
|---|---------------------------------------|---------|---|
| ANALYTE                                     |                                       | VALUE † | ANALYSIS<br>METHOD NUMBER               |
| Acetone                                     |                                       |         |   |
| Acrylonitrile                               |                                       |         |   |
| Bromochloromethane (Chlorobromomethane)     |                                       |         |   |
| Bromodichloromethane (Dichlorobromomethane) |                                       |         |   |
| Carbon Disulfide                            |                                       |         | <del></del>                             |
| Chloroform (Trichloromethane)               |                                       |         |   |
| 1,2-Dibromo-3-Chloropropane (DBCP)          | ,                                     |         | · · · · · · · · · · · · · · · · · · ·   |
| trans-1,4-Dichloro-2-Butene                 | · · · · · · · · · · · · · · · · · · · |         | · · · · · · · · · · · · · · · · · · ·   |
| Methyl butyl ketone (2-Hexanone)            |                                       |         | <del></del>                             |
| Methylene bromide (Dibromomethane)          |                                       |         | <u> </u>                                |
| Methyl lodide (lodomethane)                 |                                       |         |   |
| Styrene                                     |                                       |         |   |
| Vinyl Acetate                               |                                       |         |   |
|   | <u> </u>                              |         |   |
|   | <u>`</u>                              |         |   |
| Antimony, Total                             |                                       |         | * |
| Beryllium, Total                            |                                       |         | ·                                       |
| Cobalt, Total                               |                                       |         | -                                       |
| Nickel, Total                               | •                                     |         |   |
| Thallium, Total                             | <del> </del>                          |         |   |
| Vanadium, Total                             | ·                                     |         |   |
|   |                                       |         |   |
|   |                                       |         |   |
| <del> </del>                                | <u> </u>                              |         |   |

<sup>†</sup>Please indicate detection limit if analyte is not detected

| 100663   | ٠.       |
|----------|----------|
| MW-302   | <u> </u> |
| 6/6/2006 | _        |
|          | MW-302   |

## 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--------------------------|--------------------|---------------------------|
| Benzene                  | 70.4               | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0              | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0              | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0              | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0              | EPA 8260B                 |
| Ethyl Benzene            | 6                  | EPA 8260B                 |
| Methylene chloride       | < 5.0              | EPA 8260B                 |
| Tetrachloroethene        | < 5.0              | EPA 8260B                 |
| Toluene                  | < 5.0              | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0              | EPA 8260B                 |
| Trichloroethene          | < 5.0              | EPA 8260B                 |
| Vinyl chloride           | < 2.0              | EPA 8260B                 |
| Xylene                   | < 5.0              | EPA 8260B                 |
| 4                        |                    |                           |
|                          |                    |                           |
|                          |                    |                           |
|                          |                    | A second                  |
|                          |                    | <del></del>               |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| 100663   |
|----------|
| MW-302   |
| 6/6/2006 |
|          |

1-A. Metals (Enter all data in  $\mu g/l$ ) If initial background analyses or four consecutive annual analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

| ANALYTE             | VALUE | ANALYSIS<br>METHOD NUMBER |
|---------------------|-------|---------------------------|
| Arsenic, Total      | < 10  | EPA 200.8                 |
| Arsenic, Dissolved  | < 10  | EPA 200.8D                |
| Barium, Total       |       |                           |
| Barium, Dissolved   |       | •                         |
| Cadmium, Total      |       |                           |
| Cadmium, Dissolved  |       |                           |
| Chromium, Total     | < 10  | EPA 200.7                 |
| Chromium, Dissolved | < 10  | EPA 200.7D                |
| Copper, Total       |       |                           |
| Copper, Dissolved   |       |                           |
| Lead, Total         | < 5.0 | EPA 200.8                 |
| Lead, Dissolved     | < 5.0 | EPA 200.8D                |
| Mercury, Total      |       |                           |
| Mercury, Dissolved  |       |                           |
| Selenium, Total     |       | , , ,                     |
| Selenium, Dissolved |       |                           |
| Silver, Total       |       |                           |
| Silver, Dissolved   |       |                           |
| Zinc, Total         |       |                           |
| Zinc, Dissolved     |       |                           |
| , Total             |       | ***                       |
| , Dissolved         |       |                           |
| , Total             |       | <del> </del>              |
| , Dissolved         |       |                           |
| , Total             |       |                           |
| , Dissolved         |       |                           |
| , Total             | A.    |                           |
| , Dissolved         |       |                           |
| , Total             |       |                           |
| , Dissolved         |       |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-302   |
| Sample Date          | 6/6/2006 |

## 2-A. Organics (Enter all data in $\mu g/l$ )

|   | and the second second | <u> </u>                  |  |
|---|-----------------------|---------------------------|--|
| ANALYTE                                       | VALUE †               | ANALYSIS<br>METHOD NUMBER |  |
| Bromoform (Tribromomethane)                   |                       |                           |  |
| Bromomethane (Methyl Bromide)                 |                       |                           |  |
| Carbon tetrachloride                          |                       |                           |  |
| Chlorobenzene                                 |                       |                           |  |
| Chloroethane (Ethyl Chloride)                 |                       |                           |  |
| Dibromochloromethane (Chlorodibromomethane)   |                       | 70                        |  |
| Methyl Chloride (Chloromethane)               |                       |                           |  |
| 3-Chloro-i-propene                            |                       |                           |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)       |                       |                           |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)       |                       |                           |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)       |                       |                           |  |
| Dichlorodifluoromethane                       |                       |                           |  |
| 1, 2-Dichloropropane (Propylene Dichloride)   |                       |                           |  |
| Cis-1, 3-Dichloropropene                      |                       |                           |  |
| Trans-1, 3-Dichloropropene                    |                       |                           |  |
| Methyl Ethyl Ketone (2-Butanone)              |                       |                           |  |
| 4-Methyl-2-pentanone (Methyl Isobutyl Ketone) |                       | N.                        |  |
| 1,1,1,2-Tetrachloroethane                     | <del></del>           |                           |  |
| 1,1,2,2-Tetrachloroethane                     |                       |                           |  |
| 1,1,2-Trichloroethane                         |                       |                           |  |
| Trichlorofluoromethane (CFC-11)               |                       |                           |  |
| 1,2,3-Trichloropropane                        | <u> </u>              |                           |  |
|   | <u> </u>              |                           |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| 100663   |
|----------|
| MW-302   |
| 6/6/2006 |
|          |

SUBTITLE D - Detection Zone Add-On List: When the MCI of any analyte is exceeded in the detection zone Form 50 monitoring, the following analytes must be monitored annually in the ground water monitoring wells.

### ORGANICS AND METALS (enter all data in ug/l)

| ANALYTE                                     | VALUE † | ANALYSIS<br>METHOD NUMBER             |
|---|---------|---------------------------------------|
| Acetone                                     |         | 4                                     |
| Acrylonitrile                               |         | · · · · · · · · · · · · · · · · · · · |
| Bromochloromethane (Chlorobromomethane)     |         |                                       |
| Bromodichloromethane (Dichlorobromomethane) |         |                                       |
| Carbon Disulfide                            |         |                                       |
| Chloroform (Trichloromethane)               |         | .,                                    |
| 1,2-Dibromo-3-Chloropropane (DBCP)          |         |                                       |
| trans-1,4-Dichloro-2-Butene                 |         |                                       |
| Methyl butyl ketone (2-Hexanone)            |         | · · · · · · · · · · · · · · · · · · · |
| Methylene bromide (Dibromomethane)          |         | · · · · · · · · · · · · · · · · · · · |
| Methyl lodide (lodomethane)                 |         | <del></del>                           |
| Styrene                                     |         |                                       |
| Vinyl Acetate                               |         | ,                                     |
|   |         | · · · · · · · · · · · · · · · · · · · |
|   | ,       |                                       |
| Antimony, Total                             |         |                                       |
| Beryllium, Total                            |         |                                       |
| Cobalt, Total                               |         | ·                                     |
| Nickel, Total                               |         |                                       |
| Thallium, Total                             |         |                                       |
| Vanadium, Total                             |         |                                       |
|   |         |                                       |
|   |         |                                       |


<sup>†</sup>Please indicate detection limit if analyte is not detected

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-302   |
| Sample Date          | 6/6/2006 |

### 4. Qualitatively Identified Organic Compounds

List at least ten volatile organic compounds not otherwise identified in this section. Their identification should be based upon those compounds showing the greatest apparent concentration from the peaks of a mass spectrum of each sample. These ten compounds shall be identified but the concentration of each is not required.

|                     | Constituent                           |                                       | CAS Number |
|---------------------|---------------------------------------|---------------------------------------|------------|
| 2-Methyl-1-propanol |                                       |                                       |            |
| Chlorobenzene       |                                       |                                       |            |
| Ethyl ether         |                                       | · · · ·                               |            |
| Isopropylbenzene    |                                       |                                       |            |
| n-Propylbenzene     |                                       |                                       |            |
| Tetrahydrofuran     |                                       |                                       |            |
|                     |                                       |                                       |            |
|                     |                                       | San Francisco                         |            |
|                     |                                       | ,                                     |            |
|                     |                                       |                                       |            |
|                     |                                       |                                       |            |
|                     |                                       |                                       |            |
|                     |                                       |                                       |            |
|                     |                                       |                                       |            |
|                     | · · · · · · · · · · · · · · · · · · · | · .                                   |            |
|                     |                                       | · · · · · · · · · · · · · · · · · · · |            |
| ·                   |                                       |                                       | _          |
|                     |                                       |                                       |            |
|                     |                                       |                                       |            |





Date Prepared/Revised 6/29/2006 DER-USE ONLY/S Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |  |
|---|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  | 258.   |
| SECTION A SI  | EIDENTIFIER  |
| Applicant/permitee: Kelly Run Sanitation  |  |
| Site Name: Kelly Run Sanitation   |  |
| Facility ID (as issued by DEP): 100663  |  |
| SECTION B FACILI  |  |
| Monitoring wells must be designed and constructed in accordan LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTI | ce with Department standards. INDICATE THE H OF A SECOND (DD <sup>0</sup> MM' SS SS'') |
| Monitoring Point Number: MW-303R  | ☑ Well ☐ Spring ☐ Stream ☐ Other   |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream  |
| Location: County Allegheny  | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 14 ' 55 61 "   | Longitude: 79 ° 53 ' 4 62 "  |
| Depth to Water Level: NA fl   | Measured from: ☐ Land Surface ☐ TOC  |
| Casing Stick Up: 1.97 fl  | Elevation of Water Level: NA ft./MSL   |
| Sampling Depth: NA fl   | Volume of Water Column: NA gal.  |
| Total Well Depth: NA ft.  | Sampling Method:   |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: NA  |
| Sample Field Filtered (must be 0.45 micron)?   Yes  | No   |
| Spring Flow Rate: GPM   |  |
| Sample Date (mm/dd/yy): 06/05/06  | Sample Collection Time: 12:47  |
| Sample Collector's Name: C. Salmon - G. Stewart   |  |
| Sample Collector's Affiliation: Beran Environmental   |  |
| _aboratoy(ies) Performing Analysis: Geochemical Testing   |  |
| Were any holding times exceeded? ☐ Yes ☑ No If yes,   | please explain in comments field.  |
| _ab Certification Number(s): E87642FL and 56-306PA  |  |
| _ab Sample Number: G0606125-004 F   | inal Lab Analysis Completion Date: 6/21/2006   |
| Name/Affiliation of Person who Filled out FormGeochemical   | <del></del>  |
| Comments: Clear,  |  |
|   |  |
|   |  |
|   |  |

| 100663   |
|----------|
| MW-303R  |
| 6/5/2006 |
|          |

#### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | 1.64    | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 710     | SM4500-CO2D               |
| Calcium, Total*                              | 210     | EPA 200.7                 |
| Calcium, Dissolved**                         | ,       |                           |
| Chemical Oxygen Demand*                      | < 10    | HACH 8000                 |
| Chloride*                                    | 14      | EPA 300.0                 |
| Fluoride                                     | 0.2     | EPA 300.0                 |
| lron (μg/l), Total                           | 4940    | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |         |                           |
| Magnesium, Total*                            | 47.7    | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (µg/l), Total*                     | 840     | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                |         |                           |
| Nitrate-Nitrogen                             | < 0.05  | EPA 300.0                 |
| pH (standard units), Field*                  | 7.34    |                           |
| pH (standard units), Laboratory*             | 7.25    | SM4500-H+B                |
| Potassium, Total*                            | 4.9     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 15.3    | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (µmhos/cm), Field*      | 1223    |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 1180    | EPA 120.1                 |
| Sulfate*                                     | 32      | EPA 300.0                 |
| Total Alkalinity*                            | · 711   | SM 18 2320B               |
| Total Dissolved Solids                       | 742     | SM2540-C                  |
| Total Organic Carbon*                        | 4.4     | SM 19 5310-C              |
| Γotal Phenolics (μg/l)                       | < 10.0  | EPA 420.1                 |
| Furbidity (NTU)                              | 13.9    | EPA 180.1                 |
|  |         |                           |
|  |         |                           |

Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-303R  |
| Sample Date          | 6/5/2006 |
|                      |          |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | 10.4    | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          | · .     |                           |
|                          |         |                           |
|                          | ^-      |                           |
|                          |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No              | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-303R  |
| Sample Date          | 6/5/2006 |

1-A. Metals (Enter all data in  $\mu g/I$ ) If initial background analyses or four consecutive annual analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

| ANALYTE             | VALUE   | ANALYSIS<br>METHOD NUMBER |
|---------------------|---------|---------------------------|
| Arsenic, Total      | < 10    | EPA 200.8                 |
| Arsenic, Dissolved  | < 10    | EPA 200.8D                |
| Barium, Total       |         |                           |
| Barium, Dissolved   |         |                           |
| Cadmium, Total      |         |                           |
| Cadmium, Dissolved  | •       |                           |
| Chromium, Total     | · < 10· | EPA 200.7                 |
| Chromium, Dissolved | < 10    | EPA 200.7D                |
| Copper, Total       | ·       |                           |
| Copper, Dissolved   | • .     |                           |
| Lead, Total         | < 5.0   | EPA 200.8                 |
| Lead, Dissolved     | < 5.0   | EPA 200.8D                |
| Mercury, Total      |         |                           |
| Mercury, Dissolved  |         |                           |
| Selenium, Total     |         | ,                         |
| Selenium, Dissolved |         |                           |
| Silver, Total       |         |                           |
| Silver, Dissolved   |         |                           |
| Zinc, Total         |         |                           |
| Zinc, Dissolved     |         |                           |
| , Total             | -       |                           |
| , Dissolved         |         |                           |
| , Total             |         |                           |
| , Dissolved         |         | 9                         |
| , Total             |         |                           |
| , Dissolved         |         |                           |
| , Total             |         |                           |
| , Dissolved         |         |                           |
| , Total             |         |                           |
| , Dissolved         |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-303R  |
| Sample Date          | 6/5/2006 |

### 2-A. Organics (Enter all data in $\mu g/I$ )

| <del></del> |                                       |
|-------------|---------------------------------------|
| VALUE †     | ANALYSIS<br>METHOD NUMBER             |
|             |                                       |
| ,           |                                       |
| ,           |                                       |
|             |                                       |
|             |                                       |
|             |                                       |
|             |                                       |
|             | ,                                     |
|             | · .                                   |
|             |                                       |
|             |                                       |
|             |                                       |
|             |                                       |
| ,           |                                       |
|             |                                       |
|             |                                       |
|             |                                       |
|             | , , , , , , , , , , , , , , , , , , , |
| 2           |                                       |
|             | ,                                     |
|             |                                       |
|             |                                       |
|             | VALUE †                               |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| 100663   |
|----------|
| MW-211R1 |
| 6/5/2006 |
|          |

#### **ANALYTES**

## 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                     | VALUE .† | ANALYSIS<br>METHOD NUMBER |
|---|----------|---------------------------|
| Ammonia-Nitrogen*                           | 4.83     | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*       | 224      | SM4500-CO2D               |
| Calcium, Total*                             | 218      | EPA 200.7                 |
| Calcium, Dissolved**                        |          |                           |
| Chemical Oxygen Demand*                     | 57       | HACH 8000                 |
| Chloride*                                   | 1230     | EPA 300.0                 |
| Fluoride                                    | < 0.1    | EPA 300.0                 |
| ron (µg/I), Total                           | 47200    | EPA 200.7                 |
| ron (µg/l), Dissolved**                     |          |                           |
| Magnesium, Total*                           | 88.6     | EPA 200.7                 |
| Magnesium, Dissolved**                      |          |                           |
| Manganese (µg/l), Total*                    | 980      | EPA 200.7                 |
| Manganese (µg/l), Dissolved**               |          |                           |
| Nitrate-Nitrogen                            | < 0.05   | EPA 300.0                 |
| pH (standard units), Field*                 | 6.26     |                           |
| H (standard units), Laboratory*             | 6.21     | SM4500-H+B                |
| Potassium, Total*                           | 9.1      | EPA 200.7                 |
| Potassium, Dissolved**                      |          |                           |
| Sodium, Total*                              | 728      | EPA 200.7                 |
| Sodium, Dissolved**                         |          |                           |
| pecific Conductance (µmhos/cm), Field*      | 4780     |                           |
| pecific Conductance (µmhos/cm), Laboratory* | 4290     | EPA 120.1                 |
| ulfate*                                     | . 447    | EPA 300.0                 |
| otal Alkalinity*                            | 224      | SM 18 2320B               |
| otal Dissolved Solids                       | 2660     | SM2540-C                  |
| otal Organic Carbon*                        | 14.8     | SM 19 5310-C              |
| otal Phenolics (µg/I)                       | < 10.0   | EPA 420.1                 |
| urbidity (NTU)                              | 18.2     | EPA 180.1                 |
|   |          |                           |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | . 100663 |
|----------------------|----------|
| Monitoring Point No. | MW-211R1 |
| Sample Date          | 6/5/2006 |

### 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          | 9       |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         | <del></del>               |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-211R1 |
| Sample Date          | 6/5/2006 |

1-A. Metals (Enter all data in  $\mu g/l$ ) If initial background analyses or four consecutive annual analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

| ANALYTE             | VALUE                                  | ANALYSIS<br>METHOD NUMBER                        |
|---------------------|--|--|
| Arsenic, Total      | < 10                                   | EPA 200.8  |
| Arsenic, Dissolved  | < 10                                   | EPA 200.8D                                       |
| Barium, Total       |  |  |
| Barium, Dissolved   |  |  |
| Cadmium, Total      |  |  |
| Cadmium, Dissolved  |  |  |
| Chromium, Total     | < 10                                   | EPA 200.7  |
| Chromium, Dissolved | < 10                                   | EPA 200.7D                                       |
| Copper, Total       |  |  |
| Copper, Dissolved   | <u> </u>                               | <u> </u>   |
| Lead, Total         | < 5.0                                  | EPA 200.8  |
| Lead, Dissolved     | < 5.0                                  | EPA 200.8D                                       |
| Mercury, Total      |  |  |
| Mercury, Dissolved  |  |  |
| Selenium, Total     |  |  |
| Selenium, Dissolved |  |  |
| Silver, Total       |  |  |
| Silver, Dissolved   |  | · · · · · · · · · · · · · · · · · · ·            |
| Zinc, Total         | ······································ | · · · · · · · · · · · · · · · · · · ·            |
| Zinc, Dissolved     |  |  |
| , Total             | <del></del>                            |  |
| , Dissolved         | <del></del>                            |  |
| , Total             |  | <del>                                     </del> |
| , Dissolved         |  |  |
| , Total             |  |  |
| , Dissolved         |  |  |
| , Total             |  |  |
| , Dissolved         |  | · ·  |
| , Total             |  | <del></del>                                      |
| , Dissolved         |  | <del></del>                                      |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-211R1 |
| Sample Date          | 6/5/2006 |

## 2-A. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                                       | VALUE † | ANALYSIS<br>METHOD NUMBER  |
|---|---------|--|
| Bromoform (Tribromomethane)                   |         |  |
| Bromomethane (Methyl Bromide)                 |         |  |
| Carbon tetrachloride                          |         |  |
| Chlorobenzene                                 |         |  |
| Chloroethane (Ethyl Chloride)                 |         |  |
| Dibromochloromethane (Chlorodibromomethane)   |         |  |
| Methyl Chloride (Chloromethane)               |         |  |
| 3-Chloro-I-propene                            | ,       |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)       |         |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)       |         |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)       |         |  |
| Dichlorodifluoromethane                       |         |  |
| 1, 2-Dichloropropane (Propylene Dichloride)   | :       | No. of the second secon |
| Cis-1, 3-Dichloropropene                      |         |  |
| Trans-1, 3-Dichloropropene                    |         |  |
| Methyl Ethyl Ketone (2-Butanone)              |         |  |
| 4-Methyl-2-pentanone (Methyl Isobutyl Ketone) |         | <u> </u>   |
| 1,1,1,2-Tetrachloroethane                     |         |  |
| 1,1,2,2-Tetrachloroethane                     |         |  |
| 1,1,2-Trichloroethane                         |         |  |
| Trichlorofluoromethane (CFC-11)               |         |  |
| 1,2,3-Trichloropropane                        |         |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-211R1 |
| Sample Date          | 6/5/2006 |

SUBTITLE D - Detection Zone Add-On List: When the MCI of any analyte is exceeded in the detection zone Form 50 monitoring, the following analytes must be monitored annually in the ground water monitoring wells.

# ORGANICS AND METALS (enter all data in ug/l)

| ANALYTE                                     | . •           |              | VALUE  | †                  |  | ANALY<br>HOD N |              | R  |
|---|---------------|--------------|--|--------------------|--|----------------|--------------|--|
| Acetone                                     | 4             |              |  |                    |  |                |              |  |
| Acrylonitrile                               | <del>-,</del> | <del> </del> | <u> </u>   | <del></del>        | <del> </del>                                     | · .            | · <u>-</u> - | <del></del>                                  |
| Bromochloromethane (Chlorobromomethane)     | •             |              |  | <del>,</del>       | <del>                                     </del> |                |              |  |
| Bromodichloromethane (Dichlorobromomethane) |               |              |  |                    | <del> </del>                                     |                |              | ·  |
| Carbon Disulfide                            |               | -            | <del></del>                                      | ·                  | -  | .:             |              |  |
| Chloroform (Trichloromethane)               | <del></del>   | . "          | <del>-                                    </del> |                    | <del>                                     </del> |                |              | <del>'</del>                                 |
| 1,2-Dibromo-3-Chloropropane (DBCP)          |               |              | <del></del>                                      |                    | <del>                                     </del> |                |              | <del></del>                                  |
| trans-1,4-Dichloro-2-Butene                 |               | · · ·        |  |                    | <del> </del>                                     |                | <u></u>      |  |
| Methyl butyl ketone (2-Hexanone)            |               |              |  | <del></del>        |  |                |              | <del>:</del>                                 |
| Methylene bromide (Dibromomethane)          | <del></del>   |              | <del>- ;</del>                                   | <del></del>        |  |                | •            | <del></del>                                  |
| Methyl lodide (lodomethane)                 |               | :            | <del></del>                                      | <del></del> -      |  |                |              |  |
| Styrene                                     |               |              |  |                    |  | <u> </u>       |              | <u> </u>                                     |
| Vinyl Acetate                               |               |              | 10   |                    |  | · :            | ·            |  |
|   |               |              | <del></del>                                      |                    | · · · · · · · · · · · · · · · · · · ·            | <del></del>    |              |  |
|   |               |              | <del></del>                                      |                    | <del> </del>                                     |                |              | <u>.                                    </u> |
| Antimony, Total                             |               | , .          |  | <del>- · · ·</del> |  |                | <u> </u>     |  |
| Beryllium, Total                            |               |              | <u> </u>   | <del></del>        | · · ·  |                |              |  |
| Cobalt, Total                               |               |              | <del></del>                                      |                    |  | <del></del>    |              | <del></del>                                  |
| Nickel, Total                               |               |              |  |                    |  |                |              | <del>.</del>                                 |
| Thallium, Total                             |               |              | *  |                    |  |                |              |  |
| /anadium, Total                             |               |              |  | <del></del>        |  | <del></del>    | <del></del>  |  |
|   |               | •            |  | <del></del>        |  | <del></del>    |              | <del>.</del>                                 |
|   |               | <del></del>  | <del></del>                                      | <del></del>        | · · · · · · · · · · · · · · · · · · ·            | <del></del>    |              |  |

<sup>†</sup>Please indicate detection limit if analyte is not detected

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-211R1 |
| Sample Date          | 6/5/2006 |


# 4. Qualitatively Identified Organic Compounds

List at least ten volatile organic compounds not otherwise identified in this section. Their identification should be based upon those compounds showing the greatest apparent concentration from the peaks of a mass spectrum of each sample. These ten compounds shall be identified but the concentration of each is not required.

|                                       |                                       | 1                                     |
|---------------------------------------|---------------------------------------|---------------------------------------|
|                                       | Constituent                           | CAS Number                            |
|                                       |                                       | <u> </u>                              |
| Ethyl Ether                           | · · · · · · · · · · · · · · · · · · · |                                       |
| Propiolonitrile                       |                                       |                                       |
|                                       |                                       |                                       |
|                                       | <del></del>                           |                                       |
|                                       |                                       |                                       |
|                                       |                                       |                                       |
|                                       |                                       |                                       |
|                                       |                                       |                                       |
|                                       | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |                                       |
|                                       |                                       |                                       |
|                                       |                                       |                                       |
|                                       |                                       |                                       |
|                                       |                                       |                                       |
|                                       |                                       | · · · · · · · · · · · · · · · · · · · |
|                                       |                                       |                                       |
|                                       |                                       |                                       |
| · · · · · · · · · · · · · · · · · · · |                                       |                                       |
|                                       |                                       |                                       |
|                                       |                                       |                                       |
|                                       |                                       |                                       |

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
RECYCLING AND WASTE MANAGEMENT






# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |  |
|---|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  |  |
| SECTION A SIT   | EIDENTIFIER  |
| Applicant/permitee: Kelly Run Sanitation  |  |
| Site Name: Kelly Run Sanitation   |  |
| Facility ID (as issued by DEP): 100663  | The Control of the Co |
| SECTION B. FACILITY  Monitoring wells must be designed and constructed in a second                              | TY INFORMATION   |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH | Committee the standards. INDICATE THE SECOND (DDO MM) SO SON   |
| Monitoring Point Number: MW-212   | ☑ Well ☐ Spring ☐ Stream ☐ Other   |
|   | ☐ Upgradient/Upstream ☐ Downgradient/Downstream  |
| Location: County Allegheny  | Municipality: Township of Forward  |
| Sampling Point: Latitude:   | Longitude: ° ' "   |
| Depth to Water Level:   | Measured from: ☐ Land Surface ☐ TOC  |
| Casing Stick Up:  |  |
| Sampling Depth:   | Values of Water O. I.  |
| Total Well Depth: 255.20 ft.  | Volume of Water Column: gal.   |
| Well Purged: ☑ Yes ☐ No   | Sampling Method: Pumped Bailed Gral  |
| Sample Field Filtered (must be 0.45 micron)?  Yes   | Well Volumes Purged:   |
| Spring Flow Rate: GPM   | No   |
| Sample Date (mm/dd/yy):   | Carrata Calle it after   |
| Sample Collector's Name: C. Salmon - G. Stewart   | Sample Collection Time:  |
|   |  |
|   |  |
| aboratoy(ies) Performing Analysis: Geochemical Testing  |  |
|   | elease explain in comments field.  |
| ab Certification Number(s): E87642FL and 56-306PA   |  |
|   | nal Lab Analysis Completion Date:  |
| lame/Affiliation of Person who Filled out Form Geochemical  | Testing  |
| comments: Dry.  |  |
|   |  |
|   |  |



# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT



# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284  |   |
|--|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part   |   |
| SECTION:A: SI  | TE IDENTIFIER                                   |
| Applicant/permitee: Kelly Run Sanitation   |   |
| Site Name: Kelly Run Sanitation  |   |
| Facility ID (as issued by DEP): 100663   |   |
| SECTION B. FACILI  | TYINFORMATION                                   |
| Monitoring wells must be designed and constructed in accordan LATITUDE AND LONGITUDE TO THE NEAREST ONE TENT | ce with Department standards. INDICATE THE      |
| Monitoring Point Number: MW-213R   |   |
| <u> 2131,</u>  |   |
| Location: County Allegheny   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream |
| Consider Data Latte Late   | Municipality: Township of Forward               |
| Death to M. I.   | Longitude: 79 ° 53 ' 4 . 20 "                   |
|  | Measured from: ☐ Land Surface ☐ TOC             |
| <del></del>  | Elevation of Water Level: 850.87 ft./MSL        |
| Sampling Depth: NA fl  | Volume of Water Column: 5.10 gal.               |
| Total Well Depth: 162.34 ft.   | Sampling Method: ☑ Pumped ☐ Bailed ☐ Grab       |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: 0.24                       |
| Sample Field Filtered (must be 0.45 micron)?   | l No  |
| Spring Flow Rate:GPM   |   |
| Sample Date (mm/dd/yy): 06/08/06   | Sample Collection Time: 09:35                   |
| Sample Collector's Name: C. Salmon - G. Stewart  |   |
| Sample Collector's Affiliation: Beran Environmental  |   |
| _aboratoy(ies) Performing Analysis: Geochemical Testing  |   |
| Were any holding times exceeded?   Yes   No If yes, p  | please explain in comments field.               |
| ab Certification Number(s): E87642FL and 56-306PA  |   |
| ah O / N   | inal Lab Analysis Completion Date: 6/22/2006    |
| Name/Affiliation of Person who Filled out FormGeochemical  | •   |
| Comments: Clear - Slight odor.   |   |
|  |   |
|  |   |
|  |   |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-213R  |
| Sample Date          | 6/8/2006 |

#### **ANALYTES**

# 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                     | VALUE †         | ANALYSIS<br>METHOD NUMBER |
|---|-----------------|---------------------------|
| Ammonia-Nitrogen*                           | 0.38            | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*       | 747             | SM4500-CO2D               |
| Calcium, Total*                             | 34.4            | EPA 200.7                 |
| Calcium, Dissolved**                        |                 | LI A 200.1                |
| Chemical Oxygen Demand*                     | 11              | HACH 8000                 |
| Chloride*                                   | 368             | EPA 300.0                 |
| Fluoride                                    | < 0.1           | EPA 300.0                 |
| ron (μg/l), Total                           | 640             | EPA 200.7                 |
| ron (μg/l), Dissolved**                     |                 | LI A 200.1                |
| Magnesium, Total*                           | 19.4            | EPA 200.7                 |
| Magnesium, Dissolved**                      | 10.7            | EFA 200.7                 |
| Manganese (µg/l), Total*                    | 170             | EPA 200.7                 |
| Manganese (µg/l), Dissolved**               |                 | EPA 200.1                 |
| Nitrate-Nitrogen                            | < 0.05          | EPA 300.0                 |
| pH (standard units), Field*                 | 6.81            | EPA 300.0                 |
| oH (standard units), Laboratory*            | 8.55            | SM4500-H+B                |
| Potassium, Total*                           | 3.3             | <del>+</del>              |
| Potassium, Dissolved**                      | - 0.0           | EPA 200.7                 |
| Sodium, Total*                              | 568             | EDA 000 7                 |
| odium, Dissolved**                          | 300             | EPA 200.7                 |
| pecific Conductance (µmhos/cm), Field*      | 2510            |                           |
| pecific Conductance (µmhos/cm), Laboratory* | 2530            | EDA 400.4                 |
| ulfate*                                     | 73              | EPA 120.1                 |
| otal Alkalinity*                            | 772             | EPA 300.0                 |
| otal Dissolved Solids                       | ·· <del>·</del> | SM 18 2320B               |
| otal Organic Carbon*                        | 1380            | SM2540-C                  |
| otal Phenolics (µg/l)                       | 5               | SM 19 5310-C              |
| urbidity (NTU)                              | < 10.0          | EPA 420.1                 |
|   | 5.3             | EPA 180.1                 |
|   | <del></del>     |                           |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-213R  |
| Sample Date          | 6/8/2006 |

## 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          | · .     |                           |
|                          |         |                           |
|                          |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.



# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

Date Prepared/Revised 6/30/2006 DEP/USE/ONISY Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |
|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.   |
| SECTION A SITE DENTIFIER  |
| Applicant/permitee: Kelly Run Sanitation  |
| Site Name: Kelly Run Sanitation   |
| Facility ID (as issued by DEP): 100663  |
| SECTION B. FACILITY INFORMATION   |
| Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DDO MM' SS.SS"). |
|   |
| Monitoring Point Number: MW-214 ☑ Well ☐ Spring ☐ Stream ☐ Other  |
| ☐ Upgradient/Upstream ☐ Downgradient/Downstream   |
| Location: County Allegheny Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 14 ' 34 . 20 " Longitude: 79 ° 53 ' 17 . 20 "  |
| Depth to Water Level: 184.00 fl Measured from: ☐ Land Surface ☐ TOC   |
| Casing Stick Up: 1.20 ft Elevation of Water Level: 851.72 ft./MSL   |
| Sampling Depth: NA fl Volume of Water Column; 1.70 gal.   |
| Total Well Depth: 186.62 ft. Sampling Method: ☑ Pumped ☐ Bailed ☐ Grab  |
| Well Purged: ☑ Yes ☐ No Well Volumes Purged: 0.40   |
| Sample Field Filtered (must be 0.45 micron)?  |
| Spring Flow Rate: GPM   |
| Sample Date (mm/dd/yy): 06/08/06 Sample Collection Time: 10:40  |
| Sample Collector's Name: C. Salmon - G. Stewart   |
| Sample Collector's Affiliation: Beran Environmental   |
| Laboratoy(ies) Performing Analysis: Geochemical Testing   |
| Were any holding times exceeded?   Yes  No If yes, please explain in comments field.  |
| Lab Certification Number(s): E87642FL and 56-306PA  |
| Lab Sample Number: G0606196-001 Final Lab Analysis Completion Date: 6/22/2006   |
| Name/Affiliation of Person who Filled out FormGeochemical Testing   |
| Comments: Slight odor.  |
|   |
|   |
|   |

| I.D. No.             | 100663   |    |
|----------------------|----------|----|
| Monitoring Point No. | MW-214   | -  |
| Sample Date          | 6/8/2006 | _[ |

### **ANALYTES**

#### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--|---------|---------------------------|
| Ammonia-Nitrogen*                            | 0.74    | EPA 350.1D                |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 219     | SM4500-CO2D               |
| Calcium, Total*                              | 208     | EPA 200.7                 |
| Calcium, Dissolved**                         |         | · · ·                     |
| Chemical Oxygen Demand*                      | 14      | HACH 8000                 |
| Chloride*                                    | 103     | EPA 300.0                 |
| Fluoride                                     | 0.4     | EPA 300.0                 |
| Iron (μg/I), Total                           | 120000  | EPA 200.7                 |
| Iron (µg/I), Dissolved**                     |         |                           |
| Magnesium, Total*                            | 61      | EPA 200.7                 |
| Magnesium, Dissolved**                       |         |                           |
| Manganese (μg/l), Totai*                     | 990     | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                |         |                           |
| Nitrate-Nitrogen                             | < 0.05  | EPA 300.0                 |
| pH (standard units), Field*                  | 6.2     |                           |
| pH (standard units), Laboratory*             | 6.22    | SM4500-H+B                |
| Potassium, Total*                            | 4.8     | EPA 200.7                 |
| Potassium, Dissolved**                       |         |                           |
| Sodium, Total*                               | 274     | EPA 200.7                 |
| Sodium, Dissolved**                          |         |                           |
| Specific Conductance (umhos/cm), Field*      | 2500    |                           |
| Specific Conductance (umhos/cm), Laboratory* | 2300    | EPA 120.1                 |
| Sulfate*                                     | 1130    | EPA 300.0                 |
| Total Alkalinity*                            | 219     | SM 18 2320B               |
| Total Dissolved Solids                       | 1870    | SM2540-C                  |
| Total Organic Carbon*                        | 3.3     | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | < 10.0  | EPA 420.1                 |
| Turbidity (NTU)                              | 91      | EPA 180.1                 |
|  |         |                           |
|  |         |                           |

Indicator Analyte - For comparison with detection zone analytes.

The Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4).
 Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-214   |
| Sample Date          | 6/8/2006 |


### 2-Q. Organics (Enter all data in $\mu g/l$ )

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| /inyl chloride           | < 2.0   | EPA 8260B                 |
| Kylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          |         |                           |
|                          |         | <del></del>               |
|                          |         |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT





# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 258.  |  |  |
|--|--|--|
| Applicant/permitee: Kelly Run Sanitation  Site Name: Kelly Run Sanitation  SECTIONE: FACISITY INFORMATION  Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE  LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM'SS.SS").  Monitoring Point Number: MW-301R   | General References: Section 273.284                    |  |
| Applicant/permitee: Kelly Run Sanitation  Site Name: Kelly Run Sanitation  Facility ID (as issued by DEP): 100663  SECTION IB: FACILITY INFORMATION  Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.SS").  Monitoring Point Number: MW-301R   |  | State of the state |
| Site Name: Kelly Run Sanitation Facility ID (as issued by DEP): 100663    SECTION IB: FACILITY INFORMATION   |  | CIUCINIAICA  |
| Secrility ID (as issued by DEP): 100663   SECTION.B. FACILITY/INFORMATION  |  |  |
| Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (D0° MM' SS.SS").  Monitoring Point Number: MW-301R  |  |  |
| Monitoring wells must be designed and constructed in accordance with Department standards. INDICATE THE LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.SS").  Monitoring Point Number: MW-301R  |  | VILLONGIA  |
| LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH OF A SECOND (DD° MM' SS.SS").  Monitoring Point Number: MW-301R  |  |  |
| Upgradient/Upstream ☐ Downgradient/Downstream  Location: County Allegheny Municipality: Township of Forward  Sampling Point: Latitude: 40 ° 15 ' 10 . 90 " Longitude: 79 ° 53 ' 14 . 30 "  Depth to Water Level:ft Measured from: ☐ Land Surface ☑ TOC  Casing Stick Up: 2.00 ft Elevation of Water Level:ft./MSL  Sampling Depth:ft Volume of Water Column:gai  Fotal Well Depth: 135.85 ft. Sampling Method: ☐ Pumped ☑ Bailed ☐ Gri  Well Purged: ☑ Yes ☐ No Well Volumes Purged:  Sample Field Filtered (must be 0.45 micron)? ☐ Yes ☑ No  Spring Flow Rate:GPM  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  aboratoy(ies) Performing Analysis:Geochemical Testing  Vere any holding times exceeded? ☐ Yes ☑ No If yes, please explain in comments field.  ab Sample Number: Final Lab Analysis Completion Date:   | LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH        | OF A SECOND (DDO MM' SS.SS").  |
| Upgradient/Upstream ☐ Downgradient/Downstream  Location: County Allegheny Municipality: Township of Forward  Sampling Point: Latitude: 40 ° 15 ' 10 90 " Longitude: 79 ° 53 ' 14 30 "  Depth to Water Level: ff Measured from: ☐ Land Surface ☑ TOC  Casing Stick Up: 2.00 ft Elevation of Water Level:  | Monitoring Point Number: MW-301R                       | ☑ Well ☐ Spring ☐ Stream ☐ Other   |
| Municipality: Township of Forward  |  |  |
| Sampling Point: Latitude: 40 ° 15 ' 10 . 90 " Longitude: 79 ° 53 ' 14 . 30 "  Depth to Water Level: ft Measured from:  Land Surface  TOC  Casing Stick Up: 2.00 ft Elevation of Water Level: ft./MSL  Sampling Depth: ft Volume of Water Column: gai  Total Well Depth: 135.85 ft. Sampling Method:  Pumped  Bailed  Gri  Well Purged:  Yes  No Well Volumes Purged:  Sample Field Filtered (must be 0.45 micron)? Yes  No  Spring Flow Rate: GPM  Sample Date (mm/dd/yy): Sample Collection Time:  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  Laboratoy(ies) Performing Analysis: Geochemical Testing  Vere any holding times exceeded? Yes No If yes, please explain in comments field.  Labo Certification Number(s): E87642FL and 56-306PA  Lab Sample Number: Final Lab Analysis Completion Date: Lame/Affiliation of Person who Filled out Form Geochemical Testing | Location: County Allegheny                             |  |
| Depth to Water Level:ff  | Sampling Point: Latitude: 40 ° 15 ' 10 . 90 "          |  |
| Casing Stick Up: 2.00 fl Elevation of Water Level:ft./MSL  Sampling Depth:ft   | Depth to Water Level:ft                                | · · · · · · · · · · · · · · · · · · ·  |
| Sampling Depth:  | Casing Stick Up: 2.00 ft                               |  |
| Fotal Well Depth: 135.85 ft. Sampling Method: Pumped Bailed Grid Well Purged: Yes No Well Volumes Purged: No Well Volumes Purged: No Sample Field Filtered (must be 0.45 micron)? Yes No Spring Flow Rate: GPM Sample Date (mm/dd/yy): Sample Collection Time: Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental suboratoy(ies) Performing Analysis: Geochemical Testing  Vere any holding times exceeded? Yes No If yes, please explain in comments field.  ab Certification Number(s): E87642FL and 56-306PA  ab Sample Number: Final Lab Analysis Completion Date: Imme/Affiliation of Person who Filled out Form Geochemical Testing  | Sampling Depth: ft                                     | <del></del>  |
| Well Purged:   | Fotal Well Depth: 135.85 ft.                           |  |
| Spring Flow Rate: GPM  Sample Date (mm/dd/yy): Sample Collection Time:  Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  aboratoy(ies) Performing Analysis: Geochemical Testing  Vere any holding times exceeded? Yes No If yes, please explain in comments field.  ab Certification Number(s): E87642FL and 56-306PA  ab Sample Number: Final Lab Analysis Completion Date:  Jame/Affiliation of Person who Filled out Form Geochemical Testing  | Nell Purged: ☑ Yes ☐ No                                |  |
| Sample Date (mm/dd/yy):  Sample Collector's Name:  C. Salmon - G. Stewart  Sample Collector's Affiliation:  Beran Environmental  aboratoy(ies) Performing Analysis:  Geochemical Testing  Vere any holding times exceeded?  Yes  No If yes, please explain in comments field.  ab Certification Number(s): E87642FL and 56-306PA  ab Sample Number:  Final Lab Analysis Completion Date:  Jame/Affiliation of Person who Filled out Form  Geochemical Testing  | Sample Field Filtered (must be 0.45 micron)?  Yes      | No   |
| Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  aboratoy(ies) Performing Analysis: Geochemical Testing  Vere any holding times exceeded? Yes No If yes, please explain in comments field.  ab Certification Number(s): E87642FL and 56-306PA  ab Sample Number: Final Lab Analysis Completion Date:  Jame/Affiliation of Person who Filled out Form Geochemical Testing  | Spring Flow Rate: GPM                                  |  |
| Sample Collector's Name: C. Salmon - G. Stewart  Sample Collector's Affiliation: Beran Environmental  aboratoy(ies) Performing Analysis: Geochemical Testing  Vere any holding times exceeded? Yes No If yes, please explain in comments field.  ab Certification Number(s): E87642FL and 56-306PA  ab Sample Number: Final Lab Analysis Completion Date:  Jame/Affiliation of Person who Filled out Form Geochemical Testing  | Sample Date (mm/dd/yy):                                | Sample Collection Time:  |
| aboratoy(ies) Performing Analysis: Geochemical Testing  Vere any holding times exceeded? Yes No If yes, please explain in comments field.  ab Certification Number(s): E87642FL and 56-306PA  ab Sample Number: Final Lab Analysis Completion Date:  Jame/Affiliation of Person who Filled out Form Geochemical Testing  | Sample Collector's Name: C. Salmon - G. Stewart        |  |
| Vere any holding times exceeded?   | Sample Collector's Affiliation: Beran Environmental    |  |
| ab Certification Number(s): E87642FL and 56-306PA  ab Sample Number: Final Lab Analysis Completion Date:  lame/Affiliation of Person who Filled out Form Geochemical Testing   | aboratoy(ies) Performing Analysis: Geochemical Testing |  |
| ab Certification Number(s): E87642FL and 56-306PA  ab Sample Number: Final Lab Analysis Completion Date:  Iame/Affiliation of Person who Filled out Form Geochemical Testing   | Vere any holding times exceeded? ☐ Yes ☑ No If yes, p  | lease explain in comments field.   |
| lame/Affiliation of Person who Filled out Form Geochemical Testing   |  |  |
| lame/Affiliation of Person who Filled out Form Geochemical Testing   | ab Sample Number:Fir                                   | nal Lab Analysis Completion Date:  |
| <u> </u>   |  |  |
|  | comments: Insufficient water to purge and sample.      |  |
|  |  |  |



# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

Date Prepared/Revised
6/29/2006
DEP USE ONLY
Date Received

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284   |  |
|---|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part 2  | 258.   |
| SECTION'A SIT   | E IDENTIFIER   |
| Applicant/permitee: Kelly Run Sanitation  |  |
| Site Name: Kelly Run Sanitation   |  |
| Facility ID (as issued by DEP): 100663  |  |
| SECTION B. FACILIT  |  |
| Monitoring wells must be designed and constructed in accordance LATITUDE AND LONGITUDE TO THE NEAREST ONE TENTH | ce with Department standards. INDICATE THE                 |
|   |  |
| Monitoring Point Number: MW-302   | ☑ Well ☐ Spring ☐ Stream ☐ Other                           |
|   | ☐ Upgradient/Upstream ☑ Downgradient/Downstream            |
| Location: County Allegheny  | Municipality: Township of Forward                          |
| Sampling Point: Latitude: 40 ° 14 ' 52 . 18 "   | Longitude: <u>79</u> ° <u>53</u> ' <u>13</u> . <u>77</u> " |
| Depth to Water Level: 149.00 ft   | Measured from: ☐ Land Surface ☐ TOC                        |
| Casing Stick Up: 1.79 fl  | Elevation of Water Level: 1005.41 ft./MSL                  |
| Sampling Depth: NA fl   | Volume of Water Column: 13.80 gal.                         |
| Total Well Depth: 170.26 ft.  | Sampling Method:   |
| Well Purged: ☑ Yes ☐ No   | Well Volumes Purged: 0.14                                  |
| Sample Field Filtered (must be 0.45 micron)?   Yes  | No   |
| Spring Flow Rate: GPM   |  |
| Sample Date (mm/dd/yy): 06/06/06  | Sample Collection Time: 09:40                              |
| Sample Collector's Name: C. Salmon - G. Stewart   |  |
| Sample Collector's Affiliation: Beran Environmental   |  |
| .aboratoy(ies) Performing Analysis: Geochemical Testing   |  |
|   | elease explain in comments field.                          |
| ab Certification Number(s): E87642FL and 56-306PA   | rease explain in comments held.                            |
|   | and I oh Amelysis Consolistics D.                          |
|   | nal Lab Analysis Completion Date: 6/21/2006                |
| Name/Affiliation of Person who Filled out Form Geochemical Comments: Clear.                                     | esting   |
| oniments. Olear.  |  |
|   | ···  |
|   |  |

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-302   |
| Sample Date          | 6/6/2006 |
|                      |          |

#### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--|--------------------|---------------------------|
| Ammonia-Nitrogen*                            | 63.9               | EPA 350.1                 |
| Bicarbonate (as Ca Co <sub>3</sub> )*        | 793                | SM4500-CO2D               |
| Calcium, Total*                              | 585                | EPA 200.7                 |
| Calcium, Dissolved**                         |                    |                           |
| Chemical Oxygen Demand*                      | 2300               | HACH 8000                 |
| Chloride*                                    | 3530               | EPA 300.0                 |
| Fluoride                                     | < 0.1              | EPA 300.0                 |
| lron (μg/l); Total                           | 3880               | EPA 200.7                 |
| lron (μg/l), Dissolved**                     |                    |                           |
| Magnesium, Total*                            | 322                | EPA 200.7                 |
| Magnesium, Dissolved**                       |                    |                           |
| Manganese (μg/l), Total*                     | 140                | EPA 200.7                 |
| Manganese (μg/l), Dissolved**                |                    |                           |
| Nitrate-Nitrogen                             | < 0.05             | EPA 300.0                 |
| pH (standard units), Field*                  | 6.22               |                           |
| pH (standard units), Laboratory*             | 6.72               | SM4500-H+B                |
| Potassium, Total*                            | 45.5               | EPA 200.7                 |
| Potassium, Dissolved**                       |                    |                           |
| Sodium, Total*                               | 1360               | EPA 200.7                 |
| Sodium, Dissolved**                          |                    |                           |
| Specific Conductance (µmhos/cm), Field*      | 11460              |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 10500              | EPA 120.1                 |
| Sulfate*                                     | < 10               | EPA 300.0                 |
| Total Alkalinity*                            | 793                | SM 18 2320B               |
| Total Dissolved Solids                       | 6,330              | SM2540-C                  |
| Total Organic Carbon*                        | 74.1               | SM 19 5310-C              |
| Total Phenolics (µg/l)                       | 34.4               | EPA 420.1                 |
| Turbidity (NTU)                              | 16.6               | EPA 180.1                 |
|  |                    |                           |
|  | ··                 | <u></u>                   |

<sup>\*</sup> Indicator Analyte - For comparison with detection zone analytes.

<sup>†</sup> Please indicate detection limit if analyte is not detected.

<sup>\*\*</sup> Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.



#### COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT

Date Prepared/Revised
6/29/2006
DEP/USE ONLY

# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284  |  |
|--|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part   |  |
| SECTION:A. SI  | reidentifier.  |
| Applicant/permitee: Kelly Run Sanitation   |  |
| Site Name: Kelly Run Sanitation  |  |
| Facility ID (as issued by DEP): 100663   |  |
| SECTION B FACILI   |  |
| Monitoring wells must be designed and constructed in accordan LATITUDE AND LONGITUDE TO THE NEAREST ONE TENT | Ce with Department standards. INDICATE THE H OF A SECOND (DD <sup>0</sup> MM' SS SS'') |
| Monitoring Point Number: <u>MW-201R</u>  | ☑ Well □ Spring □ Stream □ Other   |
|  | ☐ Upgradient/Upstream ☐ Downgradient/Downstream  |
| Location: County Allegheny   | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 15 ' 13 . 92 "  | Longitude; 79 ° 53 ' 14 . 00 "   |
| Depth to Water Level: 272.90 ft  | Measured from: ☐ Land Surface ☐ TOC  |
| Casing Stick Up: 2.17 ft   | Elevation of Water Level: 885.23 ft./MSL   |
| Sampling Depth: NA ft  | Volume of Water Column: 2.30 gal.  |
| Total Well Depth: 276.44 ft.   | Sampling Method: Pumped Bailed Grab  |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: 0.26  |
| Sample Field Filtered (must be 0.45 micron)?   | ] No   |
| Spring Flow Rate: GPM  |  |
| Sample Date (mm/dd/yy): <u>06/06/06</u>  | Sample Collection Time: 08:50  |
| Sample Collector's Name: C. Salmon - G. Stewart  |  |
| Sample Collector's Affiliation: Beran Environmental  |  |
| Laboratoy(ies) Performing Analysis: Geochemical Testing  |  |
| Were any holding times exceeded? ☐ Yes ☑ No If yes,  | please explain in comments field.  |
| Lab Certification Number(s): E87642FL and 56-306PA   |  |
| _ab Sample Number: _G0606125-010   | inal Lab Analysis Completion Date: 6/9/2006  |
| Name/Affiliation of Person who Filled out Form Geochemical   |  |
| Comments: Clear.   |  |
|  |  |
|  |  |
|  |  |

| · I.D. No.           | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-201R  |
| Sample Date          | 6/6/2006 |
|                      |          |

#### **ANALYTES**

## 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                      | VALUE †                               | ANALYSIS<br>METHOD NUMBER |
|--|---------------------------------------|---------------------------|
| Ammonia-Nitrogen*                            | v                                     |                           |
| Bicarbonate (as Ca Co <sub>3</sub> )*        |                                       |                           |
| Calcium, Total*                              |                                       |                           |
| Calcium, Dissolved**                         | -                                     |                           |
| Chemical Oxygen Demand*                      | · · · · · · · · · · · · · · · · · · · |                           |
| Chloride*                                    | 50                                    | EPA 300.0                 |
| Fluoride                                     | 0.2                                   | EPA 300.0                 |
| lron (μg/l), Total                           |                                       |                           |
| Iron (µg/I), Dissolved**                     |                                       |                           |
| Magnesium, Total*                            |                                       |                           |
| Magnesium, Dissolved**                       | <u> </u>                              | <del></del>               |
| Manganese (µg/l), Total*                     |                                       |                           |
| Manganese (µg/l), Dissolved**                |                                       |                           |
| Nitrate-Nitrogen                             | 0.13                                  | EPA 300.0                 |
| pH (standard units), Field*                  | 6.62                                  | 2.7.000.0                 |
| pH (standard units), Laboratory*             |                                       |                           |
| Potassium, Total*                            |                                       |                           |
| Potassium, Dissolved**                       |                                       |                           |
| Sodium, Total*                               |                                       |                           |
| Sodium, Dissolved**                          | · · · · · · · · · · · · · · · · · · · |                           |
| Specific Conductance (µmhos/cm), Field*      | <del> </del>                          |                           |
| Specific Conductance (µmhos/cm), Laboratory* | 1452                                  |                           |
| Sulfate*                                     | 514                                   | EPA 300.0                 |
| otal Alkalinity*                             |                                       | 2.77000.0                 |
| otal Dissolved Solids                        |                                       |                           |
| otal Organic Carbon*                         | 1.2                                   | SM 19 5310-C              |
| otal Phenolics (µg/l)                        |                                       | 0.11 10 00 10 0           |
| urbidity (NTU)                               | 5.8                                   | EPA 180.1                 |
|  |                                       | = A 100.1                 |
|  | <del></del>                           | <u> </u>                  |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663                                |
|----------------------|---------------------------------------|
| Monitoring Point No. | MW-201R                               |
| Sample Date          | 6/6/2006                              |
| •                    | · · · · · · · · · · · · · · · · · · · |

### 2-Q. Organics (Enter all data in $\mu g/I$ )

| ANALYTE                  | VALUE † | ANALYSIS<br>METHOD NUMBER |
|--------------------------|---------|---------------------------|
| Benzene                  | < 5.0   | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0   | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0   | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0   | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5.0   | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0   | EPA 8260B                 |
| Ethyl Benzene            | < 5.0   | EPA 8260B                 |
| Methylene chloride       | < 5.0   | EPA 8260B                 |
| Tetrachloroethene        | < 5.0   | EPA 8260B                 |
| Toluene                  | < 5.0   | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0   | EPA 8260B                 |
| Trichloroethene          | < 5.0   | EPA 8260B                 |
| Vinyl chloride           | < 2.0   | EPA 8260B                 |
| Xylene                   | < 5.0   | EPA 8260B                 |
|                          |         |                           |
|                          |         |                           |
|                          | *.      |                           |
|                          |         |                           |
|                          |         |                           |

 $<sup>\</sup>ensuremath{\uparrow}$  Please indicate detection limit if analyte is not detected.

 I.D. No.
 100663

 Monitoring Point No.
 MW-201R

 Sample Date
 6/6/2006

### FORM 19 ANNUAL WATER QUALITY ANALYSES

1-A. Metals (Enter all data in  $\mu g/l$ ) If initial background analyses or four consecutive annual analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

| ANALYTE               | VALUE       | ANALYSIS<br>METHOD NUMBER             |
|-----------------------|-------------|---------------------------------------|
| Arsenic, Total        |             | INCITIOD NOMBER                       |
| Arsenic, Dissolved    |             |                                       |
| Barium, Total         |             | <del></del>                           |
| Barium, Dissolved     |             |                                       |
| Cadmium, Total        |             |                                       |
| Cadmium, Dissolved    |             |                                       |
| Chromium, Total       |             |                                       |
| Chromium, Dissolved   |             | <del> </del>                          |
| Copper, Total         |             |                                       |
| Copper, Dissolved     |             | · · · · · · · · · · · · · · · · · · · |
| Lead, Total           |             |                                       |
| Lead, Dissolved       |             |                                       |
| Mercury, Total        |             |                                       |
| Mercury, Dissolved    |             |                                       |
| Selenium, Total       | <u> </u>    |                                       |
| Selenium, Dissolved ' | <del></del> |                                       |
| Silver, Total         |             |                                       |
| Silver, Dissolved     |             |                                       |
| Zinc, Total           |             |                                       |
| Zinc, Dissolved       |             |                                       |
| , Total               |             |                                       |
| , Dissolved           | . ,         |                                       |
| , Total               |             | <del></del>                           |
| , Dissolved           |             |                                       |
| , Total               |             |                                       |
| , Dissolved           |             |                                       |
| , Total               |             |                                       |
| , Dissolved           |             |                                       |
| , Total               |             |                                       |
| , Dissolved           |             |                                       |

 $<sup>\</sup>ensuremath{^{\dagger}}$  Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-201R  |
| Sample Date          | 6/6/2006 |

# 2-A. Organics (Enter all data in $\mu g/l$ )

| ANALYTE                                       | VALUE †                               | ANALYSIS<br>METHOD NUMBER             |  |
|---|---------------------------------------|---------------------------------------|--|
| Bromoform (Tribromomethane)                   |                                       |                                       |  |
| Bromomethane (Methyl Bromide)                 |                                       |                                       |  |
| Carbon tetrachloride                          |                                       |                                       |  |
| Chlorobenzene                                 |                                       |                                       |  |
| Chloroethane (Ethyl Chloride)                 | ÷                                     |                                       |  |
| Dibromochloromethane (Chlorodibromomethane)   |                                       |                                       |  |
| Methyl Chloride (Chloromethane)               | <del></del>                           |                                       |  |
| 3-Chioro-I-propene                            |                                       |                                       |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)       | · · · · · · · · · · · · · · · · · · · |                                       |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)       |                                       |                                       |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)       |                                       |                                       |  |
| Dichlorodifluoromethane                       |                                       |                                       |  |
| 1, 2-Dichloropropane (Propylene Dichloride)   | <del></del>                           |                                       |  |
| Cis-1, 3-Dichloropropene                      |                                       |                                       |  |
| Trans-1, 3-Dichloropropene                    |                                       |                                       |  |
| Methyl Ethyl Ketone (2-Butanone)              |                                       |                                       |  |
| 4-Methyl-2-pentanone (Methyl Isobutyl Ketone) |                                       |                                       |  |
| 1,1,1,2-Tetrachloroethane                     |                                       | · · · · · · · · · · · · · · · · · · · |  |
| 1,1,2,2-Tetrachloroethane                     |                                       |                                       |  |
| 1,1,2-Trichloroethane                         |                                       |                                       |  |
| Trichlorofluoromethane (CFC-11)               |                                       |                                       |  |
| 1,2,3-Trichloropropane                        |                                       |                                       |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-201R  |
| Sample Date          | 6/6/2006 |

SUBTITLE D - Detection Zone Add-On List: When the MCI of any analyte is exceeded in the detection zone Form 50 monitoring, the following analytes must be monitored annually in the ground water monitoring wells.

ORGANICS AND METALS (enter all data in ug/l)

| ANALYTE                                     | VALUE †      | ANALYSIS<br>METHOD NUMBER             |
|---|--------------|---------------------------------------|
| Acetone                                     |              |                                       |
| Acrylonitrile                               |              | · · · · · · · · · · · · · · · · · · · |
| Bromochloromethane (Chlorobromomethane)     |              |                                       |
| Bromodichloromethane (Dichlorobromomethane) |              |                                       |
| Carbon Disulfide                            |              | · · · · · · · · · · · · · · · · · · · |
| Chloroform (Trichloromethane)               |              |                                       |
| 1,2-Dibromo-3-Chloropropane (DBCP)          |              |                                       |
| trans-1,4-Dichloro-2-Butene                 | <u> </u>     |                                       |
| Methyl butyl ketone (2-Hexanone)            |              |                                       |
| Methylene bromide (Dibromomethane)          |              |                                       |
| Methyl lodide (lodomethane)                 |              |                                       |
| Styrene                                     |              |                                       |
| Vinyl Acetate                               |              |                                       |
|   |              |                                       |
|   |              |                                       |
| Antimony, Total                             |              | <u> </u>                              |
| Beryllium, Total                            |              |                                       |
| Cobalt, Total                               |              |                                       |
| lickel, Total                               |              |                                       |
| hallium, Total                              |              |                                       |
| /anadium, Total                             |              |                                       |
|   |              |                                       |
|   | <del> </del> | · · · · · · · · · · · · · · · · · · · |

<sup>†</sup>Please indicate detection limit if analyte is not detected

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-201R  |
| Sample Date          | 6/6/2006 |


# 4. Qualitatively Identified Organic Compounds

List at least ten volatile organic compounds not otherwise identified in this section. Their identification should be based upon those compounds showing the greatest apparent concentration from the peaks of a mass spectrum of each sample. These ten compounds shall be identified but the concentration of each is not required.

|               | Constituent |             | CAS Number |
|---------------|-------------|-------------|------------|
| None Detected |             |             |            |
|               |             | <del></del> |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |
|               | a 1         |             |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |
|               |             |             |            |







# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284  |  |
|--|--|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part   | 258.   |
| SECTION A SI   |  |
| Applicant/permitee: Kelly Run Sanitation   | The state of the s |
| Site Name: Kelly Run Sanitation  |  |
| Facility ID (as issued by DEP): 100663   |  |
| SECTION B FACILI   |  |
| Monitoring wells must be designed and constructed in accordan LATITUDE AND LONGITUDE TO THE NEAREST ONE TENT | ce with Department standards. INDICATE THE H OF A SECOND (DD <sup>O</sup> MM' SS.SS")  |
| Monitoring Point Number: MW-204  | ☑ Well ☐ Spring ☐ Stream ☐ Other   |
|  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream  |
| Location: County Allegheny   | Municipality: Township of Forward  |
| Sampling Point: Latitude: 40 ° 14 ' 48 . 00 "  | Longitude: 79 ° 53 ' 23 . 00 "   |
| Depth to Water Level: 294.50 ft  | Measured from: ☐ Land Surface ☑ TOC  |
| Casing Stick Up:fl   | Elevation of Water Level: 868.75 ft./MSL   |
| Sampling Depth: NA fl  | Volume of Water Column: 10.10 gal.   |
| Total Well Depth: <u>310.00</u> ft.  | Sampling Method: ☐ Pumped ☐ Bailed ☐ Grab  |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: 1.10  |
| Sample Field Filtered (must be 0.45 micron)?   Yes   | No   |
| Spring Flow Rate: GPM  |  |
| Sample Date (mm/dd/yy): 06/06/06   | Sample Collection Time: 11:20  |
| Sample Collector's Name: C. Salmon - G. Stewart  |  |
| Sample Collector's Affiliation: Beran Environmental  |  |
| aboratoy(ies) Performing Analysis: Geochemical Testing   |  |
|  | please explain in comments field.  |
| ab Certification Number(s): E87642FL and 56-306PA  | organi in commente neig.   |
|  | nal Lab Analysis Completion Date: 6/21/2006  |
| lame/Affiliation of Person who Filled out Form Geochemical   |  |
| comments: Turbulent.   | . Journal  |
|  |  |
|  |  |

| 100663   |
|----------|
| MW-204   |
| 6/6/2006 |
|          |

#### **ANALYTES**

### 1-Q. Inorganics (Enter all data in mg/l except as noted)

| ANALYTE                                     | VALUE †                               | ANALYSIS<br>METHOD NUMBER             |
|---|---------------------------------------|---------------------------------------|
| Ammonia-Nitrogen*                           | 0.65                                  | EPA 350.1                             |
| Bicarbonate (as Ca Co <sub>3</sub> )*       | 231                                   | SM4500-CO2D                           |
| Calcium, Total*                             | 171                                   | EPA 200.7                             |
| Calcium, Dissolved**                        |                                       | <del></del>                           |
| Chemical Oxygen Demand*                     | 12                                    | HACH 8000                             |
| Chloride*                                   | 78                                    | EPA 300.0                             |
| Fluoride                                    | . 0.2                                 | EPA 300.0                             |
| ron (µg/l), Total                           | 54900                                 | EPA 200.7                             |
| ron (µg/I), Dissolved**                     |                                       |                                       |
| Magnesium, Total*                           | 52.3                                  | EPA 200.7                             |
| Magnesium, Dissolved**                      |                                       |                                       |
| Manganese (µg/l), Total*                    | 840                                   | EPA 200.7                             |
| Manganese (μg/l), Dissolved**               |                                       |                                       |
| Nitrate-Nitrogen                            | 0.12                                  | EPA 300.0                             |
| oH (standard units), Field*                 | 6.5                                   |                                       |
| pH (standard units), Laboratory*            | 6.59                                  | SM4500-H+B                            |
| Potassium, Total*                           | 3.7                                   | EPA 200.7                             |
| Potassium, Dissolved**                      |                                       |                                       |
| Sodium, Total*                              | 233 <sup>.</sup>                      | EPA 200.7                             |
| Sodium, Dissolved**                         | · · · · · · · · · · · · · · · · · · · | ,                                     |
| specific Conductance (µmhos/cm), Field*     | 2158                                  |                                       |
| pecific Conductance (µmhos/cm), Laboratory* | 1770                                  | EPA 120.1                             |
| ulfate*                                     | 800                                   | EPA 300.0                             |
| otal Alkalinity*                            | 231                                   | SM 18 2320B                           |
| otal Dissolved Solids                       | 1430                                  | SM2540-C                              |
| otal Organic Carbon*                        | 2.8                                   | SM 19 5310-C                          |
| otal Phenolics (µg/I)                       | < 10.0                                | EPA 420.1                             |
| urbidity (NTU)                              | 252                                   | EPA 180.1                             |
|   |                                       | · · · · · · · · · · · · · · · · · · · |

Indicator Analyte - For comparison with detection zone analytes.

Please indicate detection limit if analyte is not detected.

Total and dissolved analysis required only in conjunction with additional annual metals sampling (see page 4). Remaining quarterly samples only require total metals analysis.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-204   |
| Sample Date          | 6/6/2006 |
| Sample Date          | 6/6/2006 |

## 2-Q. Organics (Enter all data in $\mu$ g/l)

| ANALYTE                  | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER |
|--------------------------|--------------------|---------------------------|
| Benzene                  | < 5.0              | EPA 8260B                 |
| 1,2-Dibromoethane        | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethane       | < 5.0              | EPA 8260B                 |
| 1,1-Dichloroethene       | < 5.0              | EPA 8260B                 |
| 1,2-Dichloroethane       | < 5.0              | EPA 8260B                 |
| Cis-1,2-Dichloroethene   | < 5:0              | EPA 8260B                 |
| Trans-1,2-Dichloroethene | < 5.0              | EPA 8260B                 |
| Ethyl Benzene            | < 5.0              | EPA 8260B                 |
| Methylene chloride       | < 5.0              | EPA 8260B                 |
| Tetrachloroethene        | < 5.0              | EPA 8260B                 |
| Toluene                  | < 5.0              | EPA 8260B                 |
| 1,1,1,-Trichloroethane   | < 5.0              | EPA 8260B                 |
| Trichloroethene          | < 5.0              | EPA 8260B                 |
| /inyl chloride           | < 2.0              | EPA 8260B                 |
| Kylene                   | < 5.0              | EPA 8260B                 |
|                          |                    |                           |
|                          |                    |                           |
|                          |                    |                           |
|                          |                    |                           |
|                          |                    |                           |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-204   |
| Sample Date          | 6/6/2006 |

1-A. Metals (Enter all data in  $\mu g/l$ ) If initial background analyses or four consecutive annual analyses show essentially identical (within 5%) dissolved and total analyses, dissolved analyses may not be required, subject to written DEP approval.

| ANALYTE             | VALUE   | ANALYSIS<br>METHOD NUMBER             |  |
|---------------------|---------|---------------------------------------|--|
| Arsenic, Total      | < 10    | EPA 200.8                             |  |
| Arsenic, Dissolved  | < 10    | EPA 200.8D                            |  |
| Barium, Total       |         |                                       |  |
| Barium, Dissolved   | ·       | 1                                     |  |
| Cadmium, Total      |         |                                       |  |
| Cadmium, Dissolved  |         |                                       |  |
| Chromium, Total     | < 10    | EPA 200.7                             |  |
| Chromium, Dissolved | < 10    | EPA 200.7D                            |  |
| Copper, Total       |         |                                       |  |
| Copper, Dissolved   |         |                                       |  |
| Lead, Total         | 7.1     | EPA 200.8                             |  |
| Lead, Dissolved     | < 5.0   | EPA 200.8D                            |  |
| Mercury, Total      |         |                                       |  |
| Mercury, Dissolved  | •       | · · · · · ·                           |  |
| Selenium, Total     |         | •                                     |  |
| Selenium, Dissolved |         |                                       |  |
| Silver, Total       |         |                                       |  |
| Silver, Dissolved   |         |                                       |  |
| Zinc, Total         |         |                                       |  |
| Zinc, Dissolved     |         |                                       |  |
| , Total             |         | -                                     |  |
| , Dissolved         |         |                                       |  |
| , Total             | · · · · | · · · · · · · · · · · · · · · · · · · |  |
| , Dissolved         |         |                                       |  |
| , Total             |         |                                       |  |
| , Dissolved         |         |                                       |  |
| , Total             |         |                                       |  |
| , Dissolved         |         |                                       |  |
| , Total             |         |                                       |  |
| , Dissolved         |         | <u> </u>                              |  |

<sup>†</sup> Please indicate detection limit if analyte is not detected.

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-204   |
| Sample Date          | 6/6/2006 |

### 2-A. Organics (Enter all data in $\mu g/I$ )

| ANALYTE                                       | VALUE <sup>†</sup> | ANALYSIS<br>METHOD NUMBER             |
|---|--------------------|---------------------------------------|
| Bromoform (Tribromomethane)                   |                    | ٠.                                    |
| Bromomethane (Methyl Bromide)                 |                    |                                       |
| Carbon tetrachloride                          |                    |                                       |
| Chlorobenzene                                 |                    |                                       |
| Chloroethane (Ethyl Chloride)                 |                    |                                       |
| Dibromochloromethane (Chlorodibromomethane)   |                    |                                       |
| Methyl Chloride (Chloromethane)               |                    |                                       |
| 3-Chloro-I-propene                            |                    | <u> </u>                              |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)       |                    |                                       |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)       | · ·                | , , , , , , , , , , , , , , , , , , , |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)       |                    | <del></del>                           |
| Dichlorodifluoromethane                       |                    |                                       |
| 1, 2-Dichloropropane (Propylene Dichloride)   |                    |                                       |
| Cis-1, 3-Dichloropropene                      |                    |                                       |
| Trans-1, 3-Dichloropropene                    |                    |                                       |
| Methyl Ethyl Ketone (2-Butanone)              |                    |                                       |
| 4-Methyl-2-pentanone (Methyl Isobutyl Ketone) |                    |                                       |
| 1,1,1,2-Tetrachloroethane                     |                    | <del> </del>                          |
| 1,1,2,2-Tetrachloroethane                     |                    | · · · · · · · · · · · · · · · · · · · |
| 1,1,2-Trichloroethane                         |                    |                                       |
| Trichlorofluoromethane (CFC-11)               |                    |                                       |
| 1,2,3-Trichloropropane                        |                    |                                       |

 $<sup>\</sup>ensuremath{^{\uparrow}}$  Please indicate detection limit if analyte is not detected.

| 100663   |
|----------|
| MW-204   |
| 6/6/2006 |
|          |

SUBTITLE D - Detection Zone Add-On List: When the MCI of any analyte is exceeded in the detection zone Form 50 monitoring, the following analytes must be monitored annually in the ground water monitoring wells.

## ORGANICS AND METALS (enter all data in ug/l)

| ANALYTE                                     | VALUE † | ANALYSIS<br>METHOD NUMBER             |
|---|---------|---------------------------------------|
| Acetone                                     |         |                                       |
| Acrylonitrile                               |         |                                       |
| Bromochloromethane (Chlorobromomethane)     |         |                                       |
| Bromodichloromethane (Dichlorobromomethane) |         |                                       |
| Carbon Disulfide                            |         |                                       |
| Chloroform (Trichloromethane)               |         |                                       |
| 1,2-Dibromo-3-Chloropropane (DBCP)          |         |                                       |
| trans-1,4-Dichloro-2-Butene                 |         |                                       |
| Methyl butyl ketone (2-Hexanone)            |         |                                       |
| Methylene bromide (Dibromomethane)          |         | · · · · · · · · · · · · · · · · · · · |
| Methyl lodide (lodomethane)                 |         |                                       |
| Styrene                                     |         |                                       |
| Vinyl Acetate                               |         |                                       |
|   |         |                                       |
|   |         |                                       |
| Antimony, Total                             |         |                                       |
| Beryllium, Total                            |         |                                       |
| Cobalt, Total                               |         |                                       |
| Nickel, Total                               |         |                                       |
| Thallium, Total                             |         |                                       |
| Vanadium, Total                             |         |                                       |
|   |         |                                       |
|   |         |                                       |

<sup>†</sup>Please indicate detection limit if analyte is not detected

| I.D. No.             | 100663   |
|----------------------|----------|
| Monitoring Point No. | MW-204   |
| Sample Date          | 6/6/2006 |


# 4. Qualitatively Identified Organic Compounds

List at least ten volatile organic compounds not otherwise identified in this section. Their identification should be based upon those compounds showing the greatest apparent concentration from the peaks of a mass spectrum of each sample. These ten compounds shall be identified but the concentration of each is not required.

|                                       | Constitue | <u>nt</u>                             |                                       | CAS Number |
|---------------------------------------|-----------|---------------------------------------|---------------------------------------|------------|
| Carbon Disulfide                      |           |                                       | <u> </u>                              |            |
|                                       |           |                                       |                                       |            |
|                                       |           |                                       |                                       |            |
|                                       |           |                                       |                                       |            |
|                                       |           | <u> </u>                              | · · · · · · · · · · · · · · · · · · · |            |
|                                       |           | <u> </u>                              |                                       |            |
| :                                     |           |                                       | ,                                     |            |
|                                       |           |                                       |                                       |            |
|                                       |           |                                       |                                       |            |
| <del> </del>                          |           | · · · · · · · · · · · · · · · · · · · |                                       |            |
| · · · · · · · · · · · · · · · · · · · |           | · · · · · · · · · · · · · · · · · · · |                                       |            |
|                                       |           | ·                                     |                                       |            |
|                                       |           |                                       |                                       |            |
|                                       |           |                                       |                                       |            |
|                                       |           |                                       |                                       |            |
|                                       |           |                                       |                                       |            |
| <u> </u>                              |           |                                       |                                       |            |



# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION RECYCLING AND WASTE MANAGEMENT



# FORM 19 MUNICIPAL WASTE LANDFILL QUARTERLY AND ANNUAL WATER QUALITY ANALYSES

| General References: Section 273.284  |   |
|--|---|
| Federal Regulations, Subtitle D: 258.54 and Appendix I to Part   | 258.  |
| SECTION A' SI  | IE DENTIFIER  |
| Applicant/permitee: Kelly Run Sanitation   |   |
| Site Name: Kelly Run Sanitation  |   |
| Facility ID (as issued by DEP): 100663   |   |
| SECTION'S FACIL  |   |
| Monitoring wells must be designed and constructed in accordan LATITUDE AND LONGITUDE TO THE NEAREST ONE TENT | ce with Department standards. INDICATE THE          |
| Monitoring Point Number: MW-211R1  |   |
| MVV-211R1  | ☑ Well ☐ Spring ☐ Stream ☐ Other                    |
| U postiera County All I  | ☐ Upgradient/Upstream ☑ Downgradient/Downstream     |
| Location: County Allegheny   | Municipality: Township of Forward                   |
| Sampling Point: Latitude: 40 ° 14 ' 57 . 77 "  | Longitude: 79 ° 53 ' 6 . 70 "                       |
| Depth to Water Level: 193.50 ft  | Measured from: ☐ Land Surface ☐ TOC                 |
| Casing Stick Up: 2.71 ft   | Elevation of Water Level: 870.50 ft./MSL            |
| Sampling Depth: <u>NA</u> fl   | Volume of Water Column: 2.20 gal.                   |
| Total Well Depth: 196.92 ft.   | Sampling Method: ☑ Pumped ☐ Bailed ☐ Graf           |
| Well Purged: ☑ Yes ☐ No  | Well Volumes Purged: 0.60                           |
| Sample Field Filtered (must be 0.45 micron)?   | No  |
| Spring Flow Rate: GPM  |   |
| Sample Date (mm/dd/yy): <u>06/05/06</u>  | Sample Collection Time: 13:20                       |
| Sample Collector's Name: <u>C. Salmon</u> - G. Stewart   |   |
| Sample Collector's Affiliation: Beran Environmental  |   |
| _aboratoy(ies) Performing Analysis: Geochemical Testing  |   |
| Were any holding times exceeded?   Yes   No If yes,  |   |
| ab Certification Number(s): E87642FL and 56-306PA  | steade oxplain in dominants held.                   |
|  | inal Lah Anglysis Completion Determined 1994 (2009) |
| Name/Affiliation of Person who Filled out Form Geochemical   | inal Lab Analysis Completion Date: 6/21/2006        |
| Comments: Clear.   | resung  |
| Joan Silver  |   |
|  |   |
|  |   |